

ICUIRE 3.2L

ICUIRE Baby Bottle Washer, Sterilizer, and Dryer Instruction Manual

Model: 3.2L

1. PRODUCT OVERVIEW

The ICUIRE Baby Bottle Washer, Sterilizer, and Dryer is an automated appliance designed to clean, sterilize, and dry various baby items. It features a 3.2L built-in water tank, dual spray arms, and multiple operating modes to ensure thorough hygiene for baby bottles, pump parts, pacifiers, and tableware.

Key Features:

- **Automated Cleaning:** Washes, sterilizes, and dries baby bottles, pump parts, and tableware.
- **High Temperature Sterilization:** Operates between 131-167°F for effective sanitization.
- **3.2L Built-in Water Tank:** Provides stable water flow and prevents leakage.
- **Dual Spray Arms:** Ensures 360° deep cleaning without blind spots.
- **Multiple Modes:** Offers Rapid Wash, Normal Wash, Strong Wash, Sterilize+Dry, and standalone Dry modes.
- **72-Hour Storage:** Maintains sterility for up to 72 hours after drying.
- **BPA-Free Materials:** Constructed with safe and durable Acrylonitrile Butadiene Styrene (ABS).

Wash Multiple Bottles at Once

Save Time & Effort



Baby Bottles



Breast Pumps



Pacifier



Baby Toys



Baby Tablewares



Image: The ICUIRE Baby Bottle Washer accommodates multiple items including baby bottles, breast pump parts, pacifiers, baby toys, and baby tableware.

Dual Spray Arms — 360° Deep Cleaning, No Blind Spots



Image: Illustration of the dual spray arms ensuring comprehensive 360° deep cleaning.

2. WHAT'S IN THE BOX

Upon unpacking, ensure all components are present:

- ICUIRE Baby Bottle Washer Unit
- Cutlery Basket
- Drain Hose
- Power Cord
- User Manual (this document)
- 60 Universal Bottle Washer Detergent Tablets

Video: This video demonstrates the assembly of the bottle washer accessories, including the basket, spoon holder, basket holder, bottle holder, and drain pipe.

3. SETUP INSTRUCTIONS

3.1 Unpacking and Placement

- Remove all packaging materials and accessories from the unit.
- Place the unit on a stable, flat surface near a water source and a sink for drainage.

3.2 Assembling Internal Racks

1. Insert the bottle holder into the main basket. Ensure the circled position on the bottle holder aligns with the single wheel direction on the basket.
2. Insert the front end of the spoon holder bracket into the corresponding position on the main basket.
3. Apply gentle downward force to secure the spoon holder basket into place.

3.3 Connecting the Drain Hose

- Connect the provided drain hose to the drainage outlet at the back of the unit.
- Position the other end of the drain hose into a sink to allow for proper water discharge during operation.

3.4 Filling the Water Tank

1. Open the lid of the water tank located on the top of the unit.
2. Carefully pour 3.2 liters of water into the water tank. Do not exceed the maximum water level line indicated inside the tank.
3. Close the water tank lid securely.

Video: This video provides a step-by-step guide on how to correctly install and use the baby bottle washer, including water filling and accessory placement.

4. OPERATING INSTRUCTIONS

4.1 Loading Items

- Open the front door of the unit.
- Place baby bottles upside down on the bottle holder.
- Arrange other items like pump parts, pacifiers, and small dishes in the cutlery basket or main basket, ensuring they do not obstruct the spray arms.
- Close the front door securely.

New-Gen Baby Bottle Washer — Smarter & Safer



ICUIRE



UV Sterilization
+ High Temp Water Flow



Upper & Lower Spray Arm



45 Mins Deep Cleaner
(3X Hot water washing)



One-Hand Easy Operation



Others



No UV



Only Lower Spray Arm



29 Min
(Milk Film Residue)



Complicated Process

Image: The interior of the washer showing bottles and accessories correctly loaded for a wash cycle.

4.2 Adding Detergent

- For each wash cycle, place one detergent tablet into the designated compartment at the bottom of the unit.

4.3 Selecting a Program

Use the control panel to select your desired program:

- **Normal Wash:** 29 minutes cleaning + 45 minutes drying.
- **Strong Wash:** 45 minutes cleaning + 45 minutes drying.
- **Rapid Wash:** 19 minutes cleaning + 45 minutes drying.
- **Dry Mode:** 69 minutes drying (standalone).

- **UV Disinfection:** Can be selected after a drying cycle or independently.

Clean, Dry & Sterilize in One Step



Normal
29mins/167°F



Strong
45mins/167°F



Rapid
19mins/167°F



Dry
69mins



UV
10mins



13 inches

17.13 inches

13 inches



Image: The control panel displaying various cleaning and drying modes with their durations.



Image: Simple one-touch control panel for easy operation.

4.4 Starting the Cycle

- Press the 'Start/Pause' button to begin the selected program. The screen will display the remaining time.
- If the door is opened during operation, the machine will automatically pause and emit a prompt sound. Close the door to resume.

4.5 Post-Cycle Storage

- Upon completion of a cycle, the machine automatically enters a 72-hour storage mode, maintaining the items in a sterile condition.

5. MAINTENANCE

5.1 Cleaning the Filter

- The machine has detachable drainage and loading parts for easy cleaning.
- Regularly remove and clean the filter screen to prevent clogs and ensure optimal performance.



Image: Steps for effortless cleaning and maintenance, including removing the filter screen.

5.2 General Cleaning

- It is recommended to periodically wipe the machine door and seal with a clean, damp cloth and dry it with a lint-free cloth.
- Do not use acidic or alkaline cleaners, laundry detergents, soaps, washing powders, hand sanitizers, or other easily saponified detergents instead of the special detergent for baby bottle washing machines or dishwashers.

6. TROUBLESHOOTING

- **Water Shortage:** If the machine emits a red light and flashes, it indicates a water shortage. Refill the water tank as per section 3.4.
- **Door Opened During Operation:** The machine will pause and alert you if the door is opened. Close the door to resume the cycle.
- **Error Code 'E6':** This code indicates a failed heating element. If this occurs, contact customer support for assistance.

7. SPECIFICATIONS

Feature	Detail
Product Dimensions	13 x 13 x 17.13 inches
Item Model Number	3.2L (Built-in water tank)
Material Type	Acrylonitrile Butadiene Styrene (ABS)
Material Free	BPA Free
Item Weight	21.6 pounds
Additional Features	Adjustable Basket, Built-In Water Tank, Ultraviolet Sterilization, Upper and lower dual spray arms



Image: Product dimensions for easy reference.

8. WARRANTY AND SUPPORT

- Each ICUIRE Baby Bottle Washer comes with a **1-year warranty**.
- For any product inquiries, technical assistance, or warranty claims, please contact ICUIRE customer support.
- The seller, YOCHI, provides 24/7 service to assist with any issues.

Save Water, Protect the Planet

Up to 70% Water Savings



Water Usage:



3.2L Per Cycle



Water Usage:



≈10–12L Per Wash

Image: ICUIRE offers 24/7 customer support for assistance.