

Asyko 8511

Asyko 46-Inch Low Profile Ceiling Fan with RGB Light - Instruction Manual

Model: 8511

1. SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, install, or operate this product. Failure to follow these instructions may result in electric shock, fire, or serious personal injury.

- **Electrical Safety:** Always disconnect power at the main circuit breaker before installing, cleaning, or servicing the fan. Ensure all electrical connections comply with local codes and ordinances.
- **Mounting:** The fan must be mounted to a structurally sound ceiling joist or outlet box capable of supporting the fan's weight (approximately 10 lbs).
- **Blade Clearance:** Ensure there is at least 30 inches of clearance from the fan blades to any wall or obstruction. The lowest point of the fan blades should be at least 7 feet from the floor.
- **Wiring:** If you are unfamiliar with electrical wiring, consult a qualified electrician.
- **Damage:** Do not operate the fan with a damaged power cord or plug. If the fan is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.

2. WHAT'S IN THE BOX

Carefully unpack all components and ensure you have received all items listed below. If any parts are missing or damaged, contact customer service.

Stepless Dimming and Color Temperature

Provide you with customized lighting options for different occasions

Tri-color temperatures



Stepless Dimming



RGB Cycle Light



Image: Layout of all components included in the Asyko 46-inch Low Profile Ceiling Fan package.

- Fan Motor Assembly
- Fan Blades (6, double-sided: Brown/Wood and White/Black options)
- LED Light Source (Dimmable, 3-CCT, RGB)
- Light Cover (Acrylic Shade)
- Mounting Bracket
- Down Rod (Short and Long options)
- Canopy/Shroud
- Remote Control with Receiver
- Hardware Pack (screws, washers, wire nuts)
- Owner's Manual

3. PRODUCT OVERVIEW

The Asyko 46-inch Low Profile Ceiling Fan is designed for indoor use, offering both illumination and air circulation with advanced features.





Image: Illustrates the RGB color changing, stepless dimming, and 3-color temperature options (3000K, 4500K, 6000K) of the fan's light.

- **RGB Lighting:** Features 11 RGB colors for ambient lighting, suitable for various moods and occasions.
- **Quiet DC Motor:** Equipped with a 32W high-efficiency DC motor, operating at less than 35dB for quiet performance, ideal for bedrooms and quiet spaces.
- **Reversible 6-Speeds:** Offers 6 fan speeds and a reversible function to provide cooling in summer and aid warm air distribution in winter.
- **Dimmable LED Light:** Full spectrum LED light source with stepless dimming and 3 color temperatures (white, warm, neutral) and memory function.
- **Dual Control:** Supports both remote control and a dedicated mobile application for convenient operation.
- **Double-Sided Blades:** Six plywood fan blades with reversible finishes (Brown/Wood and White/Black) to match different decor styles.



- ▲ 1. Scan the QR code to download the APP "Fan Lamp Pro"
- ▲ 2. Language Setting
- ▲ 3. Add Device
- ▲ 4. Turn off the main power and turn on the Bluetooth of your phone.
- ▲ 5. Turn on the main power meanwhile click the button of connecting.
- ▲ 6. Fan light blinks twice to indicate a successful connection.



The screenshots show the 'Fan Lamp Pro' app interface. The first screen is for language selection (English is chosen). The second screen shows device pairing options for Living room, Bedroom, Study, and Kitchen. The third screen is the control panel for the 'Bedroom' device, featuring a speed dial, a light intensity slider, and various control icons like power, fan speed, and light color.

Image: The Asyko ceiling fan installed in a modern living room, showcasing its aesthetic appeal and air circulation.

4. INSTALLATION

The fan is designed for easy assembly. An English manual with installation instructions is included in the package. For visual guidance, refer to the online installation video provided by the seller.

4.1. Before You Start

- **Power Off:** Ensure the power is turned off at the circuit breaker before beginning installation.

- **Tools:** Gather necessary tools (screwdriver, wire strippers, ladder, etc.).
- **Unpack:** Carefully unpack all components and lay them out on a soft surface to prevent scratches.

4.2. Assembly Steps

1. **Mounting Bracket Installation:** Secure the mounting bracket to the ceiling outlet box. Ensure it is firmly attached and can support the fan's weight.
2. **Down Rod Assembly:** Choose the appropriate down rod (short or long) for your ceiling height. Feed the electrical wires from the fan motor through the down rod.
3. **Hang Fan Motor:** Carefully lift the fan motor assembly and hang it onto the mounting bracket.
4. **Wiring Connections:** Connect the fan's electrical wires to the household wiring according to the wiring diagram in the manual. Ensure all connections are secure. The remote receiver box will be integrated into this wiring.
5. **Canopy Attachment:** Slide the canopy up to cover the mounting bracket and secure it.
6. **Fan Blade Installation:** Attach the fan blades to the motor assembly. The blades are double-sided, allowing you to choose between a brown/wood or white/black finish.
7. **LED Light Source & Cover:** Connect the LED light source to the fan's wiring. Secure the LED light source to the fan, then attach the acrylic light cover.

Video: A short preview demonstrating the fan's operation and light features. This video is a preview from a seller.

5. OPERATION

Your Asyko ceiling fan can be controlled via the included remote control or a dedicated mobile application.

5.1. Remote Control Functions

- **ON/OFF:** Turns the fan and light on or off.
- **Fan Speed (1-6):** Adjusts the fan speed from gentle breeze (1-2) to strong wind (5-6).
- **Light ON/OFF:** Controls the light independently from the fan.
- **Dimmable Light:** Adjusts the brightness of the LED light from dim to bright.
- **Color Temperature (3CCT):** Switches between white, warm, and neutral light colors.
- **RGB Light:** Cycles through 11 RGB colors.
- **Reverse Function (F/R):** Changes the direction of the fan blades for seasonal use (forward for cooling, reverse for warm air distribution).
- **Timer (2H):** Sets the fan to turn off automatically after 2 hours.
- **Memory Function:** The fan remembers your last light settings (brightness and color temperature) when turned off and on.

5.2. App Control

The smart ceiling fan supports app control, allowing you to adjust all functions from your smartphone. Scan the QR code in the manual to download the "Fan Lamp Pro" app.



Image: QR code for downloading the "Fan Lamp Pro" app and screenshots of the app interface for controlling fan speed, light, and other features.

Download the app here: <https://www.jasonghost.com/fanlamppro/>

1. Scan the QR code to download the "Fan Lamp Pro" app.
2. Open the app and select your preferred language.
3. Add the device within the app.
4. Turn on the main power and ensure Bluetooth is enabled on your phone.
5. While the main power is on, click the connect button in the app.
6. The fan light will blink twice to indicate a successful connection.

6. MAINTENANCE

Regular maintenance helps ensure the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Clean the fan and light with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Blade Cleaning:** Dust the fan blades regularly to prevent dust buildup, which can affect performance and balance.
- **Tighten Screws:** Periodically check all screws and connections for tightness. Retighten as needed.
- **No Lubrication:** The motor is permanently lubricated and does not require oiling.

7. TROUBLESHOOTING

If you experience issues with your fan, refer to the following common troubleshooting steps:

- **Fan Does Not Start:**
 - Check that the power is turned on at the circuit breaker and wall switch.
 - Ensure all wire connections are secure.
 - Verify the remote control batteries are installed correctly and are not depleted.
- **Light Does Not Work:**
 - Check the light switch on the remote or app.
 - Ensure the LED light source is properly connected.
- **Fan Wobbles:**
 - Ensure all blade screws are tightened.

- Check that the mounting bracket is securely fastened to the ceiling.
 - Verify that the down rod is properly seated and secured.
- **Remote Control Not Working:**
 - Replace the remote control batteries (requires 'AAA' batteries, not included).
 - Ensure the remote receiver is properly connected and not obstructed.
 - If the fan is a Wi-Fi controlled device, ensure the power is always on at the wall switch for remote/app functionality. Turning off the wall switch may reset settings.

8. SPECIFICATIONS

Feature	Specification
Brand	Asyko
Model Name	8511
Color	RGB-Brown-6 Blades
Electric Fan Design	Ceiling Fan
Power Source	DC
Style	Modern
Product Dimensions	6"D x 6"W x 6"H
Room Type	Bedroom, Dining Room, Kids Room, Kitchen, Playroom
Special Features	App Operable, LED Light, Quiet Operation, Remote Controlled, Timer
Recommended Uses	Cooling
Noise Level	35 Decibels
Wattage	50 watts
Number of Blades	6
Speed	190 RPM
Voltage	120 Volts
Item Weight	10 Pounds
Included Components	Light Kit
Indoor/Outdoor Usage	Indoor
Control Method	Remote, App
Mounting Type	Ceiling Mount

9. WARRANTY & SUPPORT

Asyko provides a **one-year quality warranty** for this product. We also offer replacement service for any

damage and quality problems.

If you have any questions or require assistance, please feel free to contact us. We aim to provide a satisfactory answer within 24 hours.

Return Policy: This product is eligible for a 30-day refund/replacement period from the date of purchase.