

SHLUCE FLA003-22IN

SHLUCE 22-inch Caged Farmhouse Ceiling Fan with Light

Model: FLA003-22IN | Brand: SHLUCE

1. SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate, or install the product. Failure to follow these instructions could result in electric shock, fire, or serious injury.

- Always disconnect power at the main circuit breaker before installation or maintenance.
- All electrical connections must be in accordance with local codes, ordinances, and the National Electric Code (NEC).
- Consult a qualified electrician if you are unsure about wiring or installation procedures.
- Ensure the installation site can support the weight of the fan.
- Do not operate the fan with damaged wiring or components.
- Keep hands and objects clear of the fan blades during operation.

2. WHAT'S IN THE BOX


Verify that all components are present before beginning installation:

- Instruction Manual
- Mounting Hardware
- Remote Control
- Ceiling Fan Unit (with integrated light sockets)
- E12 LED Filament Bulbs (6 + 1 spare)

3. PRODUCT SPECIFICATIONS

Specification	Detail
Brand	SHLUCE
Model Name	FLA003-22IN
Color	Gold
Material	Metal
Style	Rustic Caged Ceiling Fan with Light
Product Dimensions	21.7"L x 21.7"W x 17.3"H
Installation Type	Downrod (22in)
Control Method	Remote
Light Source Type	LED, Incandescent (E12 base)
Number of Light Sources	6
Voltage	110 Volts
Wattage (per bulb)	40 watts (max)
Brightness	4800 lumen (total)
Special Features	6 Fan Speeds, Reversible Motor, Timer (2/4H), Ultra-quiet DC Motor (<30dB)
Certification	ETL Certified

Product Specifications



6 Speed + Natural Wind



6xE12 Base(More Brighter)




Reversible Motor



Timing 1/2/4H



Easy to Install(Already Assembled)



Remote Control

Provide 2 Downrods

Image: Product dimensions and key features.

4. INSTALLATION

The SHLUCE ceiling fan is designed for straightforward installation, with most functional components pre-assembled. However, due to the electrical nature of the product, professional installation by a qualified electrician is recommended if you are not comfortable with electrical wiring.

General Steps:

1. **Power Disconnection:** Before starting, ensure the power supply to the installation area is turned off at the circuit breaker.
2. **Mounting Bracket Installation:** Secure the mounting bracket to the ceiling junction box. Ensure the junction box is adequately supported to hold the fan's weight.
3. **Wiring Connections:** Connect the fan's electrical wires to the household wiring according to the provided wiring diagram in the detailed instruction manual. Pay close attention to color-coding (e.g., black to black, white to white, ground to ground).
4. **Fan Assembly:** Attach the fan unit to the mounting bracket. The fan is largely pre-assembled, simplifying this step.
5. **Bulb Installation:** Screw the provided E12 LED filament bulbs into the light sockets.

6. **Power Restoration:** Once installation is complete and all connections are secure, restore power at the circuit breaker.

Refer to the included detailed instruction manual for specific diagrams and step-by-step guidance for your installation type (e.g., wooden ceiling, concrete ceiling).

5. OPERATING INSTRUCTIONS

The SHLUCE ceiling fan is operated using the included remote control. Ensure 2*AAA batteries (not included) are inserted into the remote.

Remote Control Functions:

- **ALL ON/OFF:** Turns the fan and light on/off simultaneously.
- **Light ON/OFF:** Controls the light independently.
- **Fan Speed Control (1-6):** Adjusts the fan speed from gentle (1) to strong (6).
- **Forward (F) / Reverse (R):** Changes the direction of the fan blades. Use forward for cooling in summer and reverse for air circulation in winter.
- **Timer (2H/4H):** Sets the fan and/or light to turn off automatically after 2 or 4 hours.
- **Mute:** Disables beeping sounds from the fan.

Reversible Motor




Image: Remote control for fan and light functions.

Fan Speed and Airflow:

The fan features 6 distinct speed settings, powered by an upgraded DC motor for powerful yet ultra-quiet operation (below 30 decibels). The reversible motor allows for year-round comfort:

- **Summer Mode (Forward):** Blades rotate counter-clockwise, pushing cool air downwards.
- **Winter Mode (Reverse):** Blades rotate clockwise, drawing warm air up and circulating it throughout the room.



Image: Fan speed settings and their corresponding wind strength.



Image: Reversible motor for seasonal use.




Image: Ultra-quiet operation of the fan.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Use a soft, damp cloth to clean the fan's exterior. Do not use abrasive cleaners or solvents. Ensure power is off before cleaning.
- **Bulb Replacement:** When replacing bulbs, ensure the power is off. Use E12 base LED filament bulbs, as specified in the product details.
- **Tighten Screws:** Periodically check and tighten all screws on the fan and mounting hardware to ensure secure operation.

7. TROUBLESHOOTING

If you encounter issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Fan does not start	No power, loose wiring, remote battery dead	Check circuit breaker, verify wiring connections, replace remote batteries.
Light does not work	Bulb loose or burnt out, wiring issue	Tighten or replace bulbs, check light wiring.
Fan wobbles	Loose mounting, unbalanced blades	Ensure mounting bracket is secure, check all screws, ensure blades are properly installed.
Remote not working	Dead batteries, remote not paired	Replace batteries, refer to manual for remote pairing instructions.

If the issue persists, contact customer support.

8. WARRANTY AND SUPPORT

SHLUCE offers a **2-year warranty** for this product, covering manufacturing defects and malfunctions under normal use. Additionally, a **30-day refund policy** is available from the date of purchase.

We provide **free spares support** for any lost, defective, or missing parts (e.g., remote control). For warranty claims, technical assistance, or to request spare parts, please contact SHLUCE customer service through your Amazon orders or via the contact information provided on our official website.

This product is **ETL certified**, ensuring it meets recognized safety standards.