



[Manuals.plus](#) /

› [Fanbulous](#) /

› Fanbulous Farmhouse Caged Ceiling Fan with Lights and Remote (Model HL42) - Instruction Manual

Fanbulous HL42

Fanbulous Farmhouse Caged Ceiling Fan with Lights and Remote (Model HL42) - Instruction Manual

Your guide to installation, operation, and maintenance.

1. INTRODUCTION

Thank you for choosing the Fanbulous Farmhouse Caged Ceiling Fan with Lights and Remote. This manual provides detailed instructions for the safe installation, operation, and maintenance of your new ceiling fan. Please read all instructions carefully before beginning installation and retain this manual for future reference.

2. IMPORTANT SAFETY INFORMATION

To reduce the risk of electric shock, fire, or personal injury, always follow these basic safety precautions:

- Read all instructions and safety information before installing your fan.
- All wiring must be in accordance with national and local electrical codes. If you are unfamiliar with wiring, consult a qualified electrician.
- Before installation, disconnect power by turning off the circuit breakers at the main fuse box.
- Ensure the installation site allows the fan blades to rotate without obstruction. Maintain a minimum clearance of 7 feet from the floor to the blade trailing edge.
- The mounting bracket must be securely fastened to a building structure capable of supporting the fan's weight.
- Do not operate the fan if any part is damaged. Contact customer support for assistance.

3. PACKAGE CONTENTS

Carefully unpack your fan and check the contents to ensure all parts are included and undamaged. Refer to the following list and images:

- Fan Motor Assembly
- Fan Blades (5, dual-finish)
- Light Kit (Caged fixture with 2 x E12 bulb bases)
- Remote Control with Wall Mount Holder
- Downrods (Multiple sizes: 4-6 inches)
- Mounting Bracket
- Hardware Pack (Screws, nuts, wire connectors)
- Instruction Manual



Figure 1: Complete Fanfulous Farmhouse Caged Ceiling Fan with Remote. This image displays the fully assembled fan, highlighting its five dual-finish blades, caged light fixture, and the included remote control.

Exquisite

2-Colors in One Blade

Suitable for variety decoration styles



Figure 2: Dual-finish fan blades. This image shows two sides of a fan blade, one in a light oak color (farmhouse style) and the other in a rustic walnut color, offering versatile aesthetic options.

4. SETUP AND INSTALLATION

Follow these steps for proper installation. It is recommended to have two people for certain steps.

4.1. Prepare for Installation

1. **Turn off Power:** Before starting, ensure power is disconnected at the circuit breaker or fuse box to prevent electrical shock.
2. **Mounting Location:** Select a location where the fan blades will not strike any objects. The ceiling must be able to support the fan's weight.

4.2. Install the Mounting Bracket

1. Secure the mounting bracket to the ceiling junction box using the provided screws and washers. Ensure it is firmly attached.
2. If your ceiling is sloped, use the appropriate downrod and ensure the bracket is installed to accommodate the angle (up to 15°).

Your browser does not support the video tag.

Video 1: Ceiling Fan with Light Installation. This video demonstrates the process of installing the mounting bracket to the ceiling, connecting electrical wires, and attaching the fan motor assembly. It provides visual guidance for securing the fan to the ceiling structure.

4.3. Assemble the Fan Blades

1. Choose your preferred blade finish (light oak or rustic walnut).
2. Attach each fan blade to its blade arm using the provided screws and washers. Ensure all screws are tightened securely.

Your browser does not support the video tag.

Video 2: Depuley Farmhouse Ceiling Fan with Light Installation. This video provides a detailed walkthrough of assembling the fan blades to the motor housing, connecting the light kit, and securing the downrod. It highlights the steps for attaching the blades and preparing the fan for ceiling installation.

4.4. Attach Downrod and Motor Assembly

1. Thread the motor wires through the chosen downrod.
2. Insert the downrod into the motor assembly and secure it with the clevis pin and setscrew. Tighten the setscrew firmly.
3. Carefully lift the fan assembly and hang it on the mounting bracket.

4.5. Electrical Wiring

1. Connect the fan's electrical wires to the household wiring according to the wiring diagram in the manual. Typically, this involves connecting:
 - Green/Bare Copper (Ground) to Green/Bare Copper (Ground)
 - White (Neutral) to White (Neutral)
 - Black (Hot) to Black (Hot)
2. Use the provided wire connectors and ensure all connections are secure.
3. Tuck all wires neatly into the junction box.

4.6. Install the Light Kit

1. Connect the light kit wires to the corresponding wires from the fan motor assembly.
2. Attach the caged light fixture to the bottom of the fan motor assembly using the provided screws.
3. Install 2 x E12 base bulbs (included) into the sockets.

Fanbulous

6 Speed Setting

Choose the wind speed according to your need



 **LEVEL 1-2**

Soft Wind



 **LEVEL 3-4**

Natural Wind



 **LEVEL 5-6**

Cool Wind


Figure 3: Caged light fixture detail. This image provides a close-up of the fan's caged light fixture, showing the two E12 bulb bases and the rustic design elements.

5. OPERATING INSTRUCTIONS

Your Fanbulous ceiling fan is operated by the included remote control.

Fanbulous

Reversible DC Motor



6 Speeds



Figure 4: Remote control for the Fanbulous ceiling fan. The remote features buttons for fan speed (1-6), fan on/off, light on/off, forward/reverse airflow, and timer settings (1H, 2H, 4H, 8H).

- **Fan ON/OFF:** Press the "FAN/OFF" button to turn the fan on or off.
- **Fan Speed:** Use buttons "1" through "6" to select your desired fan speed. "1" is the lowest speed, and "6" is the highest.
- **Light ON/OFF:** Press the "LIGHT ON/OFF" button to control the light independently.
- **Airflow Direction (Forward/Reverse):**
 - "F" (Forward): For summer use, blades rotate counter-clockwise to push air down, creating a

cooling effect.

- "R" (Reverse): For winter use, blades rotate clockwise to pull air up, circulating warm air.

- **Timer Function:** Press "1H", "2H", "4H", or "8H" to set the fan to automatically turn off after the selected duration.

Fanbulous

11.8"

42"

6"

2×E12 BULBS
(Not Included)

Information

- Blade: 5 BLADES
- Bulb Length: TOTAL < 10CM
- Fan Speeds: 6 LEVELS
- Timer: 1/4/8H
- Large Room Size: 10FT×10FT
- Socket Base: E12

Figure 5: Reversible DC motor function. This graphic illustrates the two airflow modes: "Summer-Forward" for cooling airflow and "Winter-Reversal" for better air circulation, both controlled by the remote.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your fan.

- **Cleaning:** Periodically clean the fan blades and motor housing with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Tighten Screws:** Check all screws and connections annually to ensure they are secure.
- **Lubrication:** The fan's DC motor is permanently lubricated and does not require additional oiling.

7. TROUBLESHOOTING

If you experience issues with your fan, refer to the following common problems and solutions:

| Problem | Possible Cause | Solution |
|---------------------|---|--|
| Fan does not start | No power to the fan; Loose wire connections; Remote control battery low. | Check circuit breaker/fuses; Verify all wire connections; Replace remote control batteries. |
| Fan wobbles | Loose blade screws; Improperly mounted blades; Mounting bracket not secure. | Tighten all blade screws; Ensure blades are correctly installed; Verify mounting bracket is securely fastened. |
| Light does not work | Loose wire connections in light kit; Faulty bulb; No power to light kit. | Check light kit wiring; Replace bulb; Check light switch and circuit breaker. |
| Noisy operation | Loose screws; Fan not properly balanced; Obstruction in fan's path. | Tighten all screws; Ensure blades are balanced (balancing kit may be needed); Check for any objects interfering with blade rotation. |

8. SPECIFICATIONS

- **Brand:** Fanbulous
- **Model Name:** HL42
- **Size:** 42 Inch
- **Color:** Oil Bronze
- **Style:** Farmhouse
- **Room Type:** Bedroom, Indoor, Living Room, Study Room
- **Power Source:** AC/DC (120 Volts)
- **Number of Blades:** 5
- **Motor Type:** Quiet DC Motor (less than 35dB)
- **Fan Speeds:** 6 Levels
- **Airflow:** Reversible
- **Light Kit:** Caged design, 2 x E12 bulb bases (bulbs included)

- **Controller Type:** Remote Control (with 1/2/4/8-hour timer)
 - **Mounting Type:** Downrod Mount (multiple downrods 4-6 inches included)
 - **Product Dimensions:** 42 x 42 x 10 inches
 - **Item Weight:** 10.65 pounds
-

9. WARRANTY AND CUSTOMER SUPPORT

Fanbulous provides **2 years of after-sales service** for this product. If you have any questions during installation or use, please contact our dedicated support team. We are committed to delivering high-quality products and prompt assistance.

For support, please refer to the contact information provided on the product packaging or the official Fanbulous website.