

[Manuals.plus](#) /

› [NineSky](#) /

› NineSky CT2 Dehumidifier User Manual

NineSky CT2

NineSky CT2 Dehumidifier User Manual

Model: CT2

1. IMPORTANT SAFETY INSTRUCTIONS

Please read all instructions carefully before using the NineSky CT2 Dehumidifier. Retain this manual for future reference.

- Always place the dehumidifier on a stable, level surface to prevent water spillage.
- Ensure the power cord is not damaged and is properly plugged into a grounded outlet.
- Do not block the air inlet or outlet. Maintain at least 8 inches (20 cm) clearance around the unit.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the dehumidifier before cleaning or performing any maintenance.
- Keep out of reach of children and pets.
- Do not use the appliance in areas where flammable liquids or gases are stored.

2. PRODUCT OVERVIEW

The NineSky CT2 Dehumidifier utilizes advanced semiconductor condensation technology to efficiently remove excess moisture from the air, creating a more comfortable living environment. It features a 95 oz (2.8L) water tank and is suitable for areas up to 1000 sq.ft.





Figure 2.1: Front view of the NineSky CT2 Dehumidifier, showing the control panel and water level indicator.

Key Features:

- **Efficient Dehumidification:** Semiconductor condensation technology for effective moisture removal.
- **Auto Shut-Off:** Automatically powers off when the water tank is full or incorrectly positioned, preventing spills.
- **7-Color LED Night Light:** Offers 7 vibrant LED colors, selectable as static or cycling, for ambient lighting.
- **Two Working Modes:** High Speed Mode for rapid dehumidification and Night Mode for quiet, light-free operation.
- **Compact Design:** Ideal for bedrooms, bathrooms, closets, basements, and other small to medium-sized spaces.

Dual Semiconductors High-Efficiency Dehumidification

High Efficiency
Dehumidification Condenser

95oz
Water Tank



* Absorb excess moisture up to 34oz/day
(Tested in the environment of 86°F ,80% RH)

Figure 2.2: Exploded view illustrating the dual semiconductor high-efficiency dehumidification condenser and 95 oz water tank.

3. SETUP

1. **Unpacking:** Carefully remove the dehumidifier from its packaging. Retain packaging materials for future storage or transport.
2. **Placement:** Place the dehumidifier on a firm, level surface in the desired room. Ensure there is at least 8 inches (20 cm) of space around all sides for proper airflow. Avoid placing it directly against walls or furniture. The unit is suitable for various rooms including bedrooms, bathrooms, living rooms, and basements.




Figure 3.1: Example placements of the dehumidifier in a bedroom, living room, bathroom, and locker room.

3. **Power Connection:** Plug the power adapter into the dehumidifier's power port, then plug the other end into a standard electrical outlet (100-220V).
4. **Water Tank:** Ensure the water tank is correctly inserted into the unit. The dehumidifier will not operate if the tank is not properly seated.

4. OPERATING INSTRUCTIONS

Control Panel:

ONE-TOUCH START

EASY TO USE INTERACTIVE INTERFACE



Figure 4.1: The control panel features a power button, mode button, and light button for easy operation.

1. **Power On/Off:** Press the **Power Button** (🔘) once to turn the unit on. Press it again to turn it off.
2. **Mode Selection:** Press the **Mode Button** (🔘) to switch between operating modes:
 - **High Speed Mode:** For rapid dehumidification. The fan operates at a higher speed.
 - **Night Mode:** For quiet operation and a light-free environment, ideal for sleeping. The fan operates at a lower speed, and all indicator lights are off.
3. **LED Light Control:** Press the **Light Button** (🔘) to cycle through the LED light options:
 - **1st Press:** Displays the current color.
 - **2nd Press:** Turns the LED light off.
 - **3rd Press:** Activates the 7-color automatic cycling mode.

7 Colors of Ambient Lights for you to Choose From



Figure 4.2: The dehumidifier offers 7 ambient LED colors to choose from.

4. **Automatic Shut-Off:** The dehumidifier will automatically shut off when the water tank is full. An indicator light (if not in Night Mode) will illuminate, and the unit will beep to alert you. Empty the water tank and reinsert it correctly to resume operation.

Automatic Shut Off Protection



Figure 4.3: The unit automatically stops when the water tank is full, indicated by a red light.

5. MAINTENANCE

5.1 Emptying the Water Tank

1. When the water tank is full, the dehumidifier will stop operating and an indicator will light up.
2. Carefully pull out the water tank from the back of the unit.
3. Pour out the collected water.
4. Rinse the water tank with clean water if necessary. Do not use harsh detergents.
5. Reinsert the empty water tank firmly into the dehumidifier until it clicks into place. The unit will resume operation.

5.2 Cleaning the Dehumidifier

- **Exterior:** Wipe the exterior of the unit with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Air Inlet/Outlet:** Periodically check the air inlet and outlet for dust accumulation. Use a soft brush or vacuum cleaner

to gently remove any dust.

- **Internal Components:** Do not attempt to clean internal components beyond what is described in this manual. Contact customer support if internal cleaning is required.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	Power cord not properly connected. No power to the outlet. Water tank not correctly inserted.	Ensure the power cord is securely plugged in. Check the power outlet with another device. Reinsert the water tank firmly.
Dehumidifier is running but not collecting water.	Room temperature is too low (below 41°F / 5°C). Humidity level is already low. Air inlets/outlets are blocked.	The unit operates best in temperatures above 41°F (5°C). Ensure the room humidity is above 45% RH. Clear any obstructions from air vents.
Unit is noisy.	Unit is not on a level surface. Fan obstruction.	Place the unit on a flat, stable surface. Check for any foreign objects near the fan. If noise persists, contact customer support.
Water leaks from the unit.	Water tank is full or improperly seated. Unit is tilted.	Empty the water tank and ensure it is correctly reinserted. Place the unit on a level surface.
LED light not working.	Light function is turned off or in Night Mode.	Press the Light Button to cycle through options. Ensure the unit is not in Night Mode if you want the lights on.

7. SPECIFICATIONS

NineSky | Dehumidifier CT2



Figure 7.1: Dimensions of the NineSky CT2 Dehumidifier.

Feature	Specification
Model Name	CT2
Brand	NineSky
Coverage Area	Up to 1000 sq.ft.
Water Tank Capacity	95 OZ (approx. 2.8 Liters)
Dehumidification Technology	Semiconductor Condensation
Product Dimensions (L x W x H)	8.3" x 5.5" x 14" (approx. 21cm x 14cm x 35.5cm)
Item Weight	6.03 pounds (approx. 2.73 kg)

Feature	Specification
Special Features	Automatic Shutoff, 7 Colors LED Light, 2 Working Modes
Power Input	100-220V

8. WARRANTY AND SUPPORT

NineSky products are designed and manufactured to the highest quality standards. This product is covered by a manufacturer's warranty. For specific warranty details, please refer to the warranty card included with your purchase or visit the official NineSky website.

If you encounter any issues or have questions regarding your NineSky CT2 Dehumidifier, please contact our customer support team:

- **Email:** [Insert Customer Support Email Here]
- **Phone:** [Insert Customer Support Phone Number Here]
- **Website:** [NineSky Official Store](#)

Please have your model number (CT2) and purchase date ready when contacting support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

