

Getell G452

Getell G452 3-in-1 Gas Weed Eater & Brush Cutter Instruction Manual

Model: G452

1. IMPORTANT SAFETY INFORMATION

Read and understand all safety warnings and instructions before operating this product. Failure to follow the warnings and instructions may result in serious injury.

General Safety Rules

- Always wear appropriate personal protective equipment (PPE), including eye protection, hearing protection, gloves, and sturdy footwear.
- Keep bystanders, children, and pets at least 50 feet (15 meters) away from the work area.
- Do not operate the tool when you are tired, ill, or under the influence of drugs or alcohol.
- Inspect the work area for objects that could be thrown or entangled in the cutting attachment. Remove all debris.
- Never modify the product or use it for purposes other than those specified in this manual.

Fuel Safety

- Handle fuel with care; it is highly flammable.
- Mix fuel in a well-ventilated area, away from sparks or open flames.
- Do not smoke while handling fuel.
- Wipe up any fuel spills immediately.
- Store fuel in an approved container in a cool, well-ventilated area.

2. SETUP AND ASSEMBLY

This section guides you through the initial setup and assembly of your Getell G452 3-in-1 Gas Weed Eater & Brush Cutter.

2.1 Unboxing and Component Identification

Carefully remove all components from the packaging. Verify that all parts are present according to the packing list.



Image: All components of the Getell G452 3-in-1 Gas Weed Eater and Brush Cutter laid out after unboxing.



Image: A visual guide to the dimensions and complete accessories included with the Getell G452, such as mowing heads, protective glasses, sling, and matching mowing rope.

2.2 Shaft Assembly

1. Connect the engine unit to the main shaft. Ensure the connection is secure.
2. Attach the protective guard to the lower shaft using the provided fasteners.

IDEAL FOR ALL YARD TRIMMING

COMMERCIAL-GRADE GRASS TRIMMER



EDGER FUNCTION

EFFICIENT MOWING

POWERFUL CUTTING

Always Ready
Wire-Free, Bottery-Free

Work Anytime
No cords. No charging

Image: Step-by-step assembly of the handle onto the main shaft of the Getell G452 gas trimmer.

2.3 Handle Installation

Install the handle onto the main shaft. Adjust its position for comfortable operation and secure it tightly.

ROBUST POWER

The pole saw adopts commercial grade **52cc 2-cycle engine**. Get your job done effortlessly and efficiently

52cc

The pole saw adoptsy



EPA
Certification



Less
Emission



Image: Illustration of the two available hand grip configurations for the Getell G452: single-handed for lighter tasks and two-handed for improved control during heavy use.

2.4 Attaching Cutting Attachments

The Getell G452 supports three types of cutting attachments: string trimmer head, 10-inch brush cutter blade, and edger guard.

1. **String Trimmer Head:** Align the head with the shaft and secure it.
2. **Brush Cutter Blade:** Place the blade onto the shaft, ensuring it is properly seated, then secure with the provided washer and nut.

3. **Edger Guard:** Attach the edger guard as needed for edging tasks.

TWO TYPES OF HAND GRIPS

Feel free to change the way you like to hold it.



Image: Detailed view of the process for attaching the 3-tooth brush cutter blade to the Getell G452, highlighting the securing mechanism.

POWERFUL ENGINE

52cc Gas Weed Trimmer 3-in-1 Brush Cutter, Strimmer, and Lawn Mower - Ergonomic Handle, Quick-Start Technology, Safety Gear Included



Image: The Getell G452 equipped with the 18-inch string trimmer head, ready for use.

2.5 Fuel Mixing and Filling

The G452 uses a 2-stroke engine requiring a specific fuel-to-oil mix. Refer to the specifications for the correct ratio (typically 25:1 to 50:1). Use fresh, unleaded gasoline and high-quality 2-stroke engine oil.

1. Mix the gasoline and 2-stroke oil in an approved fuel container.
2. Carefully pour the mixed fuel into the fuel tank of the trimmer. Do not overfill.
3. Securely close the fuel cap.



Image: A user demonstrating the correct procedure for mixing fuel and oil, then filling the fuel tank of the Getell G452 gas trimmer.

2.6 Attaching the Shoulder Harness

Attach the adjustable shoulder harness to the trimmer for comfortable and balanced operation, especially during extended use.

3IN1 TRIMMING BLADES



Image: A user demonstrating the proper way to wear the ergonomic double-shoulder harness with the Getell G452, highlighting the quick-release buckle and padded comfort.

2.7 Assembly and Operation Video

Your browser does not support the video tag.

Video: This official Getell video demonstrates the unboxing, assembly, fuel mixing, and initial starting procedure for the 3-in-1 Gas Weed Eater & Brush Cutter.

3. OPERATING INSTRUCTIONS

3.1 Starting the Engine

1. Place the trimmer on a flat, stable surface.
2. Ensure the ON/OFF switch is in the "ON" position.
3. Engage the choke lever (if the engine is cold).
4. Press the primer bulb several times until fuel is visible.
5. Pull the starter cord firmly until the engine attempts to start.
6. Once the engine fires, disengage the choke lever and pull the starter cord again until the engine runs smoothly.



3.2 Using the String Trimmer

The string trimmer is ideal for cutting grass and light weeds around obstacles, fences, and garden beds.

- Hold the trimmer firmly with both hands, maintaining a comfortable stance.
- Keep the cutting head parallel to the ground.
- Use a sweeping motion, moving from side to side, to cut vegetation.
- Avoid hitting hard surfaces or objects to prevent damage to the line and head.

3.3 Using the Brush Cutter

The brush cutter attachment is designed for clearing dense brush, thick weeds, and small saplings.

- Ensure the brush cutter blade is securely attached.
- Maintain a firm grip and use a controlled, deliberate motion.
- Cut through vegetation in small sections, avoiding overloading the engine.
- Be aware of kickback when cutting thicker materials.

3.4 Edging Function

For precise lawn edges, attach the edger guard and position the trimmer to cut vertically along sidewalks or driveways.

POWERFUL ENGINE

52cc Gas Weed Trimmer 3-in-1 Brush Cutter, Strimmer, and Lawn Mower - Ergonomic Handle, Quick-Start Technology, Safety Gear Included



Image: The Getell G452 demonstrating its versatility with edging, efficient mowing, and powerful cutting capabilities for various yard tasks.

4. MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your Getell G452.

4.1 Air Filter Cleaning

A clean air filter is crucial for engine performance. The tool-free air filter cover makes this simple.

- Remove the air filter cover.

- Remove the air filter element.
- Clean the filter with warm, soapy water, rinse thoroughly, and allow it to dry completely. Alternatively, tap out loose debris.
- Reinstall the dry air filter and cover.

4.2 Spark Plug Inspection

Inspect the spark plug periodically for wear, carbon buildup, or damage.

- Remove the spark plug boot and then the spark plug using a spark plug wrench.
- Clean any carbon deposits with a wire brush.
- Check the electrode gap and adjust if necessary according to specifications.
- Replace the spark plug if it is worn or damaged.

4.3 Gearbox Lubrication

The gearbox requires periodic lubrication to ensure smooth operation and prevent wear.

- Locate the grease fitting on the gearbox.
- Apply appropriate grease using a grease gun until slight resistance is felt.

4.4 General Cleaning and Storage

- After each use, clean the exterior of the trimmer, especially the cutting head and guard, to remove grass clippings and debris.
- Before long-term storage, drain the fuel tank or run the engine until it runs out of fuel to prevent fuel degradation issues.
- Store the trimmer in a clean, dry, and secure location, out of reach of children.

5. TROUBLESHOOTING

This section provides solutions to common operational issues.

Problem	Possible Cause	Solution
Engine won't start	No fuel, incorrect choke setting, fouled spark plug, clogged fuel filter.	Check fuel level and mix, adjust choke, clean/replace spark plug, inspect/replace fuel filter.
Loss of power during operation	Clogged air filter, incorrect fuel mix, dull cutting attachment, engine overheating.	Clean air filter, verify fuel mix, sharpen/replace cutting attachment, allow engine to cool.
Excessive vibration	Damaged or unbalanced cutting attachment, loose components.	Inspect cutting attachment for damage, ensure all fasteners are tight.
Cutting attachment not spinning	Clutch issue, damaged drive shaft, entangled debris.	Clear debris, if problem persists, contact customer support.

6. PRODUCT SPECIFICATIONS

Key technical specifications for the Getell G452 3-in-1 Gas Weed Eater & Brush Cutter.

- **Model:** G452
- **Engine Type:** 52cc, 2-Stroke, Full-Crank
- **Power Source:** Gas Powered
- **Max Horsepower:** 1.5 HP
- **Engine Speed:** Up to 8500 RPM
- **Cutting Width (String Trimmer):** 18 Inches
- **Cutting Width (Brush Cutter):** 10 Inches
- **Fuel Tank Capacity:** 1.2 Liters
- **Fuel Mix Ratio:** 25:1 to 50:1 (Gasoline to 2-Stroke Oil)
- **Item Weight:** 15.5 Pounds
- **Product Dimensions:** 71"L x 71"W (overall length)
- **Features:** Low-Vibration System, Detachable Shaft, Ergonomic Handle
- **Recommended Uses:** Brush Cutting, Grass Trimming, Heavy Duty Vegetation Clearing, Lawn Edging, Weed Control

ROBUST POWER

The pole saw adopts commercial grade **52cc 2-cycle engine**. Get your job done effortlessly and efficiently

52_{cc}

The pole saw adoptsy



EPA
Certification



Less
Emission



Image: A visual representation of the Getell 52cc Weed Wacker's specifications, including trimming length, max horsepower, engine speed, fuel tank capacity, and mix ratio.

7. WARRANTY AND SUPPORT

Getell products are designed for durability and performance. For warranty information, technical support, or to order replacement parts, please refer to the contact details provided with your purchase or visit the official Getell website.

Keep your proof of purchase for warranty claims.

Contact Information: Please refer to the documentation included in your product packaging or visit [the Getell Store on Amazon](#) for further assistance.

