



[Manuals.plus](#) /

> [DWVO](#) /

> DWVO 6x4.4 FT Resin Storage Shed Instruction Manual

DWVO MADWVkkIQa

DWVO 6x4.4 FT Resin Storage Shed Instruction Manual

Model: MADWVkkIQa

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your DWVO 6x4.4 FT Resin Storage Shed. Please read all instructions carefully before beginning assembly and retain this manual for future reference. Proper assembly and care will ensure the longevity and optimal performance of your shed.

SAFETY INFORMATION

Important Safety Precautions:

- Always follow the assembly instructions provided.
- Use appropriate tools and safety equipment, such as gloves and eye protection, when handling components.
- Keep children and pets away from the assembly area to prevent accidents.
- Do not exceed the weight limit of the shed. Distribute weight evenly inside the shed.
- Ensure the shed is anchored securely to the ground to prevent wind damage.
- Avoid placing flammable materials or chemicals inside the shed without proper ventilation and storage containers.

SETUP AND ASSEMBLY

Your DWVO 6x4.4 FT Resin Storage Shed is designed for straightforward assembly. It is recommended that two adults perform the assembly. Please ensure you have all parts before beginning.

Package Contents

This product is shipped in two separate packages. These packages may arrive at different times. Please wait for both packages to arrive before starting assembly.



Image: Illustration showing two packages and a delivery tracking app, indicating the shed ships in two boxes.

Site Preparation

- Choose a flat, level surface for the shed installation. An uneven surface can lead to assembly difficulties and structural instability.
- Clear the area of any debris, rocks, or vegetation.
- Consider a solid foundation such as a concrete slab or a treated wood platform for enhanced stability and floor protection.

Assembly Steps Overview

Before starting, lay out all components and identify them using the parts list provided in your separate assembly guide. This will help ensure a smoother process.

1. Assemble the base frame.
2. Attach the wall panels, ensuring they are correctly oriented.
3. Install the roof structure and panels.
4. Mount the doors and windows.
5. Secure all connections and perform a final check for stability.

For a visual guide, please refer to the official assembly video below:



Video: Official DWVO 6x4.4 FT Resin Storage Shed assembly instructions. This video provides a step-by-step visual guide for constructing the shed.



Video: DWVO 6x4.4 FT Resin Storage Shed 3D installation guide. This animated video illustrates the assembly process in a 3D format.

OPERATING YOUR STORAGE SHED

The DWVO Resin Storage Shed is designed for secure and organized outdoor storage.

Storage Capacity

With an internal volume of 118 cubic feet (64.9" x 46.4" x 67.3"), the shed offers ample space for garden tools, lawn equipment, and other outdoor items. Ensure items are stored safely and do not obstruct the doors or vents.




Image: Interior of the shed displaying its storage capacity with shelves, tools, and a bicycle. An inset shows the double-layer structure of the shed walls.



118 CU FT

INTERNAL DIMENSIONS

64.9"x46.4"x67.3"



This item includes 2 packages, may arrive at different times.

Image: Detailed diagram illustrating the external and internal dimensions of the DWVO 6x4.4 FT Resin Storage Shed, including height, width, and depth measurements.

Security Features

The shed features a lockable door mechanism to secure your belongings. A padlock (not included) can be used with the integrated latch for added security.

2 PACKAGES: This product is shipped in two packages and may not be delivered at the same time. Please be patient.




Image: Close-up view of the shed's lockable door latch, demonstrating how a padlock can be used for security.

Ventilation and Lighting

Two louvered vents are integrated into the shed's design to promote air circulation, reduce dampness, and keep stored items dry. The fence-style and side windows allow natural light into the shed, improving visibility without compromising security.



TWO LOUVER VENTS

Promote air circulation, prevent dampness, and keep items dry.



Image: Close-up of the shed's louvered vents, illustrating how they provide airflow to prevent dampness.



FENCE DESIGN

The door adds to the shed's visual appeal while brightening the interior with sunlight



Image: Interior view of the shed, highlighting the translucent side window that allows natural light for better visibility and organization.

MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your DWVO Resin Storage Shed.

- **Cleaning:** Clean the shed exterior periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals that could damage the resin material.
- **Vents:** Ensure the louvered vents remain clear of obstructions (e.g., leaves, debris) to maintain proper airflow.
- **Doors and Hinges:** Lubricate door hinges annually if they become stiff. Check the door latch for proper function and adjust if necessary.
- **Structural Integrity:** Periodically inspect all screws and connections to ensure they are tight. Re-tighten any loose fasteners.
- **Roof:** Keep the sloped roof clear of heavy snow or debris to prevent structural stress.




Image: Close-up of a smooth corner on the shed's roof, highlighting the design that helps prevent accidental scratches or bumps.

TROUBLESHOOTING

This section addresses common issues you might encounter during assembly or use.

- **Difficulty during Assembly:**

Ensure all parts are correctly identified and oriented according to the instruction manual. An uneven foundation can cause panels to misalign. Double-check that the base is perfectly level before attaching wall panels. If parts seem difficult to fit, verify they are the correct parts for that step.

- **Flimsy or Cracked Panels:**

The shed is constructed from 12 MM Extruded Polystyrene (XPS) resin, designed for outdoor use. Handle panels carefully during assembly to prevent damage. If a panel arrives cracked or is damaged during assembly, contact customer support for replacement parts.

- **Stickers/Labels Difficult to Remove:**

If part labels leave residue, use a mild adhesive remover or rubbing alcohol on a soft cloth. Test on an inconspicuous area first to ensure it does not damage the finish.

- **Water Accumulation Inside:**

Ensure the shed is assembled correctly, especially the roof and wall panel overlaps, to prevent water ingress. Verify that the floor is moisture-resistant and that the shed is on a well-drained, level surface. Check that vents are not blocked.

If you encounter issues not covered here, please contact DWVO customer support.

SPECIFICATIONS

| Feature | Detail |
|--------------|--|
| Brand | DWVO |
| Model Number | MADWVkkIQa |
| Color | Blue-Gray |
| Material | Plastic (12 MM Extruded Polystyrene - XPS) |

| Feature | Detail |
|---------------------------------|--|
| Frame Material | Alloy Steel |
| Product Dimensions (D x W x H) | 48.6"D x 67.1"W x 81.1"H |
| Internal Dimensions (D x W x H) | 46.4"D x 64.9"W x 67.3"H |
| Item Weight | 98.2 Pounds |
| Floor Area | 3000.56 Square Inches |
| Door Width | 23.2 Inches |
| Door Height | 11.4 Inches (window portion) |
| Door Style | Single Hinged Door with Window (Fence-Style) |
| Water Resistance Level | Water Resistant |
| Assembly Required | Yes |
| UPC | 199449405047 |

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your purchase or contact DWVO directly. DWVO offers a 30-day easy return policy and customer support for product-related inquiries.

Contact Information: Please refer to the contact details provided in your product packaging or visit the official DWVO website for support.