

SIBRILLE FLD-012-F3

SIBRILLE Spotlight Floor Lamp

MODEL: FLD-012-F3

Introduction

This manual provides comprehensive instructions for the assembly, operation, maintenance, and troubleshooting of your SIBRILLE Spotlight Floor Lamp (Model: FLD-012-F3). Please read this manual thoroughly before use and retain it for future reference.

Safety Instructions

- Ensure the power supply voltage matches the lamp's requirements (110V AC).
- Do not disassemble or modify the lamp. The integrated LED light source is non-replaceable.
- Keep the lamp away from water and moisture. This product is not water-resistant.
- Place the lamp on a stable, level surface to prevent tipping. The weighted base is designed for stability, but caution is advised in homes with children or pets.
- Unplug the lamp from the power outlet before cleaning or performing any maintenance.
- Avoid looking directly into the light source for extended periods.

Package Contents

Verify that all components are present:

- Floor Lamp (multiple pole sections, lamp head, base)
- Remote Control
- User Manual

Setup and Assembly

Assembly is straightforward and tool-free. Follow these steps:

1. **Connect the Lamp Head:** Lay the pole sections flat. Screw the lamp head onto the top pole section clockwise.
2. **Assemble the Pole:** Connect the remaining pole sections by screwing them clockwise until secure. Ensure the internal wiring is not pinched.
3. **Attach the Base:** Finally, connect the assembled pole to the lamp base by screwing it clockwise. Ensure the power cord is routed correctly.
4. **Connect Power:** Plug the power adapter into the lamp's cord, then plug the adapter into a standard wall outlet.

Your browser does not support the video tag.

Video: Assembly instructions for the SIBRILLE Spotlight Floor Lamp.



Image: Visual guide for connecting the lamp head, pole sections, and base.



Image: The weighted metal base ensures stability.

Operating Instructions

Your SIBRILLE Spotlight Floor Lamp can be operated using either the integrated touch controls on the lamp pole or the included magnetic remote control.

Remote Control Functions

- **On/Off:** Press the power button to turn the lamp on or off.
- **Brightness Adjustment:** Use the '+' and '-' buttons to increase or decrease brightness (10%-100%).
- **Color Temperature Adjustment:** Use the 'K' button to cycle through preset color temperatures (2700K, 4000K, 5000K, 6500K) or the sun icon buttons for stepless adjustment.
- **Preset Modes:** Dedicated buttons for Work, Reading, Breastfeeding, and Sleep modes.

- **1-Hour Timer:** Press the '1H' button to activate a 1-hour auto-off timer.
- **Memory Function:** The lamp retains your last brightness and color temperature settings when turned off and on.

Touch Control Functions

- **On/Off:** Tap the power icon.
- **Color Temperature:** Short press to cycle through 2700K/4000K/5000K/6500K. Long press for stepless adjustment between warm and cool white.
- **Brightness:** Short press to cycle through 4 brightness levels. Long press for stepless brightness adjustment.



Image: Overview of touch and remote control interfaces.



Image: Detailed explanation of touch and remote control buttons.



Image: The remote control features a magnetic design for easy storage on the lamp pole or other metal surfaces.

Adjustable Lighting

- **Head Rotation:** The lamp head can rotate 350° horizontally.
- **Head Tilt:** The lamp head can tilt 180° vertically.
- **Height Adjustment:** The lamp pole is height-adjustable from 151cm (59.44") to 177cm (69.68").

Full-Angle Flexible Lighting & Height Adjustable

The head of the floor lamp rotates **350°** and tilts **180°**



Image: Lamp head rotation, tilt, and height adjustment.

Light Modes and Timer




Image: Examples of various preset lighting modes (Working, Reading, Breastfeeding, Night Light).



Image: Demonstrating adjustable color temperature and stepless dimming.




Image: The 1-hour auto-off timer function.

Maintenance

- **Cleaning:** Ensure the lamp is unplugged. Wipe the lamp with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- **Storage:** If storing the lamp for an extended period, disassemble it and store it in its original packaging in a dry place.

Troubleshooting

Problem	Possible Cause	Solution
Lamp does not turn on.	Power cord not properly connected. No power from outlet.	Check all connections. Test outlet with another device.
Remote control not working.	Remote batteries are dead or incorrectly inserted. Remote is too far from the lamp.	Replace batteries (AAA, not included). Ensure remote is within operating range (up to 15m).
Light flickers or is unstable.	Loose connection. Power fluctuation.	Check all physical connections. Try plugging into a different outlet.
Cannot adjust brightness/color temperature.	Remote control issue (see above).	Ensure remote is working. Try using the touch controls on the lamp pole.

Specifications

Feature	Detail
Model Name	FLD-012-F3
Brand	SIBRILLE
Lamp Type	Floor Lamp
Light Source Type	LED (Integrated)
Wattage	12 watts
Voltage	110 Volts (AC)
Color Temperature	2700K (Warm White) - 6500K (Cool White)
Brightness	10% - 100% Dimmable
Control Method	Remote, Touch Control
Product Dimensions	12.91"D x 10"W x 68"H
Item Weight	6 Pounds
Base Material	Metal
Shade Material	Metal
Indoor/Outdoor Usage	Indoor

Warranty and Support

The SIBRILLE Spotlight Floor Lamp is backed by a comprehensive **2-year warranty** and a **30-day hassle-free return guarantee** for quality issues.

Should you have any questions, feedback, or require technical support, please contact us directly via the Amazon messaging system. We are committed to providing prompt assistance and ensuring your complete

satisfaction.