

InnoTruth S3V2

InnoTruth S3V2 Extra Wide Baby Gate Instruction Manual

Model: S3V2 | Brand: InnoTruth

1. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before assembly and use of the InnoTruth S3V2 Extra Wide Baby Gate. Failure to follow these warnings and instructions could result in serious injury or death.

- This safety gate is intended for use with children from 6 to 24 months.
- This product is also suitable for containing pets in restricted areas.
- Never use this gate at the top of stairs without hardware mounting.
- Regularly check the gate for proper tension and security.
- Do not use if any components are missing or damaged.
- Keep small parts away from children during assembly.

2. PRODUCT OVERVIEW & FEATURES

The InnoTruth S3V2 Extra Wide Baby Gate is designed to provide a secure barrier for children and pets in various home environments. Its adjustable width and dual-lock system offer versatility and enhanced safety.

Key Features:

- **Secure Dual-Lock System:** Designed to prevent toddlers from opening the gate.
- **One-Hand, Two-Way Walk-Through:** Allows convenient access for adults while maintaining security.
- **Wide Adjustable Fit:** Adjusts from 29.5 to 49.75 inches wide and stands 30 inches tall.
- **Spacious Walk-Through:** Features an 18-inch wide opening.
- **Easy Installation:** Supports both pressure mounting (no tools/drilling) and hardware mounting for permanent stability.
- **Premium Sturdy Construction:** Made with durable metal and 2.45-inch wide vertical slats for long-

lasting use and visibility.




Image: The InnoTruth S3V2 Extra Wide Baby Gate installed in a doorway.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

29.5-49.75in

Note: The measurement method for the width of the main door requires the addition of screws on both sides



- A.** Main Gate (x1)
- B.** Extensions (x3)
- C.** Tension Bolt (x4)
- D.** Screw (x4)
- E.** Wall Anchor (x4)
- F.** Wall Cup (x4)
- G.** Sticky pad (x4)




Image: Detailed diagram showing all parts included with the InnoTruth S3V2 Baby Gate, including the main gate, extensions, tension bolts, screws, wall anchors, wall cups, and sticky pads.

Item	Description	Quantity
A	Main Gate	1
B	Extensions	3 (various sizes)
C	Tension Bolt	4
D	Screw	4
E	Wall Anchor	4
F	Wall Cup	4
G	Sticky Pad	4

4. INSTALLATION

The InnoTruth S3V2 Baby Gate can be installed using either pressure mounting or hardware mounting. Choose the method appropriate for your location and desired stability.

4.1 Pressure Mounting (No Drilling Required)

Ideal for doorways and hallways where drilling is not preferred. This method relies on tension to secure the gate.

1. Measure the opening: Ensure the opening width is between 29.5 and 49.75 inches. Use appropriate extensions if needed.
2. Attach Tension Bolts: Insert the four tension bolts (C) into the corners of the gate.
3. Position the Gate: Place the gate in the desired opening. The gate may appear bent or have a gap at the top before tension is applied; this is normal.
4. Apply Sticky Pads (Optional): For added grip, apply sticky pads (G) to the wall cups (F) before placing them against the wall.
5. Tighten Tension Bolts: Rotate the adjustment wheels on the tension bolts until the gate is firmly secured against the walls. Ensure the gap at the top of the gate is closed and the gate is stable.



Image: Comparison of pressure mounted installation using sticky pads and hardware mounted installation requiring drilling.

4.2 Hardware Mounting (Recommended for Stairs)

For maximum security, especially at the top of stairs, hardware mounting is recommended.

1. Follow steps 1-3 from Pressure Mounting.

2. **Mark Drill Holes:** Once the gate is positioned and lightly tensioned, mark the locations for the wall cups (F) on the wall.
3. **Drill Pilot Holes:** Remove the gate. Drill pilot holes at the marked locations. For drywall, insert wall anchors (E).
4. **Secure Wall Cups:** Attach the wall cups (F) to the wall using screws (D).
5. **Re-position and Tighten:** Place the gate back into the wall cups and tighten the tension bolts (C) until the gate is secure.

Video: Demonstrates the easy installation process of the baby gate, highlighting its damage-free pressure mounting option.

Video: Shows how to properly install the InnoTruth baby gate on stairs, ensuring a secure fit.

5. OPERATING INSTRUCTIONS

5.1 Opening the Gate

The gate features a dual-lock system for enhanced safety, requiring a two-step process to open.

1. Locate the latch on the top bar of the gate.
2. Slide the button on the latch back with your thumb.
3. While holding the button back, lift the gate handle upwards.
4. Swing the gate open in either direction.

One-Handed Operation

Convenient For Parents Holding Children



Image: Instructions for one-handed operation: pull back the tab and lift upwards to open the gate.

Video: Demonstrates the one-handed opening mechanism of the gate, showing how to slide and lift the latch.

5.2 Closing the Gate

Simply push the gate door until it clicks securely into the closed position. The dual-lock system will automatically engage.

Stable and Durable

Dual-Lock Design Prevents Child Opening



Image: A baby safely contained by the gate, with an inset showing the secure dual-lock design that prevents child opening.

6. MAINTENANCE

- **Cleaning:** Wipe the gate with a damp cloth and mild soap. Do not use abrasive cleaners or harsh chemicals.
- **Regular Checks:** Periodically inspect all parts for wear, damage, or loose connections. Ensure tension bolts are tight and the gate operates smoothly.
- **Lubrication:** If the gate hinges become stiff, apply a small amount of silicone-based lubricant.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Gate does not close securely	Tension bolts are too loose or too tight; gate is misaligned.	Adjust tension bolts until the gate closes with a firm click. Ensure the gate frame is straight.
Gate is difficult to open/close	Tension bolts are too tight; hinges are stiff.	Slightly loosen tension bolts. Lubricate hinges if necessary.

Problem	Possible Cause	Solution
Gate feels unstable	Insufficient tension; improper installation.	Tighten tension bolts further. Consider hardware mounting for increased stability, especially on stairs.

8. SPECIFICATIONS

Attribute	Detail
Model Number	S3V2
Brand	InnoTruth
Adjustable Width	29.5 - 49.75 inches
Height	30 inches
Walk-Through Opening	18 inches
Material	Metal
Color	White
Mounting Type	Pressure Mount, Hardware Mount
Age Range (Children)	6-24 Months
Item Weight	12.77 pounds
UPC	810070844158
ASIN	B0FJDTMXJL

9. WARRANTY AND SUPPORT

Specific warranty details for the InnoTruth S3V2 Extra Wide Baby Gate are not provided in the product information. For warranty claims, technical support, or replacement parts, please contact InnoTruth customer service directly through their official website or the retailer where the product was purchased.

You may also visit the [InnoTruth Store on Amazon](#) for additional product information and contact options.