



[Manuals.plus](#) /

> [Uwell](#) /

> Uwell TYPHOS POD System Instruction Manual

## Uwell TYPHOS POD System

# Uwell TYPHOS POD System Instruction Manual

## 1. PRODUCT OVERVIEW

---

The Uwell TYPHOS POD System is an advanced electronic cigarette device designed to deliver an impressive mist and rich flavor. It features a maximum 45W output, real dual mesh coils, a large 6ml liquid capacity tank, and a powerful 2000mAh built-in battery for extended use. The device incorporates Uwell's unique CoreShield anti-leak structure, which precisely controls air pressure and liquid flow to minimize leakage during portability. Users can also switch between 'Storm' and 'Waves' output modes to customize their vaping experience. The TYPHOS is a versatile POD-type VAPE, excelling in flavor, endurance, and comfort.

# 大容量 × デュアルメッシュ

## TYPHOS

MORE PUFFS,  
GREATER FUN.

6ML  
LARGE POD

REAL DUAL  
MESH COIL

45W  
MAX POWER

2000MAH  
LARGE BATTERY

CORESHIELD  
ANTI-LEAK TECHNOLOGY

PRO  
FOCUS

CROWN の超絶進化版!!

Image 1.1: The Uwell TYPHOS POD System showcasing its main features including 45W max power, 2000mAh large battery, 6ml large pod, real dual mesh coil, and CoreShield anti-leak technology.

### Key Features:

- **Real Dual Mesh Coils:** Delivers powerful vapor and high flavor reproduction with up to 45W output.
- **Large Capacity:** 6ml liquid capacity and 2000mAh built-in battery for prolonged use.
- **CoreShield Anti-Leak Technology:** Patented structure designed to prevent liquid leakage, ensuring safe portability.
- **Dual Output Modes:** 'Storm' and 'Waves' modes allow users to freely switch and customize their vaping experience.
- **Versatile Airflow:** Supports 0.3Ω, 0.6Ω, and 0.8Ω coils with stepless airflow adjustment for Mouth-to-Lung (MTL) to Restricted Direct-to-Lung (RDL) vaping.
- **HD Display:** Features a 1.05-inch HD screen with 3 UI themes and a 99999 puff counter.

## 2. SAFETY INFORMATION

Please read all safety warnings and instructions before using this product to ensure proper operation

and prevent injury or damage. Keep this manual for future reference.

- **Age Restriction:** This product is intended for adult smokers only. Not for use by individuals under the legal smoking age, pregnant or breastfeeding women, or persons with heart disease, high blood pressure, diabetes, or taking medication for depression or asthma.
- **Liquid Safety:** This device uses e-liquids. E-liquids are not included with this kit. Ensure you use e-liquids that do not contain nicotine or tar, as this product is nicotine-free and tar-free. Avoid contact of e-liquid with skin or eyes. If contact occurs, rinse thoroughly with water.
- **Charging:** Use only the provided Type-C cable and a compatible 5V/2A charger. Do not charge overnight or leave unattended while charging. Disconnect the device from the charger once fully charged.
- **Battery Care:** The device contains a built-in lithium-ion battery. Do not expose to extreme temperatures, direct sunlight, or water. Do not puncture, drop, or disassemble the battery. Dispose of batteries according to local regulations.
- **Storage:** Store the device in a cool, dry place, away from direct sunlight and out of reach of children and pets.
- **Maintenance:** Regularly clean the device and replace coils as needed. Do not use abrasive cleaners or solvents.
- **Malfunction:** If the device malfunctions, emits smoke, or becomes excessively hot, immediately discontinue use and contact customer support.

## 3. SETUP GUIDE

---

### 3.1. Unpacking the Device

Carefully remove all components from the packaging. Verify that all items listed in the 'Package Contents' section are present.

### 3.2. Charging the Device

Before first use, fully charge the TYPHOS POD System. Connect the Type-C charging cable to the device's charging port and plug the other end into a compatible USB power source (5V/2A recommended). The display will indicate charging status. Once fully charged, disconnect the cable.

### 3.3. Filling the Pod Cartridge

1. Remove the pod cartridge from the device.
2. Locate the silicone stopper on the side of the pod.
3. Carefully open the stopper and insert the nozzle of your e-liquid bottle into the filling port.
4. Fill the pod with up to 6ml of e-liquid. Avoid overfilling.
5. Securely close the silicone stopper.
6. **Important:** After filling a new coil, wait at least 5-10 minutes before vaping to allow the e-liquid to fully saturate the coil. This prevents dry hits and extends coil life.

# BIGな6ml 大容量POD



特大容量の2000mAhバッテリーを搭載。一度の充電でしっかり長持ち。2Aの高速充電で快適な使い心地。

Image 3.1: The TYPHOS pod cartridge, highlighting its 6ml liquid capacity.

## 3.4. Installing the Pod Cartridge

Align the filled pod cartridge with the pod slot on the device and push it firmly until it clicks into place. Ensure a secure connection.

## 4. OPERATING INSTRUCTIONS

### 4.1. Power On/Off

To power on the device, press the fire button 5 times rapidly. Repeat the process to power off the device.

### 4.2. Vaping

The TYPHOS POD System is typically draw-activated or button-activated. Inhale through the mouthpiece while pressing the fire button (if button-activated) to produce vapor.

### 4.3. Adjusting Wattage and Modes

The device features a 1.05-inch HD display and allows for wattage adjustment and mode selection. Refer to the on-screen prompts and button combinations (usually involving the fire button and

adjustment buttons, if present) to navigate the menu and select between 'Storm' and 'Waves' output modes. The 'Storm' mode typically provides a more intense vapor, while 'Waves' mode offers a smoother experience.

## BIGな1.05インチ液晶



特大サイズの1.05インチ液晶を搭載。大きな画面と高精細なアニメーションで視覚的な楽しさも追及。

Image 4.1: The TYPHOS device displaying its 1.05-inch HD screen and user interface.

### 4.4. Airflow Adjustment

The TYPHOS features stepless airflow adjustment. Locate the airflow control mechanism (usually a slider or rotating ring) on the device or pod. Adjust it to your preferred draw tightness, from a tighter Mouth-to-Lung (MTL) to a more open Restricted Direct-to-Lung (RDL) experience.

### 4.5. Puff Counter

The device includes a puff counter that tracks your usage, up to 99999 puffs. Consult the user manual for specific instructions on how to view and reset the puff counter.

## 5. MAINTENANCE

### 5.1. Cleaning the Device

Regularly clean the device, especially the pod connection area and mouthpiece, with a dry, soft cloth.

Ensure no e-liquid residue accumulates in the connection points. Do not use water or harsh cleaning agents.

## 5.2. Replacing the Coil/Cartridge

When you notice a burnt taste, reduced vapor production, or a change in flavor, it's time to replace the coil or the entire pod cartridge. The TYPHOS uses integrated coil cartridges. To replace:

1. Remove the old pod cartridge from the device.
2. Dispose of the old cartridge responsibly.
3. Take a new TYPHOS dedicated cartridge (e.g., 0.6Ω or 0.8Ω).
4. Fill the new cartridge with e-liquid as described in Section 3.3.
5. Wait 5-10 minutes for the coil to saturate.
6. Insert the new cartridge into the device.

# 爆煙特化のデュアルPOD



別売りでデュアルメッシュPODもラインナップ。  
濃厚なフレーバーが魅力の爆煙特化型POD。

Image 5.1: A close-up of the TYPHOS pod, illustrating the dual mesh coil design for enhanced vapor and flavor.

## 5.3. CoreShield Anti-Leak Structure

The TYPHOS features a patented CoreShield structure designed to prevent liquid leakage. This system manages air pressure and liquid flow within the pod. While highly effective, ensure the silicone stopper is always securely closed after refilling and avoid leaving the device in extreme heat, which can cause pressure changes and potential minor condensation.

# 特許で漏れないPOD

## CoreShield



特許技術「CoreShield」を採用。油圧バランスを調整するサイドコラム設計で漏れないPODを実現。

Image 5.2: Diagram illustrating the CoreShield anti-leak technology within the TYPHOS pod.

## 6. TROUBLESHOOTING

### • Device Not Firing:

- Ensure the device is powered on (5 clicks of the fire button).
- Check if the battery is charged.
- Ensure the pod is correctly installed and making contact.
- The coil might be burnt; replace the pod cartridge.

### • Burnt Taste:

- The coil is likely burnt out. Replace the pod cartridge.
- Ensure the coil is properly saturated with e-liquid before first use (wait 5-10 minutes after filling).
- Check e-liquid level; do not vape on an empty or nearly empty pod.

### • Weak Vapor Production:

- Check battery level.

- The coil might be nearing the end of its life; replace the pod cartridge.
- Ensure airflow is not too restricted.

- **Leaking:**

- Ensure the silicone stopper on the pod is securely closed after refilling.
- Avoid overfilling the pod.
- Condensation can occur; regularly wipe the inside of the device and the bottom of the pod.
- If leakage persists, the pod cartridge might be faulty; replace it.

- **Device Not Charging:**

- Check the Type-C cable and charging adapter for damage.
- Ensure the charging port on the device is clean and free of debris.
- Try a different charging cable or power source.

## 7. SPECIFICATIONS

Feature	Detail
Product Size (Main Unit)	106.7 × 31.6 × 20.5 mm
Battery Capacity	Built-in 2000mAh
Output Mode	Max 45W (0.3Ω) / 25W (0.6Ω) / 18W (0.8Ω)
Liquid Capacity	6ml
Coil Specifications	Real Dual Mesh (0.3Ω, 0.6Ω, 0.8Ω)
Airflow Adjustment	Stepless
Screen	1.05-inch HD Screen, 3 UI Themes
Puff Management Function	Max 99999 Puffs + Puff Clear Function
Charging Method	Type-C (5V / 2A) Rapid Charging
Manufacturer	Uwell
Brand Name	Flavor Kitchen (Uwell)
Country of Origin	China
Color	Cement Gray

**サイズ**  
106.7×31.6×20.5(mm)

**バッテリー**  
2000mAh

**POD容量**  
6ml

**抵抗値**  
0.6Ω/0.8Ω

**最大出力**  
45W

**充電**  
USB Type-C (2A)



Image 7.1: Visual representation of the TYPHOS POD System's dimensions and key specifications.

## 8. PACKAGE CONTENTS

The Uwell TYPHOS POD System kit includes the following items:

- TYPHOS Main Unit ×1
- TYPHOS Dedicated Cartridge (0.6Ω) ×1
- TYPHOS Dedicated Cartridge (0.8Ω) ×1
- User Manual ×1

*Note: E-liquid is not included with this product.*

## 9. WARRANTY AND SUPPORT

### 9.1. Warranty Information

This product comes with a standard manufacturer's warranty. Please refer to the warranty card included in your package or contact the retailer for specific warranty terms and conditions. The warranty typically covers manufacturing defects but does not cover damage caused by misuse, accidents, or normal wear and tear.

### 9.2. Customer Support

If you encounter any issues or have questions regarding your Uwell TYPHOS POD System, please contact the retailer or the manufacturer's customer support. Keep your proof of purchase handy when

seeking support.

© 2026 Uwell. All rights reserved.