Manuals+

Q & A | Deep Search | Upload

manuals.plus /

› **Ohniyou** /

› **Ohniyou 60" Industrial Ceiling Fan with Lights - Remote & APP Control, Dimmable, DC Motor, Black (Model GLX072) User Manual**

Ohniyou GLX072

Ohniyou 60" Industrial Ceiling Fan with Lights User Manual

Model: GLX072 | Brand: Ohniyou

Introduction   Safety Information   Package Contents   Setup & Installation   Operating Instructions   Maintenance   Troubleshooting   Specifications   Warranty & Support

1. INTRODUCTION

This manual provides detailed instructions for the safe and efficient installation, operation, and maintenance of your Ohniyou 60-inch Industrial Ceiling Fan with Lights. Please read this manual thoroughly before installation and keep it for future reference. This ceiling fan is designed for both indoor and outdoor use, featuring smart control options via remote and mobile application, dimmable LED lighting, and a quiet DC motor with reversible functionality.

2. SAFETY INFORMATION

- **WARNING:** To reduce the risk of fire, electric shock, or personal injury, mount fan directly from building structure and/or to an outlet box marked 'Acceptable for Fan Support of 35 lbs (15.9 kg)' and use mounting screws provided with the outlet box.

- Installation must be performed by a qualified electrician.

- Ensure the power is disconnected at the main fuse box or circuit breaker before installation or any maintenance.

- Do not operate the fan if any part is damaged. Contact customer support for replacement parts.

- Keep hands, clothing, and other objects clear of the fan blades when the fan is in operation.

- The fan blades must be at least 7 feet (2.1 meters) from the floor.

- Ensure all connections are secure and properly insulated.

3. PACKAGE CONTENTS

Carefully unpack all components and ensure all items are present before beginning installation. Refer to the

diagram below for visual identification of parts.

Image: All components of the Ohniyou 60-inch Industrial Ceiling Fan with Lights, including blades, motor, light kit, downrods, remote, and mounting hardware.

- Fan Motor Assembly
- Aluminum Blades (6 pieces)
- Light Kit with LED panel
- Remote Control & Receiver
- Downrods (2 sizes included: 8" and 16")
- Canopy & Mounting Bracket
- Downrod Mounting Cover
- Downrod Mounting Base
- Hardware Pack (screws, washers, wire nuts)
- User Manual

4. Setup & Installation

Follow these steps carefully for proper installation. It is recommended to watch the official assembly guide video for visual assistance.

4.1. Prepare the Fan Assembly

1. **Attach Fan Blades:** Secure each aluminum blade to the fan motor assembly using the provided screws. Ensure they are tightened securely.

Image: Attaching the fan blades to the motor housing. Ensure all screws are tightened for stability.

2. **Install Light Fixture:** Disassemble the light fixture kit. Attach the light fixture base to the fan's triangle plate with screws. Install the LED light panel, ensuring clips are fastened.

Image: The central light fixture with the LED panel installed, ready for the lampshade.

3. **Prepare Downrod:** Select the appropriate downrod length (8" or 16") for your ceiling height. Slide the canopy, mounting cover, and downrod mounting base onto the downrod. Thread the motor wires through the inside of the downrod.

4. **Secure Downrod to Motor:** Secure the downrod to the fan motor using the locking screw, cotter pin, and then tighten with screws.

4.2. Ceiling Mounting

5. **Install Mounting Bracket:** Securely install the mounting bracket to your ceiling's electrical junction box using appropriate screws and anchors.

6. **Hang the Fan:** Carefully lift the assembled fan and hang it onto the mounting bracket.

7. **Connect Wiring:** Connect the receiver to the home circuit according to the labels on the wires (black to black, white to white, green to green/ground). Connect the fan wires to the receiver wires, matching colors.

8. **Secure Canopy:** Rotate and secure the canopy to the top of the mounting bracket, covering all wiring.

9. **Install Lampshade:** Attach the lampshade to the light fixture by twisting it into place.

4.3. Installation Video Guide

5. OPERATING INSTRUCTIONS

Your Ohniyou ceiling fan can be controlled via the included remote control or a dedicated mobile application.

5.1. Remote Control Functions

Image: The remote control and mobile app interface for controlling the ceiling fan's features.

- **Power On/Off:** Press the power button to turn the fan and light on or off.
- **Fan Speed:** Select from 6 adjustable wind speeds (1-6) to customize airflow.
- **Light Control:** Turn the light on/off, adjust brightness (10%-100%), and change color temperature (3000K Warm, 4500K Neutral, 6000K Cool).
- **Reversible Motor:** Use the reversible button to change blade direction for summer (downward airflow) or winter (upward airflow to circulate warm air).
- **Timer Function:** Set a 2-hour timer for automatic fan or light shutdown.
- **Silent Operation:** The DC motor ensures quiet operation, ideal for bedrooms.

5.2. App Control Functions

The fan supports Bluetooth app control for enhanced convenience. Download the app by scanning the QR code in the manual or visiting http://www.jasonghost.com/fanlamppro/index-en.html.

Video: Guide on how to download and connect to the mobile application for the Ohniyou ceiling fan.

- **App Download:** Scan the QR code provided in the manual or product packaging to download the companion app.
- **Bluetooth Connection:** Ensure your phone's Bluetooth is turned on. To match the ceiling fan light, turn it on and off 5 times.
- **Full Control:** The app allows control over light color temperature and brightness, wind speed, wind direction, night light mode, and timing functions.

-How to use the APP?

-After opening the APP, you can view the function introduction of the APP in "instructions" in the directory guide

-What can the APP do?

-We can control the light color temperature and brightness, wind speed level wind direction, night light mode and timing through the APP.

-Do we need to pay attention to anything when matching the ceiling fan light?

-APP Control: The Bluetooth of the your phone needs to be turned on, and the ceiling fan light needs to be turned on and off 5 times before matching.

-Romote Control: When matching, you need to press and hold the "SETUP" button for 3 seconds

APP Control
Please scan the QR code in the picture above to download.

Image: The fan operates quietly at approximately 30dB, offering various speed settings for comfort and a 2-hour timer function.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Use a soft, damp cloth for cleaning. Do not use abrasive cleaners or solvents.
- **Blade Care:** The aluminum blades are durable. For cleaning, a simple hand wash with mild soap and water is sufficient.
- **Tighten Screws:** Periodically check and tighten all screws on the fan blades and mounting hardware to ensure safe operation.

7. TROUBLESHOOTING

If you experience issues with your ceiling fan, refer to the following common problems and solutions:

- **Fan Does Not Start:**
  - Check if the power is on at the circuit breaker.
  - Ensure all wire connections are secure.
  - Verify remote control batteries are correctly installed and charged.

- **Light Does Not Work:**
  - Check light switch and circuit breaker.
  - Ensure LED panel connections are secure.

- **Excessive Wobbling:**
  - Ensure all blade screws are tightened.
  - Verify the mounting bracket is securely fastened to the ceiling.
  - Check if the downrod is properly secured to the motor.

- **Remote Control Not Responding:**
  - Replace remote control batteries.
  - Ensure the receiver is properly connected and not obstructed.

- For matching, press and hold the "SETUP" button on the remote for 3 seconds.
- **App Control Issues:**
  - Ensure Bluetooth is enabled on your device.
  - For matching, turn the fan light on and off 5 times.
  - Check app permissions and ensure it's updated to the latest version.

8. SPECIFICATIONS

Feature	Detail
Brand	Ohniyou
Model Name	GLX072
Size	60 inch
Product Dimensions	60"D x 60"W x 7.87"H
Color	Black
Number of Blades	6
Blade Material	Aluminum
Motor Type	DC Motor
Wattage	33 watts
Voltage	230 Volts
Air Flow Capacity	5600 Cubic Feet Per Minute
Noise Level	35 Decibels
Control Method	Remote, App
Special Features	Aluminum Blades, App Operable, High CFM, Quiet Operation, Reversible Motor, Dimmable Light (3 CCTs)
Installation Type	Downrod Mount
Room Type	Living Room, Garage, Gym, Patio, Shop

9. WARRANTY & SUPPORT

For warranty information or technical support, please refer to the contact details provided in your product packaging or visit the official Ohniyou website. Keep your purchase receipt for warranty claims.