

Vushine JCS-58QYL

Vushine 60 Can Beverage Refrigerator Cooler User Manual

Model: JCS-58QYL

1. IMPORTANT SAFETY INFORMATION

Please read all instructions before using this appliance to reduce the risk of fire, electric shock, or injury. Keep this manual for future reference.

- **Electrical Safety:** Ensure the unit is plugged into a grounded outlet. Do not use extension cords or adapters.
- **Placement:** Place the unit on a stable, level surface. Allow adequate ventilation around the unit to prevent overheating.
- **Flammable Materials:** Do not store explosive substances or flammable materials inside or near the appliance.
- **Children:** Supervise children to ensure they do not play with the appliance.
- **Power Cord:** Do not damage the power cord. If damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified persons to avoid a hazard.
- **Initial Use:** After receiving the refrigerator, allow it to stand upright for at least 24 hours before plugging it in and turning it on. This allows the refrigerant to settle.

2. PRODUCT OVERVIEW

The Vushine 60 Can Beverage Refrigerator Cooler (Model JCS-58QYL) is designed for efficient and quiet cooling of beverages. It features a compact design suitable for under-desk, counter, or freestanding placement, making it versatile for various environments.



Figure 2.1: Front view of the Vushine 60 Can Beverage Refrigerator Cooler with its glass door.

Key Features:

- **Capacity:** 2 Cubic Feet, capable of holding up to 60 standard 355ml cans.
- **Cooling System:** High-efficiency compressor cooling with an air-cooled circulation fan that ensures even temperature distribution throughout the interior.
- **Temperature Control:** Digital touch control panel with an adjustable temperature range of 37°F-64°F (3°C-18°C).
- **Door:** UV-blocking double-pane tempered glass door provides excellent thermal insulation and protects contents from harmful UV rays.
- **Interior Lighting:** Integrated blue LED lighting enhances visibility and adds a stylish touch.
- **Shelves:** Includes 3 premium removable shelves for adjustable and flexible storage to accommodate various bottle and can sizes.
- **Installation:** Designed for versatile installation, allowing for either built-in under-counter placement or use as a freestanding unit.
- **Low Noise:** Engineered for quiet operation, suitable for office, bedroom, or living spaces.



Figure 2.2: Illustration showing the product dimensions (22.84"D x 11.62"W x 34.25"H) and its 60-can capacity.

3. SETUP AND INSTALLATION

3.1 Unpacking

- Carefully remove all packaging materials, including any protective film from the control panel and other surfaces.
- Inspect the unit thoroughly for any signs of shipping damage. Report any damage to the retailer immediately.

Your browser does not support the video tag.

Video 3.1: Demonstrates removing the protective film from the control panel and the initial power-on sequence.

3.2 Placement

- Place the refrigerator on a flat, solid surface that is strong enough to support the unit when fully loaded.
- Ensure there is adequate space around the unit for proper ventilation. Refer to Figure 3.1 for recommended clearances.

- The unit can be used freestanding or built-in under a counter. If built-in, ensure sufficient airflow around the compressor area.




Figure 3.1: Examples illustrating both freestanding and built-in installation options for the beverage cooler.

3.3 Initial Power-On

- After placement, allow the unit to stand upright for **at least 24 hours** before plugging it in. This critical step allows the compressor oils and refrigerant to settle, preventing potential damage.
- Plug the power cord into a grounded electrical outlet.

3.4 Shelf Installation and Adjustment

The refrigerator comes with 3 removable shelves, allowing you to customize the interior space. To install or adjust shelves:

1. Open the refrigerator door.
2. To remove a shelf, lift and tilt it slightly, then pull it out from the support rails.
3. To install a shelf, align it with the desired slots on the interior walls and slide it in until it rests securely on the support rails.

Your browser does not support the video tag.



Figure 3.2: Highlights key features such as removable shelves, the convenient LED light, and adjustable corner pads for leveling.

4. OPERATING INSTRUCTIONS

4.1 Control Panel Overview

The intuitive touch control panel is located at the top of the unit, providing easy access to all functions.

Smart LCD Touch Temp Control Panel

Freely Adjust 37°F-64°F



Figure 4.1: Smart LCD Touch Temperature Control Panel with clearly labeled buttons for power, light, temperature adjustment, and unit switch.

4.2 Power On/Off

- To turn on the unit: Tap the power button () once.
- To turn off the unit: Press and hold the power button () for approximately 3 seconds.

4.3 Temperature Adjustment

- The adjustable temperature range for this cooler is 37°F-64°F (3°C-18°C).
- To increase the set temperature: Press the "+" button.
- To decrease the set temperature: Press the "-" button.
- For rapid temperature adjustment, press and hold either the "+" or "-" button.
- The unit features a memory function: all temperature settings are automatically restored to pre-power failure presets when electricity is recovered.

4.4 Temperature Unit Switch (°C/°F)

- To switch between Celsius and Fahrenheit display: Tap the °C/°F switch button (°C/°F).

4.5 Interior Light Control

- To turn the interior blue LED light on or off: Tap the light button ().



Figure 4.2: Illustration of the advanced air-cooled circulation system and the quiet, efficient compressor.



Figure 4.3: The UV-blocking double-layer tempered glass door helps maintain temperature stability and protects stored beverages.

5. MAINTENANCE AND CARE

5.1 Cleaning

- Always unplug the unit from the power outlet before performing any cleaning or maintenance.
- Clean the interior with a soft cloth and a mild detergent solution. Avoid harsh chemicals.
- Wipe down the exterior with a soft, damp cloth.
- Do not use abrasive cleaners, scouring pads, or solvents, as these can damage surfaces.

5.2 Defrosting

- This unit features an automatic defrost system, minimizing the need for manual defrosting.
- Any accumulated frost on the evaporator will melt and evaporate automatically.

5.3 Door Reversal (Optional)

The door opening direction can be reversed to open from the left or right side, depending on your preference and installation needs. For detailed instructions on how to reverse the door, please refer to the

comprehensive product manual included with your purchase or contact customer support.




Figure 5.1: The reversible door feature allows for flexible placement and access in various room layouts.

6. TROUBLESHOOTING GUIDE

Before contacting customer support, please check the following common issues and their potential solutions:

Problem	Possible Cause	Solution
Unit does not operate.	Not plugged in; circuit breaker tripped; power outage.	Ensure the power plug is securely inserted into a functional outlet; check your household circuit breaker; verify local power supply.
Temperature is not cold enough.	Door not closed properly or seal is damaged; excessive door openings; large quantity of warm items recently added; poor ventilation around the unit; unit placed in direct sunlight or near a heat source.	Check door seal for obstructions or damage; reduce frequency and duration of door openings; allow sufficient time for new items to cool; ensure proper clearance for ventilation (as per Section 3.2); relocate the unit to a cooler area.

Problem	Possible Cause	Solution
Unit is noisy.	Unit not level; loose parts inside; normal compressor operation.	Adjust the leveling feet to ensure the unit is stable; check for any loose items or bottles inside; a low humming sound from the compressor is normal during operation.
Interior light not working.	Light switch is off; LED failure.	Press the light button on the control panel to turn it on; if the light still does not work, contact customer support for assistance.

7. PRODUCT SPECIFICATIONS

Feature	Detail
Model Name	JCS-58QYL
Brand	Vushine
Product Dimensions (D x W x H)	22.84"D x 11.62"W x 34.25"H
Capacity	2 Cubic Feet (approx. 60 cans)
Cooling Method	Compressor
Temperature Range	37°F - 64°F (3°C - 18°C)
Defrost System	Automatic
Number of Shelves	3
Shelf Type	Wire and wood
Door Material Type	Glass
Voltage	115 Volts
Item Weight	56 Pounds
Installation Type	Built-In or Freestanding
Special Features	Adjustable Shelves, Digital Temperature Control, Large Capacity, Low Noise, Touch Control

8. WARRANTY AND CUSTOMER SUPPORT

Vushine provides **12 months of product support** for this beverage refrigerator from the date of purchase.

If you have any questions, require assistance with setup, operation, or maintenance, or encounter any issues not covered in this manual, please contact our dedicated support team:

Email: support@vushinestore.com

Our team is committed to providing prompt assistance and aims to respond and resolve your issue within 24 hours.