

[Manuals.plus](#) /

> [Aoxun](#) /

> Aoxun 8'x10' Wall Mounted Gazebo Instruction Manual Model G30030BK09A-DL

Aoxun G30030BK09A-DL

Aoxun 8'x10' Wall Mounted Gazebo Instruction Manual

Model: G30030BK09A-DL

1. INTRODUCTION

Thank you for purchasing the Aoxun 8'x10' Wall Mounted Gazebo. This manual provides essential information for the safe assembly, operation, and maintenance of your gazebo. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

Important Safety Information

- Always secure the gazebo to a wall and the ground for stability and safety.
- Do not use near open bodies of water unless properly secured.
- Ensure all bolts and fasteners are tightened securely before use.
- Regularly inspect the gazebo for any loose parts or damage.
- Assembly requires at least two people.

2. PRODUCT OVERVIEW

The Aoxun 8'x10' Wall Mounted Gazebo is designed to provide shade and protection for your outdoor patio, deck, or backyard. It features a durable metal frame and polycarbonate hollow sheet roof panels.

Key Features:

- **Excellent Load-Bearing:** Designed to endure heavy snow or rain with a load-bearing capacity of 55 lbs/sq.ft.
- **Unique Sloped Roof Design:** Provides a modern aesthetic and efficient rainwater drainage.
- **Premium Material:** Durable polycarbonate hollow sheets offer shade, heat preservation, and light transmission.
- **Wall-Mounted Stability:** Recommended to be mounted against a wall using expansion bolts for maximum stability.
- **UV Resistant:** Provides 99% UV resistance.
- **Waterproof:** Designed to be waterproof.



Figure 2.1: Aoxun 8'x10' Wall Mounted Gazebo in an outdoor setting.

3. SPECIFICATIONS

Brand	Aoxun
Model Number	G30030BK09A-DL
Product Dimensions	115"L x 95"W x 98"H (8'x10' nominal)
Material	Metal (Frame), Polycarbonate (Roof Panels)
Color	Black
Item Weight	109 pounds
Water Resistance Level	Waterproof

UV Protection	99% UV Resistant
Assembly Required	Yes

PRODUCT DIMENSIONS

8FT X 10FT HARDTOP GAZEBO



Come in 1 box





Figure 3.1: Detailed product dimensions.

4. SETUP AND ASSEMBLY

4.1 Before You Begin

- **Review Instructions:** Read the entire instruction manual carefully before starting assembly.
- **Check Package Contents:** Verify all parts and hardware are present against the provided parts list. The product typically arrives in two packages.
- **Required Tools:** Gather necessary tools (not included) such as a ladder, drill, level, measuring tape, and wrenches.
- **Personnel:** Assembly requires a minimum of two people; three or more are recommended for larger sections and lifting.

- **Location:** Choose a flat, level surface for assembly. Ensure the wall where the gazebo will be mounted is structurally sound.

4.2 Assembly Steps (General Guidelines)

While detailed step-by-step instructions are provided in the included assembly guide, the general process involves:

1. **Frame Assembly:** Assemble the main metal frame components according to the numbered parts and diagrams.
2. **Roof Panel Installation:** Carefully slide the polycarbonate roof panels into the designated channels. Ensure proper alignment for water drainage.
3. **Wall Mounting:** Securely attach the wall-mounted side of the gazebo to your chosen wall using the provided expansion bolts or appropriate lag bolts for your wall type.
4. **Ground Anchoring:** Anchor the gazebo's feet to the ground (concrete or deck) using the provided anchor bolts or suitable fasteners. This is crucial for stability.
5. **Final Tightening:** Once fully assembled and positioned, tighten all bolts and fasteners to ensure structural integrity.



Figure 4.1: Example of a fully assembled and mounted gazebo.

DRAINAGE SYSTEM

Rainwater can be quickly drained along the eaves, and no water will accumulate



Figure 4.2: Structural details for assembly, including wall-mounted bracket.

5. OPERATION AND USAGE

The Aoxun Wall Mounted Gazebo is designed for semi-permanent outdoor use, providing shade and protection from light rain and UV rays.

5.1 General Use

- The sloped roof is designed for efficient rainwater drainage. Ensure the drainage path is clear.
- The polycarbonate panels offer 99% UV resistance, making it suitable for sunny conditions.
- The structure is built to withstand moderate wind and snow loads when properly secured.

EXCELLENT MATERIALS AND CONSTRUCTION

ALUMINUM ROOF FRAME

More excellent load bearing capacity, more durable




Figure 5.1: Illustration of the gazebo's drainage system.

5.2 Seasonal Considerations

- **Winter:** While designed for snow load (up to 7 inches maximum snow depth capacity), it is advisable to regularly clear heavy snow accumulation from the roof to prevent structural stress.
- **High Winds:** The gazebo has a Wind Resistance Rating of Level 7 when properly installed. In extreme wind conditions, consider additional temporary bracing if necessary.



Figure 5.2: Gazebo performance in summer and winter conditions.

6. MAINTENANCE

Regular maintenance will extend the lifespan and ensure the continued safety of your Aoxun Gazebo.

- **Cleaning:** Clean the frame and roof panels periodically with mild soap and water. Avoid abrasive cleaners or brushes that could scratch the polycarbonate. Rinse thoroughly.
- **Fastener Check:** Annually, or after severe weather, inspect all bolts, screws, and anchors. Tighten any loose fasteners.
- **Drainage:** Ensure the roof and drainage channels are free of leaves, debris, or snow to allow for proper water runoff.
- **Structural Integrity:** Periodically check the frame for any signs of rust, bending, or damage. Address any issues promptly.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Gazebo feels unstable or wobbly.	Loose fasteners; improper wall mounting or ground anchoring.	Ensure all bolts are securely tightened. Verify the wall mounting and ground anchors are correctly installed and secure. Re-anchor if necessary.
Water leakage from the roof.	Improperly installed roof panels; damaged seals; debris blocking drainage.	Check roof panel alignment and ensure they are fully seated in their channels. Inspect seals for damage and replace if needed. Clear any debris from the roof and drainage system. Consider applying silicone sealant to critical seams if persistent.
Difficulty during assembly.	Missing parts; incorrect orientation of components; insufficient personnel.	Refer to the parts list and diagrams in the assembly guide. Ensure components are oriented correctly. Enlist additional help for lifting and securing large sections.

8. WARRANTY AND SUPPORT

8.1 Warranty Information

A one-year warranty is offered for this product. Please retain your proof of purchase for warranty claims.

8.2 Customer Support

For assistance with assembly, missing parts, or any other inquiries, please contact Aoxun customer service. Refer to the contact information provided with your purchase or visit the official Aoxun store online.

Aoxun Store: [Visit the Aoxun Store on Amazon](#)

