TELESIN Street Grip Kit

TELESIN Metal Aluminum Alloy Street Grip Kit User Manual

For DJI OSMO Action 5 Pro / Action 4 / Action 3

Introduction

This manual provides comprehensive instructions for the TELESIN Metal Aluminum Alloy Street Grip Kit. Designed to enhance the handling and protection of your DJI Action 5 Pro, Action 4, or Action 3 camera, this kit combines an ultra-lightweight cage with an ergonomic grip handle. Please read through these instructions carefully to ensure proper setup and optimal use of your product.

Package Contents

- Telesin Ultra-Lightweight Camera Cage × 1
- Telesin Street Photography Camera Grip Handle × 1
- Cold Shoe Button × 1
- Wrist Strap × 1
- T-Wrench × 1

Product Overview

The TELESIN Street Grip Kit is crafted from 6-series aerospace-grade aluminum, offering robust protection and a comfortable user experience. Its design ensures full compatibility with your camera's native buttons and ports.








The TELESIN Street Grip Kit features an ultra-lightweight aluminum alloy cage and an ergonomic grip handle, designed for enhanced camera handling.

Key Features

- **Patented Seesaw Shutter Button:** Replaces traditional hard-press shutter buttons with a light, instant response mechanism.
- **Machined-to-Fit Rugged Durability:** CNC-machined from aerospace-grade aluminum, ensuring precise alignment with camera buttons and ports.
- **User-Centric Ergonomic Grip:** Features a mid-finger groove and eco-leather wrapping for comfortable, long-duration handling.
- **Quick-Swap Camera Battery:** Allows battery changes without removing the cage or detaching the camera.
- **Ultra-Lightweight Cage:** Made of aluminum alloy, weighing only 54 grams, for effortless portability and installation.

Setup Instructions

Follow these steps to assemble your TELESIN Street Grip Kit and attach your camera.

1. Attaching the Camera to the Cage


1. Open the camera cage by pressing the release mechanism.
2. Carefully slide your DJI Action 5 Pro/4/3 camera into the cage, ensuring it fits snugly.
3. Close the cage securely until it locks into place.



The cage opens to allow easy insertion of your DJI Action camera, ensuring a secure fit.

2. Attaching the Grip Handle

1. Locate the 1/4" screw hole on the bottom of the camera cage.
2. Align the grip handle with the cage and use the integrated screw (often found at the base of the grip) to secure it. Use the provided T-wrench for tightening if necessary.



The grip handle attaches securely to the cage via a 1/4" screw, providing a stable hold.

3. Installing Cold Shoe Keys (Optional)


If you wish to use the cold shoe button for remote shutter control, slide it into the cold shoe slot on top of the cage until it clicks into place.

This official seller video demonstrates the assembly process for the TELESIN StreetGrip Kit, including attaching the camera and handle, and highlights its features for both GoPro and DJI Osmo Action cameras.

Operating Instructions

1. Using the Patented Seesaw Shutter Button

The integrated seesaw shutter button on the grip allows for easy photo capture or video recording. A light press is sufficient for activation.



The patented seesaw shutter button allows for a light, instant shutter response, replacing traditional hard-press buttons.

2. Quick-Swap Camera Battery Access

To change the camera battery, simply open the battery door on the cage. The quick-release system ensures you do not need to remove the camera from the cage.



The quick-release design allows for effortless battery changes, eliminating the need to detach the camera or cage.


3. Utilizing Cold Shoe and 1/4" Screw Hole

Attach external accessories such as microphones, LED lights, or tripods using the integrated cold shoe interface and 1/4" screw hole.



4. Multiple Mounting Methods

The kit supports various carrying and mounting options, including wrist straps and shoulder straps, for convenience and security.



The grip features a wrist rope hole and an equipped shoulder strap hole, offering versatile carrying and mounting options.

Maintenance

To ensure the longevity and optimal performance of your TELESIN Street Grip Kit, follow these maintenance guidelines:

- Clean the aluminum surfaces with a soft, dry cloth. Avoid abrasive cleaners.
- Ensure all screws and connections are tightened periodically, especially after extensive use.
- Store the kit in a dry, dust-free environment when not in use.

Troubleshooting

If you encounter any issues with your TELESIN Street Grip Kit, refer to the following common solutions:

- **Loose Cold Shoe/Shutter Button Plate:** Ensure the cold shoe button is fully slid into its slot until it clicks. If the issue persists, check for any debris obstructing the fit.
- **Camera Buttons Blocked:** Verify that the camera is correctly seated within the cage and that all openings are aligned with the camera's native buttons and ports. The cage is precisely machined for a perfect fit.
- **Grip Handle Loosening:** Use the provided T-wrench to re-tighten the screw connecting the grip handle to the cage.

Specifications

Package Dimensions	6.73 x 5.63 x 2.44 inches
Item Weight	13.4 ounces
Material	Aluminum Alloy, Silicone
Compatibility	DJI Action 5 Pro, DJI Action 4, DJI Action 3

Warranty and Support

TELESIN products are covered by a manufacturer's warranty against defects in materials and workmanship. For warranty claims, technical support, or any inquiries regarding your product, please contact TELESIN customer service through their official website or the retailer where the product was purchased. Please retain your proof of purchase for warranty validation.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question