

SAN HIMA SH-TENT-AL01-US

SanHima Gibb Overland Aluminium Roof Top Tent

MODEL: SH-TENT-AL01-US

Brand: SAN HIMA

Product Overview

The SanHima Gibb Overland Aluminium Roof Top Tent is designed for outdoor enthusiasts seeking a durable and comfortable camping solution. This hard shell tent offers a 360-degree view, integrated lighting, and a thick mattress for enhanced comfort. Its robust construction ensures reliability across various weather conditions.

Key Features:

- **360° Views:** Full-size mesh windows and doors on all sides provide panoramic views and ventilation, while keeping insects out. A 420D Oxford fabric rainfly offers protection and a covered entry.
- **Slimline Design:** Weighing 167.5 lbs and measuring 7.1 inches thick when closed, the tent is designed for fuel efficiency and reduced road noise. Its low profile allows it to fit in most garages.
- **Maximum Comfort:** The interior offers 80.1 x 48.2 x 34.1 inches of space. It includes a 2-inch cloud foam mattress for comfortable sleep. Light Shielding Technology in the hard shell helps maintain a cool, dark, and peaceful interior.
- **Built Tough:** Constructed from 420D Oxford and 280G poly-cotton, the tent is waterproof up to 5,000mm and UV50+ rated. A 1.42-inch raised base provides water resistance. The aluminum honeycomb shell and floor offer insulation.
- **User Friendliness:** Features include interior pockets, a shoe bag, and a ceiling storage net. A tri-color LED strip allows switching between bright white, warm sunlight, or amber light. Setup is quick and straightforward.

Setup and Installation

The SanHima Gibb Rooftop Tent is designed for simple assembly. Follow these steps for proper installation and setup.

Mounting the Tent to Your Vehicle

The tent is designed for roof top installation and includes universal mounting rails for compatibility with most roof rack setups. Ensure your vehicle's roof rack has adequate load capacity for the tent's weight (167.5 lbs) and occupants.

1. Position the tent on your vehicle's roof rack, aligning the universal mounting rails with your crossbars.
2. Insert the provided iron pieces and screws into the slide channels of the tent's base.
3. Align the screws with the luggage racks and tighten them securely. Ensure the iron piece is bent slightly to indicate proper tightness.

Deploying the Tent

1. Unfasten the two latches on the front of the tent.
2. Gently push the lid upwards. The hydraulic struts will assist in lifting the hard shell.
3. Clip the telescopic ladder onto the front of the tent and extend it to the ground, ensuring it is stable.
4. Climb into the tent and lower the elastic cord that helps pull the tent fabric inward during closing.
5. From inside, clip the internal frame bars onto the two locator pins in the corners. Push the bars forward through the tent material and lock them in place using the built-in arms.
6. If rough weather is expected, install the extra tensioning beam to the roof for added strength.
7. To set up the built-in awning, insert the metal support rods into the frame of the tent and then through the eyelets in the top of the awning.

Setup Video (Similar SanHima Model)

Your browser does not support the video tag. This video demonstrates the setup process for a similar SanHima rooftop tent model, providing a visual guide to the steps involved.

General Hardshell Tent Setup Video

Your browser does not support the video tag. This video provides a general overview of setting up a hardshell rooftop tent, which may be helpful for understanding the basic mechanics.

Product Images for Setup



The SanHima Gibb Rooftop Tent in its closed, travel-ready position on a vehicle.



Close-up of the tent's mounting bracket, showing how it attaches to a roof rack.



The tent partially open with the telescopic ladder extended to the ground.

Operating Instructions

Once set up, the SanHima Gibb Rooftop Tent offers a comfortable and convenient camping experience.

Interior Features

- **Windows and Doors:** Utilize the full-size mesh windows and doors for 360-degree views and excellent airflow. Close the blackout material for privacy and light shielding.
- **LED Strip Light:** The integrated tri-color LED strip light can be adjusted to bright white, warm sunlight, or amber. It is powered via a standard USB power bank.
- **Storage:** Use the interior pockets, shoe bag (attaches to the tent's base channel), and ceiling storage net to keep your essentials organized and accessible.
- **Mattress:** The 2-inch cloud foam mattress provides comfort for a restful night's sleep.

Operation Video (SanHima Gibb Model)

Your browser does not support the video tag. This video provides a review of the SanHima Gibb Rooftop Tent, showcasing its features and operation.

Product Images for Operation

Built Tough Built to Last

With 420D Oxford and 280GT poly-cotton, plus 5,000mm waterproofing, UV 50+ protection, and a 3.6cm raised base to block water.



420D Oxford Fabric



UV Resistant



280GT Poly-cotton

Slim Profile Light Build

167.5 lbs (76kg), 7.09"(18cm) thick—easy on fuel, quiet on the road, and low enough to slide into your garage or park undercover.



Enjoy panoramic 360-degree views from inside the tent with mesh windows open.

Interior storage solutions including pockets and a ceiling net for organizing gear.

The comfortable 2-inch cloud foam mattress provides a soft and supportive sleeping surface.

Maintenance

Proper maintenance will extend the lifespan of your SanHima Gibb Rooftop Tent.

- **Cleaning:** The tent fabric should be hand washed. Avoid harsh chemicals or machine washing.
- **Drying:** Ensure the tent is completely dry before packing away to prevent mold and mildew.
- **Inspection:** Regularly inspect all components, including zippers, latches, struts, and fabric, for any signs of wear or damage.
- **Storage:** Store the tent in a cool, dry place when not in use.

Troubleshooting

Here are some common issues and their potential solutions:

- **Tent not opening/closing smoothly:** Check for any obstructions in the fabric or frame. Ensure hydraulic struts are functioning correctly.
- **Water leakage:** Verify that all zippers are fully closed and the rainfly is properly positioned. Inspect fabric for tears or damage.
- **LED light not working:** Ensure the USB power bank is charged and correctly connected to the LED strip. Check the dimmer switch.
- **Ladder stability issues:** Make sure the ladder is fully extended and securely hooked to the tent. Adjust the angle for optimal stability on uneven terrain.

Specifications

Brand	SAN HIMA
Model Name	SH-TENT-AL01-US
Product Dimensions (Closed)	83.5"L x 51.8"W x 7.1"H
Item Weight	167.5 Pounds
Occupancy	3 Person
Seasons	4 Season

Water Resistance Technology	PU 5,000 mm
Ultraviolet Light Protection	50+
Material	Aluminum (shell/floor), 420D Oxford Fabric & 280G Polyester-Cotton (fabric)
Included Components	1 x San Hima Gibb Rooftop Tent, 1 x LED Strip Light, 4 x Window Rods, 1 x Telescopic Ladder, 1 x Mattress

Package Dimensions



Detailed diagram illustrating the package and product dimensions of the tent.

Warranty and Support

Warranty: The SanHima Gibb Rooftop Tent comes with a 2-year warranty.

Customer Support: For any questions, issues, or support needs, please refer to the customer support options provided at the point of purchase or visit the official SAN HIMA store.