

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [SGIN](#) /

› [SGIN C10 10.1-inch Kids Tablet User Manual](#)

SGIN C10

SGIN C10 10.1-inch Kids Tablet User Manual

Model: C10

1. INTRODUCTION

Thank you for choosing the SGIN C10 10.1-inch Kids Tablet. This device is designed to provide an engaging and safe digital experience for children, featuring parental controls and educational content. This manual will guide you through the setup, operation, and maintenance of your tablet to ensure optimal performance and user safety.

2. PRODUCT OVERVIEW

2.1 Package Contents

Upon unpacking, please ensure all items listed below are present:

- SGIN C10 10.1-inch Tablet
- Protective Case
- Charger
- USB Cable
- Instruction Manual



Image: Diagram showing the tablet's ports and buttons, along with the included accessories: tablet, protective case, charger, USB cable, and instruction manual.

2.2 Tablet Components

Familiarize yourself with the physical components of your SGIN C10 tablet:

- **Power Button:** Located on the side, used to turn the tablet on/off or put it to sleep.
- **Volume Buttons:** Adjust the audio output level.
- **Headphone Jack:** For connecting wired headphones.
- **USB Port:** For charging and data transfer.
- **TF Card Slot:** For expanding storage with a microSD card.
- **Front Camera:** For video calls and selfies.
- **Rear Camera:** For taking photos and videos.
- **Speakers:** For audio output.
- **10.1-inch HD IPS Touch Screen:** Main display for interaction.
- **Protective Case with Stand:** Provides protection and allows for hands-free viewing.



Image: The SGIN C10 tablet in its pink protective case, displaying a colorful educational game on its screen. The rear of the tablet shows the integrated stand.

2.3 Key Features

- **High Performance:** Equipped with a 1.6GHz quad-core processor, 2GB RAM, and 32GB ROM

(expandable up to 32GB via TF card).

- **Kid-Proof Case:** Durable pink case designed to protect against dust, bumps, and drops, with heat dissipation features.
- **Pre-installed iWawa Kid's Software:** Offers a safe and entertaining environment with thousands of free educational games and apps.
- **Parental Control System:** Allows parents to manage screen time, content, and user accounts.
- **Long Battery Life:** 5000mAh lithium battery provides 6-8 hours of usage.
- **Eye Protection Screen:** 1280*800 HD IPS touch screen for vibrant colors and comfortable viewing.
- **Dual Camera:** 2MP front camera and 5MP rear camera for photos and videos.


Image: Icons representing key features of the SGIN C10 tablet: Android 12, Quad-core processor, Dual Camera, 5000mAh battery, WiFi, HD Display, 2GB RAM + 32GB storage, 10 Inch screen, and Parental Control.



Image: Visual representation of the tablet's 2GB RAM and 32GB ROM (expandable via TF card), alongside a diagram of the 1.6 GHz Quad-core Processor.

2GB RAM 32GB ROM

Supports TF Card to extend up to 32GB. Meet your need to store more TV shows, songs, photos, videos and movies.



1.6 GHz Quad-core Processor

The 1.6 GHz Quad-core processor is 20% faster than other normal processors.

Image: The 10-inch HD display showing vibrant content, and a close-up of the protective case's rotatable stand.

10" HD Display

The 1280*800 HD IPS touch screen provide richer and more vibrant colors for excellent visual effects for your kids.



Protective Case with Stand

The stand can be rotated and the opening and closing angle is up to 180°C

Image: A child using the tablet, highlighting the 5000mAh Lithium Battery, and a close-up of the tablet's dual camera system.

3. SETUP

3.1 Initial Charging

1. Connect the USB cable to the tablet's USB port.
2. Connect the other end of the USB cable to the provided charger.
3. Plug the charger into a power outlet.
4. Allow the tablet to charge fully before first use. The battery indicator on the screen will show charging status.

3.2 Powering On/Off

- **To Power On:** Press and hold the Power Button until the SGIN logo appears on the screen.
- **To Power Off:** Press and hold the Power Button until a menu appears. Select "Power off" and confirm.
- **To Sleep/Wake:** Briefly press the Power Button to put the tablet to sleep or wake it up.

3.3 Connecting to Wi-Fi

1. From the home screen, swipe down from the top to open the Quick Settings panel.
2. Tap and hold the Wi-Fi icon to open Wi-Fi settings.
3. Toggle Wi-Fi on if it's off.
4. Select your desired Wi-Fi network from the list.
5. Enter the network password if prompted, then tap "Connect".

3.4 Initial iWawa Setup

The SGIN C10 tablet comes with iWawa Kid's software pre-installed. Follow the on-screen prompts to set up the child-friendly environment and parental controls during the first launch.

4. OPERATING INSTRUCTIONS

4.1 Basic Navigation

- **Touch:** Tap an icon or option to select it.

- **Swipe:** Drag your finger across the screen to scroll through pages or lists.
- **Pinch:** Use two fingers to zoom in or out on images or web pages.
- **Home Button:** Returns you to the home screen.
- **Back Button:** Returns you to the previous screen.
- **Recent Apps Button:** Shows recently used applications.

4.2 Using the Camera

1. Open the Camera app from the home screen or app drawer.
2. Tap the camera switch icon to toggle between the front and rear cameras.
3. Tap the shutter button to take a photo.
4. Tap the video icon to switch to video recording mode, then tap the record button to start/stop recording.

4.3 Installing/Uninstalling Apps

- **Installing Apps:** Within the iWawa environment, access the Kids Store to download free games and educational applications. Parents can also approve apps from the Google Play Store via parental controls.
- **Uninstalling Apps:** From the parental control interface, select the app management option to uninstall unwanted applications.

4.4 Adjusting Settings

- **Volume:** Use the physical Volume Buttons on the side of the tablet.
- **Brightness:** Swipe down from the top of the screen to access Quick Settings and adjust the brightness slider. More detailed display settings are available in the main Settings app.
- **Other Settings:** Access the main Settings app for Wi-Fi, Bluetooth, display, sound, storage, and other system configurations.

5. PARENTAL CONTROL

The SGIN C10 tablet features a robust parental control system integrated with the iWawa Kid's software, allowing you to create a safe and customized environment for your child.

5.1 Accessing Parental Controls

To access parental control settings, you will typically need to exit the iWawa Kid's interface and enter a password-protected parent mode. Follow the on-screen instructions within the iWawa app to set up and manage this access.

5.2 Key Parental Control Features

- **Set Passwords:** Establish a secure password to prevent children from exiting the iWawa environment or altering settings.
- **Screen Time Limits:** Define daily usage limits and specific time periods when the tablet can be used.
- **Content Management:** Control access to apps, games, videos, and websites. You can whitelist appropriate websites and block unwanted content.
- **App Approval:** Manage which applications your child can access, including those downloaded from the Kids Store or Google Play Store.

- **Multiple User Accounts:** Create separate profiles for each child, allowing personalized settings and content for individual users.
- **Ad Elimination:** The system helps eliminate unwanted advertisements within the child's environment.

6. MAINTENANCE

6.1 Cleaning the Device

- Always power off the tablet before cleaning.
- Use a soft, lint-free cloth to wipe the screen and body.
- For stubborn smudges, slightly dampen the cloth with water or a screen-safe cleaner. Avoid harsh chemicals.
- Ensure no moisture enters ports or openings.

6.2 Battery Care

- Avoid fully discharging the battery frequently.
- Do not expose the tablet to extreme temperatures.
- Use only the provided charger and cable.

6.3 Software Updates

Periodically check for system updates in the tablet's Settings menu under "System" or "About tablet." Keeping your software updated ensures optimal performance and security.

6.4 Storage Management

To manage storage, you can:

- Delete unused apps and files.
- Move photos and videos to a computer or cloud storage.
- Insert a TF (microSD) card into the designated slot to expand storage capacity up to 32GB.

7. TROUBLESHOOTING

Problem	Possible Solution
Tablet does not turn on.	Ensure the battery is charged. Connect the charger and wait a few minutes before attempting to power on again.
Screen is unresponsive.	Restart the tablet by holding the Power Button for about 10 seconds until it powers off, then power it on again.
Cannot connect to Wi-Fi.	Check if Wi-Fi is enabled. Ensure the password is correct. Restart your Wi-Fi router.
Apps are crashing or running slowly.	Close background apps. Clear app cache (Settings > Apps > [App Name] > Storage > Clear cache). Ensure sufficient storage space.

Problem	Possible Solution
Parental controls are not working as expected.	Re-enter the parental control settings and verify all configurations (time limits, content filters, app approvals). Ensure the correct child profile is active.

8. SPECIFICATIONS


Feature	Specification
Brand	SGIN
Model Name	C10
Operating System	Android
Screen Size	10 Inches
Max Screen Resolution	1280 Pixels
Processor	1.6GHz Quad-core (Intel Processor Brand)
RAM	2GB
Internal Storage (ROM)	32GB
Expandable Storage	TF Card up to 32GB
Front Camera	2MP
Rear Camera	5MP
Battery Capacity	5000mAh
Connectivity	WiFi, Bluetooth
Item Weight	2.35 pounds
Product Dimensions	1 x 1 x 1 inches

9. WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation included with your purchase or visit the official SGIN website. If you encounter issues not covered in this manual, please contact SGIN customer service for assistance.


Related Documents - C10

 USER MANUAL	<p>SGIN 10 HD Kid Safe Tablet User Manual</p> <p>Comprehensive user manual for the SGIN 10 HD Kid Safe Tablet, detailing setup, Kid Mode features, Parent Mode controls, system settings, and frequently asked questions for a safe and enjoyable user experience.</p>
 User Manual	<p>SGIN T10 & T10Pro User Manual - Specifications and Features</p> <p>Comprehensive user manual for the SGIN T10 and T10Pro tablets, detailing specifications, features, buttons, connectors, accessibility options, and regulatory information. Learn about the Android 11 operating system, MediaTek MT8183 processor, display, camera, battery, and more.</p>
 User Manual	<p>SGIN T12 & T12S Tablet User Manual</p> <p>User manual for the SGIN T12 & T12S tablet, covering setup, features, specifications, and troubleshooting.</p>
 User Manual	<p>SGIN Laptop User Manual</p> <p>User manual for the SGIN laptop, covering setup, basic operations, troubleshooting, and important safety precautions.</p>
 User Manual	<p>SGIN Laptop User Manual</p> <p>Comprehensive user manual for SGIN laptops, covering setup, basic operations, troubleshooting, and parameter configuration. Learn how to use your SGIN laptop effectively.</p>



[SGIN T10 & T10Pro User Manual](#)
 User manual for the SGIN T10 and T10Pro tablets, detailing features, specifications, buttons, connectors, and troubleshooting tips.


Documents - SGIN – C10



[\[pdf\] User Manual Instructions](#)


220321 C10 Admin User Manual L FORWARD INC SGIN 2A3YZSGIN 2A3YZSGINC10 sgin c10 FCC Caution This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: 1 This device may not cause harmful interference, and 2 this device must accept any interference received, including interference that may cause und...

lang:en score:22 filesize: 3.75 M page_count: 32 document date: 2022-05-19



[\[pdf\] User Manual Owner's Manual Instructions](#)

Manual Service CR5 1v0 SERVICE MANUAL synthmanuals POWER CLIP PROTECT A B PROFESSIONAL AUDIO AMPLIFIER U S Yorkville Sound Inc 4625 Witmer Industrial Estate Niagara Falls New York 14305 USA Voice 716 297 2920 Fax 3689 WORLD HEADQUARTERS CANADA 550 Granite Court Pickering Ontario L1W 3Y8 sm cr5 manuals yorkville service manual SERVICE MANUAL <http://www.yorkville.com> WORLD HEADQUARTERS CANADA Yorkville Sound 550 Granite Cour ... 30P 4K99 5 1 L R M COM L COM SW1 SW1 876 2 3 M SG_A 4 R R20 953R SG_B R22 953R R21 3K74 **C10** 330P C11 330P R23 3K74 R24 4K99 C13 330P 2 4=V-,8V 1 3 U2 1/2 TLO72 C12 R25 330P 4K9...
 lang:en score:21 filesize: 1.16 M page_count: 8 document date: 2006-06-29



[\[pdf\] User Manual Parts List Guide Diagram](#)

Nihon Kohden CNS 9701 Repair Help Learn How to Fix It Yourself 8200 Central Monitor Service manual documents cdn ifixit UnOMMBv2HqGYeC6j thumbnailUrl guide images igi Y2EZjV15BXFvp6ei standard type title quot ||| MU-820RA MU-820RJ MU-820RK QM-800P CENTRAL MONITOR MAIN UNIT MU-820R CNS-8200 SYSTEM 0634-000103F ... I Parts List UR-3475 DRAM Board ASSY CKT NO. PART NO. QTY UR-3475 CN101 089957 1 UR-3475 **C102** 159641 1 UR-3475 **C103**-C112 368905 10 UR-3475 C201-C202 363411 2 UR-3475 C203 15972...
 lang:en score:20 filesize: 19.68 M page_count: 425 document date: 0000-00-00



[pdf] User Manual Owner's Manual Instructions

Manual Service CR5 1v0 Yorkville pwr sm Audio AudioCircuit audiocircuit dk yorkville |||
SERVICE MANUAL <http://www.yorkville.com> WORLD HEADQUARTERS CANADA
Yorkville Sound 550 Granite Cour ... 4K99 L 5 1 L COM COM SW1 SW1 6 2 M 7 3 M
SG_A R 8 4 R R20 953R SG_B R22 953R R21 3K74 **C10** 330P C11 330P R23 3K74
R24 4K99 C13 330P 2 4=V-,8V 1 3 U2 1/2 TLO72 C12 R25 330P 4K9...
lang:en score:20 filesize: 1012.66 K page_count: 7 document date: 2021-05-27



[pdf] User Manual Owner's Manual Instructions

Manual Service CR5 1v0 Yorkville Power Amp bee mif pg gda pl ciasteczkowypotwor pro audio
250W into 4 ohms per channel SERVICE MANUAL <http://www.yorkville.com> WORLD
HEADQUARTERS CANADA Yor ... 4K99 L 5 1 L COM COM SW1 SW1 6 2 M 7 3 M
SG_A R 8 4 R R20 953R SG_B R22 953R R21 3K74 **C10** 330P C11 330P R23 3K74
R24 4K99 C13 330P 2 4=V-,8V 1 3 U2 1/2 TLO72 C12 R25 330P 4K9...
lang:en score:19 filesize: 1008.02 K page_count: 7 document date: 2007-10-30




[pdf] Label

36 Administrator Label and Locations L FORWARD INC SGIN C10 2A3YZSGIN 2A3YZSGINC10 sgin
c10

Label label location 3 Label location 20mm*10mm FCC ID:2A3YZSGIN-**C10** This
device complies with part 15 of the FCC Rules. Operation is subject to the following
two conditions: 1 this device may not cause harmful interference, 2 this device must
accept any interference received, including interf...

lang:en score:19 filesize: 437.39 K page_count: 1 document date: 2022-05-19



[pdf] Declaration of Conformity

tom WwW YImF CoM Model Difference Declaration Letter L FORWARD INC SGIN C10 2A3YZSGIN
2A3YZSGINC10 sgin c10

L FORWARD INC. Model Difference 2022.05.17 Federal Communications
Commission 7435 Oakland Mills Road Columbia, MD 21046 USA RE: LETTER OF
MODEL DIFFERENCE EUT NAME: 10.1 inch tablet PC Trademark: N/A MODEL:
SGIN_C10/SGIN_E10P, M1041A FCC ID: 2A3YZSGIN-**C10** All the model are the
same circuit and RF mo...

lang:en score:18 filesize: 88.45 K page_count: 1 document date: 2022-05-19

BCTC 倍测检测

RF EXPOSURE EVALUATION METHOD

FCC ID: 2A3YZSGIN-C10

Applicable standard: In accordance with FCC 47 CFR part 2 (2.1093) this device has been defined as a portable device which is defined as a transmitting device designed to be used so that the radiating structure(s) or the device is/are within 20 centimeters of the body of the user.

Product has been tested in accordance with FCC 47 CFR part 2 (2.1093) and ANSI/IEEE C95.1-1992, and has been tested in accordance with the measurement methods and procedures specified in IEEE 1529-2003 for SAR test.

Per FCC 47 CFR 15.208 (b) (5) (ii) (A) (1) (a) (1) (b) SAR test exclusion thresholds for 100 MHz to 6 GHz or 10 g SAR test separation distances < 50 mm are determined by:

SAR Test Exclusion Thresholds for 100 MHz - 6 GHz and < 50 mm

Applicable SAR Test Exclusion Power Thresholds at Selected Frequencies and Test Separation Distances are illustrated in the following Table:

Site	5	10	15	20	25	300
100	10	20	34	44	54	100
160	27	55	82	110	137	270
250	22	45	67	89	117	250
330	16	33	49	66	83	230
400	16	32	47	61	79	210
500	10	24	37	49	61	190
1000	11	22	33	44	54	180
2450	10	19	29	31	48	140
3000	5	10	16	19	30	100
3800	5	13	19	20	33	90
4000	6	13	19	20	32	80
5000	6	13	19	20	31	70

The 1 g and 10 g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances < 50 mm are determined by:
 (Imax. power of channel, including turn-up tolerance, mW/mm. test separation distance, mm) / (1.09 * (100 MHz to 6 GHz) * 0.73) for 10 g extremity SAR where (GHz) is the RF channel transmit frequency in GHz.
 Power is rounded to the nearest 10 mW/mm.
 The result is rounded to the nearest 1 g/mm.

The test exclusions are applicable only when the minimum test separation distance is < 50 mm and the SAR test separation distance is 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

[pdf] SAR Rating

tom WwW YlmF CoM RF Exposure L FORWARD INC SGIN C10 2A3YZSGIN 2A3YZSGINC10 sgin c10

RF EXPOSURE EVALUATION METHOD FCC ID: 2A3YZSGIN-C10 Applicable

standard In accordance with FCC 47 CFR part 2 2.1093 this device has been defined as a portable device which is defined as a transmitting device designed to be used so that the radiating structure s of the device is/are within 20 cent...

lang:en score:18 filesize: 314.79 K page_count: 5 document date: 2022-05-19

BCTC

TEST REPORT

Report No.: BCTC2204632804-2E

Applicant: L FORWARD INC.

Product Name: 10.1 inch tablet PC

Model/Type Ref.: SGIN_C10/SGIN_E10P

Tested Date: 2022-04-11 to 2022-05-12

Issued Date: 2022-05-12

Shenzhen BCTC Testing Co., Ltd.

Mo.: BCTC/RF-EMC-005

Page: 1 of 46

Editor: A.J



[pdf] Test Report

Jade BCTC Test Report 1 L FORWARD INC SGIN C10 2A3YZSGIN 2A3YZSGINC10 sgin c10

TEST REPORT Report No.: BCTC2204632804-2E Applicant: L FORWARD INC.

Product Name: 10.1 inch tablet PC Model/Type Ref.: SGIN_C10/SGIN_E10P Tested Date: 2022-04-11 to 2022-05-12 Issued Date: 2022-05-12 Shenzhen BCTC Testing Co., Ltd. No.BCTC/RF-EMC-005 Page: 1 of 46 EditionA.4 Report N...

lang:en score:17 filesize: 2.68 M page_count: 46 document date: 2022-05-25

2022.05.17

L FORWARD INC.

Eurofins Electrical and Electronic Testing NA, Inc.
914 W. Patapsco Avenue
Baltimore, MD 21230 USA

RE: CONFIDENTIALITY REQUEST FOR
EUT NAME: 10.1 inch tablet PC
Trademark: N/A
MODEL: SGIN_C10/SGIN_E10P, M1041A
FCC ID: 2A3YZSGIN-C10
To Whom It May Concern:

This letter serves as an official request for confidentiality under sections 0.457 and 0.459 of CFR 15. This letter is being requested that the following information be withheld from public release:

- Block Diagram
- Schematics
- Overall Product Description

required to be submitted with the application be permanently withheld from public release.

The above materials contain trade secrets and proprietary information not customarily released to the public. The public disclosure of these materials may be harmful to the applicant and provide unpatented benefits to its competitor.

Please contact me if there is any information you need.

Sincerely,

Client's signature: 
Client's name / title: SHAOJUN HUANG/CEO
Contact information / address: 1906 Thomas Ave Cheyenne, Laramie, WY 82001, US

[pdf] Confidentiality Request Letter

Please produce a letter on your company letterhead with the following information bctcemc005 MET

LABORATORIES FCC Long Term Confidentiality Letter L FORWARD INC SGIN C10 2A3YZSGIN

2A3YZSGINC10 sgin c10

2022.05.17 L FORWARD INC. Eurofins Electrical and Electronic Testing NA, Inc. 914 W. Patapsco Avenue Baltimore, MD 21230 USA RE: CONFIDENTIALITY REQUEST FOR EUT NAME: 10.1 inch tablet PC Trademark: N/A MODEL: SGIN_C10/SGIN_E10P, M1041A FCC ID: 2A3YZSGIN-C10 To Whom It May Concern: This letter serv...

lang:en score:17 filesize: 143.83 K page_count: 1 document date: 2022-05-19

BCTC

TEST REPORT

Report No.: BCTC2204632804-1E

Applicant: L FORWARD INC.

Product Name: 10.1 inch tablet PC

Model/Type Ref.: SGIN_C10/SGIN_E10P

Tested Date: 2022-04-11 to 2022-05-12

Issued Date: 2022-05-12

Shenzhen BCTC Testing Co., Ltd.

Mo.: BCTC/RF-EMC-005 Page: 1 of 83 Edition: A.4

Published: 2022-05-12



lang:en score:17 filesize: 5.71 M page_count: 83 document date: 2022-05-25

BCTC

TEST REPORT

Report No.: BCTC2204632804-3E

Applicant: L FORWARD INC.

Product Name: 10.1 inch tablet PC

Model/Type Ref.: SGIN_C10/SGIN_E10P

Tested Date: 2022-04-11 to 2022-05-12

Issued Date: 2022-05-12

Shenzhen BCTC Testing Co., Ltd.

Mo.: BCTC/RF-EMC-005 Page: 1 of 83 Edition: A.4

Published: 2022-05-12



lang:en score:17 filesize: 5.41 M page_count: 83 document date: 2022-05-25




[pdf] Product Photos

leon chen External Photos L FORWARD INC SGIN C10 2A3YZSGIN 2A3YZSGINC10 sgin c10

External Photos ...

lang:en score:16 filesize: 1012.2 K page_count: 4 document date: 2022-05-25



Internal Photos

[\[pdf\]](#) Product Photos Teardown

leon chen Internal Photos L FORWARD INC SGIN C10 2A3YZSGIN 2A3YZSGINC10 sgin c10

Internal Photos Antenna ...

lang:en **score:16** filesize: 2.26 M page_count: 5 document date: 2022-05-18



[\[pdf\]](#) Product Photos

Jade BCTC Test Setup Photos L FORWARD INC SGIN C10 2A3YZSGIN 2A3YZSGINC10 sgin c10


17. EUT Test Setup Photographs Conducted Measurement Photo Report No.:

BCTC2204632804-1E Radiated Measurement Photos No.BCTC/RF-EMC-005 Page

81 of 83 EditionA.4 Report No.: BCTC2204632804-1E No.BCTC/RF-EMC-005 Page

82 of 83 EditionA.4 ...

lang:en **score:15** filesize: 873.59 K page_count: 2 document date: 2022-05-25



[\[pdf\]](#) Agent Authorization

Date bctcemc005 MET LABORATORIES FCC Agent Authorization L FORWARD INC SGIN C10

2A3YZSGIN 2A3YZSGINC10 sgin c10

L FORWARD INC. 2022.05.17 Eurofins Electrical and Electronic Testing NA, Inc. 914

W. Patapsco Avenue Baltimore, MD 21230 USA RE: LETTER OF AGENT

AUTHORIZATION To Whom It May Concern: We, the undersigned, hereby authorize Shenzhen BCTC Testing Co., Ltd to act on our behalf in all matters relating to ...

lang:en **score:15** filesize: 85.69 K page_count: 1 document date: 2022-05-24



Tyrrell P34 1977 Monaco GP
1/20 GRAND PRIX COLLECTION No.53

1:20 タイレル P34 1977 モナコGP


In December 1976, the Tyrrell team decided to build a new chassis, chassis number 002, to compete in the 1977 Formula 1 World Championship. The new chassis was based on the previous year's model, the Tyrrell 001, but with several improvements. The new chassis was lighter and more aerodynamic, and the engine was upgraded to a more powerful version. The team also made changes to the suspension and braking systems. The Tyrrell P34 was a very successful car, winning several races and finishing second in the World Championship. The team also won the Constructors' Championship. The Tyrrell P34 was the last Formula 1 car to be built by the Tyrrell team, and it is now a highly sought-after collectors' item.

[pdf] User Manual

Tamiya 300020053 Tyrrell P34 Six Wheeler Monaco GP77 model auto stavebnice 1 20 Conrad cz manual 2303965 tamiya tyrell p34 six wheeler monaco gp77 120 asset conrad media10 add 160267 c1 gl 002303965ML00 |||

1977 frunco EE rltM 20053 I/20 GRAND PRX COLLECnON No.53 itt //t , l l ol TAMTYA 1n1.Ya 1WY ... spnsion Vodemdaufi ;inqung-Einbau Firation de la suspogon aval DI3 E 1.,, u 9 axra x,a a **c10** 812 r 5rDI D9 a. *A n dchrioe PEieruno mh6. , o l-1, a . R t*Dr1 -1 .. -g- ...


lang:en score:15 filesize: 3.08 M page_count: 10 document date: 2012-08-28



[pdf] Diagram

Plot Utility berwnna EBC3 schematics EB8347 Evalkit Kontron ebc3 schematic kontron manuals product 88052 |||

8 7 6 5 4 3 2 1 EBC3 E2Brain Carrier D D for E2Brain CPU module EB8347 Table of Contents ... C# INTD# INTD# SERIRQ INTA# INTB# INTC# INTD# SERIRQ INTA# INTB# INTC# INTD# C MC2 MC3 MC5 MC9 **MC10** MC1 MC2 MC2 MC3 MC3 MC5 MC5 MC9 MC9 **MC10** MC10 B INTA# INTB# Mini PCI Socket INTC# INTD# ... lang:en score:15 filesize: 1.29 M page_count: 41 document date: 2007-02-01



[pdf]

eva kao Schematics Direction Technology Co Ltd DTC TX15 Transmitter 122K TM6DTC TM6DTCTX15 dtc tx15

1 VSS VSS 2 INT INT 3 RES RES 4 RA3 RA3 5 VDD VDD R40 M1 R10 100K 10K SGIN M2 INT RA3 VCC R9 10K **C10** 104 VSS M3 RES 4 RES 5 VSS 6 RE0 7 RE1 8 RE2 9 RE3 10 VSS 11 RB0 INT 3 RA3 2 RA2 1 RA1 29 RA0 28 XIN 27 U1 W741E200 XOUT 26 VDD 25 RD3 24 23 RD2 RD1 22 RD0 21 VDD 20 RC3 19 12 RB1 13 ...

lang:i-klingon score:14 filesize: 168.44 K page_count: 4 document date: 2005-09-28



[pdf] Specifications Warranty

Download Motorcycle rbttx12 n motorcycle specification sheet boschaftermarket xrm media images country specific au parts 15 batteries 8 |||

Bosch M6 Mega Power Ride RBTX12-N - Maintenance Free / Absorbent Glass Mat Technology Applications ... Information Nominal Voltage 12V Case Size Dimension Length 150 mm 5.90 inches Nominal Capacity **C10** 10AH Width 87 mm 3.42 inches Approx Weight Gross 3.90 kg 8.58 lbs Lid Design Labrynth Li...

lang:en score:12 filesize: 480.94 K page_count: 2 document date: 2023-06-28



Literature Assembly
911-0796-1

Contains the following:

2100-712(F) Wall-Mount PKG H/P Manual
2100-713(D) Multi-Tec AC Install Instruct
2110-1456(G) Replacement Parts Manual

[\[pdf\]](#) User Manual Installation Guide Instructions Specifications

911 0798 2023 08 0796 Bard Wall Mount AC PLC Module HVAC Manuals Specs bardhvac digcat

911Assy |||

Literature Assembly 911-0796-1 Contains the following: 2100-712 F 2100-713 D
2110-1456 I Wall- 34 Table 1 Table 2 Table 3 Table 4 Table 5 Table 6A Table 6B
Table 7 Table 8 Table 9 Table 10 **LC1000/TEC-EYE** Passwords Defaults

..... 7 Wall-Mount Unit Status ...

lang:en **score:11** filesize: 3.72 M page_count: 97 document date: 2023-11-13