Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Stecutts SKT06

Stecutts 4x2 Ft Smart Blue Sky Light Ceiling Lamp User Manual

Model: SKT06 | Brand: Stecutts

1. Important Safety Information

Please read all instructions carefully before installation and use. Retain this manual for future reference.

- **Electrical Safety:** Installation should be performed by a qualified electrician in accordance with all local electrical codes. Ensure power is disconnected at the circuit breaker before installation, maintenance, or cleaning.
- **Product Dimensions:** The skylight measures 4x2x0.8 Ft. A minimum ceiling height of 9.5 inches is required for proper embedded installation. Verify ceiling space before purchase and installation.
- **Eye Protection:** Do not look directly at the light when it is operating in strong light mode to prevent potential eye strain.
- **Water Resistance:** This product is not water resistant. Avoid installation in areas where it may come into direct contact with water or excessive moisture.
- **Placement:** For optimal experience, it is recommended to install the skylight 60-70 inches from a wall. The light direction should generally point towards a wall, not directly at mirrors or doors.

2. What's in the Box

Carefully unpack the contents and ensure all items are present:

- Stecutts 4x2 Ft Smart Blue Sky Light Ceiling Lamp
- LED Lens
- Remote Control
- Instruction Manual (This document)

3. Product Specifications

Feature	Detail
Brand	Stecutts

Model Number	SKT06
Size	4x2 Ft (48"L x 24"W x 9.6"H approx.)
Material	Alloy Steel, Acrylic
Light Source	LED
Wattage	36 watts
Voltage	120 Volts
Light Output	2500 Lumens
Color Temperature	2000K - 8000K (Adjustable)
Control Method	App, Remote Control, Wall Switch
Connectivity	Bluetooth, Wi-Fi
Installation Type	Recessed Ceiling Mount
Certifications	CE, FCC, RoHS

4. Setup and Installation

The Stecutts Smart Blue Sky Light is designed for embedded recessed ceiling installation. Professional installation is recommended.

4.1 Pre-Installation Checks

- Ensure the ceiling area has a minimum clearance of 9.5 inches above the ceiling surface.
- Confirm the ceiling opening size matches the skylight dimensions (4x2 Ft).
- Turn off power to the installation area at the main circuit breaker.




Figure 4.1: Product Dimensions and Minimum Ceiling Space Requirement. Please verify these measurements before proceeding with installation.

4.2 Recessed Installation Steps

1. **Step 1: Mark and Cut Hole.** Measure the skylight size and mark the location on the ceiling. Carefully cut the opening in the ceiling to match the skylight's dimensions.
2. **Step 2: Connect Wiring.** Turn off the power supply. Connect the light's electrical cables to the main power supply. Typically, the brown wire is Live (+) and the blue wire is Neutral (-). Ensure all connections are secure and insulated.
3. **Step 3: Insert Light Fixture.** Pull up the spring clips on the sides of the skylight fixture. Carefully insert the light into the prepared ceiling hole. The spring clips will secure the fixture in place.
4. **Step 4: Complete Installation.** Once the light is securely in place, turn on the power supply at the circuit breaker. The light is now ready for operation.




Figure 4.2: Recessed Installation Guide. Follow these steps for secure mounting.

5. Operating Instructions

The Stecutts Smart Blue Sky Light offers multiple control methods and advanced lighting features.

5.1 Power On/Off

- Use the connected wall switch to turn the light on or off.
- Use the provided remote control for basic on/off functionality.
- Control via the Smart Life mobile application (see section 5.2).

5.2 Smart Life App Control

The Smart Life app allows for precise control over brightness, color temperature, and scheduling.

1. Download the "Smart Life" app from your device's app store.
2. Register or log in to your Smart Life account.

3. Add the Stecutts Smart Blue Sky Light device by following the in-app instructions (ensure Bluetooth and Wi-Fi are enabled on your phone).
4. Once connected, you can:
    - Adjust brightness from 1% to 100%.
    - Change color temperature from 2000K (warm white) to 8000K (cool daylight).
    - Create custom lighting modes and scenes.
    - Set schedules for automatic on/off times.
    - Utilize the biological rhythm simulation feature to mimic natural sunrise and sunset cycles.

Your browser does not support the video tag.

Video 5.1: Demonstration of Stecutts Skylight app control, showing adjustments to color temperature and brightness.




Figure 5.2: Lighting automatically syncing with the sun's rhythm through SmartLife app settings.

5.3 Key Features

- **Blue Sky Experience:** Reproduces the light of the sun and sky, creating a peaceful and relaxing atmosphere.

- **Flicker-Free Lighting:** Designed to reduce eye strain and protect vision by eliminating visible flicker.
- **Rayleigh Scattering Simulation:** Utilizes advanced optical technology to perfectly recreate the natural colors of the sky.




Figure 5.3: Flicker-free technology for reduced eye strain.



Figure 5.4: Optical lens and Rayleigh scattering plate for natural sky simulation.

6. Maintenance

Regular maintenance ensures optimal performance and longevity of your Stecutts Smart Blue Sky Light.

- **Cleaning:** Ensure the power is off before cleaning. Use a soft, dry, or slightly damp cloth to wipe the surface of the light. Avoid abrasive cleaners, solvents, or harsh chemicals that could damage the finish or optical components.
- **Inspection:** Periodically check for any loose connections or visible damage. If any issues are found, contact customer support.
- **Software Updates:** Keep the Smart Life app updated to the latest version to ensure compatibility and access to new features.

7. Troubleshooting

If you encounter issues with your Stecutts Smart Blue Sky Light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power supply; Loose wiring; Faulty switch.	Check circuit breaker. Ensure wiring is correctly connected (professional check recommended). Test wall switch or remote.
Cannot connect to Smart Life app.	Incorrect Wi-Fi password; Device not in pairing mode; Router issues; App outdated.	Verify Wi-Fi password and network stability. Ensure the light is in pairing mode (refer to app instructions). Restart router. Update Smart Life app.
Light flickers or changes color unexpectedly.	Unstable power supply; Software glitch; Interference.	Check power supply stability. Restart the light by turning off and on at the breaker. Ensure no strong electromagnetic interference nearby. Update app firmware if available.
Remote control not working.	Dead batteries; Out of range; Remote not paired.	Replace remote batteries. Ensure you are within range of the light. Refer to pairing instructions for the remote control.

If the problem persists after trying these solutions, please contact Stecutts customer support.

8. Warranty and Customer Support

Warranty: This Stecutts product comes with a 2-year limited manufacturer's warranty from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

Customer Support: For any questions, technical assistance, or warranty claims, please contact Stecutts customer support. We are committed to responding to your inquiries within 12 hours.

Contact information can typically be found on the product packaging or the official Stecutts website.

© 2026 Stecutts. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0FL82MMWK

More documents and user manuals: **https://manuals.plus/**