

[Manuals.plus](#) /

› [EasyKeys](#) /

› EasyKeys Replacement Key B68496 for Arctic Cat - Instruction Manual

## EasyKeys B68496

# EasyKeys Replacement Key B68496 for Arctic Cat - Instruction Manual

## INTRODUCTION

---

This manual provides essential instructions for the proper identification, use, and care of your EasyKeys Replacement Key, model B68496, designed for Arctic Cat vehicles. Please read this manual thoroughly to ensure correct application and optimal performance of your replacement key.

## COMPATIBILITY

---

This replacement key is specifically designed for locks requiring the B68496 code. It is compatible with the following manufacturers:

- **Arctic Cat**
- **Yamaha**

Always verify that your lock code and manufacturer match the product title and description to ensure proper fit and function.

## IDENTIFYING YOUR LOCK CODE

---

To ensure you order the correct replacement key, it is crucial to accurately identify your existing lock code. The code can typically be found in several locations:

# Where to Find Your Lock Code




**On the Key**



**On the Lock Face**



**On a Label Inside/  
Behind the Lock**



**On the  
Cabinet/Door Label**



## Important Notes

- Order by Manufacturer → Lock codes are manufacturer-specific.
- Key Cuts Differ → Even if codes look similar, they vary by brand.

**Image Description:** This diagram illustrates common locations where you can find your lock code. Examples include the code printed directly on an existing key (e.g., FR322), etched onto the face of the lock cylinder (e.g., FR322), on a label located inside or behind the lock mechanism (e.g., CODE: G38), or on a label affixed to the cabinet or door itself (e.g., HF321).

- **On the Key:** The code may be stamped or printed directly on your original key.

- **On the Lock Face:** Look for the code engraved or printed on the visible part of the lock cylinder.
- **On a Label Inside/Behind the Lock:** For some applications, the code is on a sticker or label within the lock housing or on the panel it secures.
- **On the Cabinet/Door Label:** The code might be found on a label attached to the equipment's cabinet or door.

#### Important Notes:

- **Manufacturer-Specific Codes:** Lock codes are unique to their manufacturer. Always order by the correct manufacturer.
- **Key Cut Variations:** Even if codes appear similar, the actual key cuts can vary significantly between different brands.

## KEY USAGE

---

To use your replacement key:

1. Gently insert the key into the lock cylinder.
2. Apply slight pressure and turn the key clockwise or counter-clockwise, depending on the lock mechanism, to engage or disengage the lock.
3. Do not force the key if it does not turn smoothly. Remove and re-insert, ensuring it is fully seated.

## MAINTENANCE

---

Proper care will extend the life of your key and lock:

- Keep the key clean and free from dirt or debris.
- Avoid bending or damaging the key blade.
- Store the key in a dry place to prevent corrosion.
- If the lock mechanism becomes stiff, a small amount of graphite lubricant can be applied to the key or directly into the lock.

## TROUBLESHOOTING

---

- **Key Does Not Insert Fully:**

Check for obstructions in the lock cylinder. Ensure the key is oriented correctly. Verify the key code matches your lock.

- **Key Inserts but Does Not Turn:**

Ensure the key is fully inserted. The lock mechanism might be jammed or corroded; try applying a graphite lubricant. Confirm the key code and manufacturer are correct for your lock.

- **Key Feels Loose or Wobbly:**

This may indicate wear on the lock cylinder or the key itself. If the key is new, re-verify the code and manufacturer. If the issue persists, the lock cylinder may need replacement.

## PRODUCT SPECIFICATIONS

---

Brand	EasyKeys
-------	----------

<b>Model Number</b>	B68496
<b>Compatible Manufacturers</b>	Arctic Cat, Yamaha
<b>Material</b>	Brass
<b>Special Features</b>	Custom Cut Key, Durable
<b>Lock Type</b>	Cam
<b>Item Dimensions (L x W x H)</b>	0.5 x 0.5 x 1 inches