

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [10L0L](#) /

› [10L0L Golf Cart Rear Seat Arm Rest Set with Cup Holder - Instruction Manual](#)

## 10L0L ED30001-1

# 10L0L Golf Cart Rear Seat Arm Rest Set with Cup Holder - Instruction Manual

Model: ED30001-1

## 1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your 10L0L Golf Cart Rear Seat Arm Rest Set with Cup Holder. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.

### 1.1. Product Overview

The 10L0L Golf Cart Rear Seat Arm Rest Set is designed to enhance comfort and convenience for passengers on the rear seat of compatible golf carts. It features a durable plastic base, comfortable faux leather padding, and integrated cup holders. The design prioritizes ease of installation and long-lasting performance.

### 1.2. Compatibility

This arm rest set is universally designed to fit most golf cart rear seats, including models from EZ-GO, Club Car, and Yamaha. The no-drilling bracket is specifically designed for 1-inch square bars. For round bars or square bars larger than 1 inch, drilling may be required for secure installation.

## 2. PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- 2 x Golf Cart Rear Seat Arm Rests with Integrated Cup Holders
- Mounting Brackets (for 1-inch square bars)
- Installation Hardware (screws, nuts, washers)
- Sponge Pads (for paint protection)

## 3. SETUP AND INSTALLATION

Follow these steps to properly install your golf cart rear seat arm rests. No drilling is required for 1-inch square bars.

### 3.1. Attaching Brackets to Arm Rests

1. Identify the underside of each arm rest.
2. Align the mounting brackets with the pre-drilled holes on the arm rest base.
3. Secure the brackets using the provided screws and a screwdriver. Ensure they are firmly attached.



Figure 3.1: Underside of the arm rest with mounting brackets being attached. Note the pre-drilled holes for easy assembly.

### 3.2. Preparing the Golf Cart Bar

1. Clean the surface of the 1-inch square bar on your golf cart where the arm rests will be installed.
2. Apply the provided sponge pads to the inside of the mounting brackets. These pads protect your golf cart's paint and provide a snug fit.

# NO DRILLING REQUIRED

The bracket is for a 1 inch square bar only



NOT for a round bar or  
square bar larger than 1"  
otherwise drill your own holes  
NOT for the front seat armrest

**SPONGE PAD**  
no damage to paint




Figure 3.2: Sponge pads are applied to the brackets to prevent scratches and ensure a secure fit on the golf cart bar.

### 3.3. Securing Arm Rests to Golf Cart

1. Position the assembled arm rest onto the golf cart's rear seat bar, ensuring the brackets align with the bar.
2. Insert the remaining hardware (bolts, washers, nuts) through the brackets and around the square bar.
3. Tighten all fasteners securely using appropriate tools (e.g., 10mm wrench or socket, screwdriver). Do not overtighten.

Your browser does not support the video tag.

**Video 3.1:** This video demonstrates the general installation process of golf cart rear seat arm rests, showing how to attach the brackets and secure them to the golf cart bar.

Your browser does not support the video tag.

**Video 3.2:** A detailed video showing the installation of diamond-patterned armrests on Club Car, EZGO, and Yamaha golf carts, highlighting the secure attachment of the support frame.

Your browser does not support the video tag.

**Video 3.3:** This video illustrates the no-drilling installation method for golf cart diamond armrests, providing a clear visual guide for users.

## 4. FEATURES

The 10L0L Golf Cart Rear Seat Arm Rest Set is engineered with several features for comfort, durability, and convenience:

- **Enhanced Durability:** Features a new high-quality plastic base plate design that is more durable and long-lasting, resisting deformation.
- **Comfortable Padding:** Built-in high elastic sponge provides comfortable support and maintains its shape over time.
- **Integrated Cup Holders:** Each arm rest includes a cup holder designed to securely hold various beverages. The cup holders are removable for easy cleaning.
- **UV-Proof Coating:** The exterior material is treated with a UV-proof coating to resist fading and degradation from sun exposure, ensuring long-term aesthetic appeal.
- **Waterproof Material:** The faux leather and plastic materials are waterproof, making them easy to clean and resistant to weather elements.



**THE PREFERRED BRAND  
FOR HIGH-END CUSTOMERS**



Figure 4.1: The 10L0L Golf Cart Rear Seat Arm Rests installed on a golf cart, showcasing their design and integration.

# Waterproof

No fear of rainy days



**Figure 4.2:** Close-up of the arm rests showing water resistance, indicating their waterproof properties.



Figure 4.3: Illustration of the UV-proof coating on the arm rests, protecting against sun damage and fading.



**Figure 4.4:** A diagram detailing the dimensions of the arm rest and the removable cup holder for easy cleaning.

# REMOVABLE CUP HOLDER, EASILY CLEAN




Figure 4.5: Comparison image highlighting the improved design of the new plastic base plate for enhanced durability.

## 5. MAINTENANCE

Proper maintenance ensures the longevity and appearance of your arm rest set.

### 5.1. Cleaning

- For general cleaning, wipe the faux leather and plastic surfaces with a damp cloth and mild soap.
- Avoid using harsh chemicals or abrasive cleaners, as these can damage the material and coating.
- The integrated cup holders are removable for thorough cleaning. Simply lift them out, wash with soap and water, and dry before reinserting.

### 5.2. Inspection

- Periodically check all mounting hardware to ensure it remains tight. Retighten if necessary to prevent wobbling or

detachment.

- Inspect the faux leather for any signs of wear or damage.

## 6. TROUBLESHOOTING

This section addresses common issues you might encounter.

### 6.1. Arm Rests Do Not Fit Securely

- **Issue:** Arm rests feel loose or unstable after installation.
- **Solution:** Ensure all mounting screws and nuts are tightened securely. Check that the sponge pads are correctly positioned between the brackets and the golf cart bar.

### 6.2. Incompatibility with Golf Cart Bar

- **Issue:** The no-drilling bracket does not fit your golf cart's rear seat bar.
- **Solution:** The no-drilling bracket is designed for 1-inch square bars only. If your golf cart has a round bar or a square bar larger than 1 inch, custom drilling of holes may be necessary for proper installation. Consult a professional if you are unsure.

## 7. SPECIFICATIONS

Attribute	Detail
Model Name	00102-b02
Part Number	ED30001-1
Color	Beige (Classic)
Material	Faux Leather, Plastic
Item Weight	3.59 Pounds (approx. 1.63 kg)
Package Weight	1.84 Kilograms
Item Package Dimensions (L x W x H)	17.63 x 7.09 x 6.42 inches
Hand Orientation	Both (Passenger and Driver Side)
UPC	712201175783
Automotive Fit Type	Vehicle Specific Fit
Included Components	Golf cart rear seat armrest (set of 2)

## 8. WARRANTY AND SUPPORT

### 8.1. Warranty Information

This 10L0L Golf Cart Rear Seat Arm Rest Set comes with a **1-Year Warranty** from the date of purchase. This warranty covers manufacturing defects and material failures under normal use. It does not cover damage resulting from improper installation, misuse, accidents, or unauthorized modifications.

### 8.2. Customer Support

For any questions, concerns, or warranty claims, please contact 10L0L customer support. We aim to reply within 24 hours to assist you.

Please visit our official store or contact us through the platform where you purchased the product for the most efficient support.