

[Manuals.plus](#) /

› [G-PLUS](#) /

› G-PLUS Fender Flares Instruction Manual for Chevy Silverado 1500 (2014-2018) / 2500 3500HD (2015-2019)

## G-PLUS 02RSA4521BDM-GP25

# G-PLUS Fender Flares Instruction Manual

Model: 02RSA4521BDM-GP25

## 1. INTRODUCTION

---

Thank you for choosing G-PLUS Fender Flares. These flares are designed to provide enhanced protection and a rugged aesthetic to your vehicle. This manual provides essential information for proper installation, operation, and maintenance to ensure optimal performance and longevity of your fender flares.

## 2. VEHICLE COMPATIBILITY

---

These G-PLUS Fender Flares are specifically designed for the following vehicle models:

- Chevy Silverado 1500: 2014, 2015, 2016, 2017, 2018
- Chevy Silverado 2500 3500HD: 2015, 2016, 2017, 2018, 2019

### Important Compatibility Notes:

- Only compatible with models featuring a **6.5-foot or 8-foot long bed**.
- Only compatible with models featuring a **fleetside bed**.
- **NOT** compatible with GMC Sierra models.
- **NOT** compatible with Dually models.

# COMPATIBILITY

**NOT FIT DUALY MODELS OR SHORT BED MODELS**  
**NOT FIT GMC SIERRA FIT FOR 6.5/8FT LONG BED**  
**MODELS ONLY**

**5.8FT ✗**  
**6.5FT ✓**  
**8.0FT ✓**



This image illustrates the compatible bed lengths (6.5ft and 8.0ft) and incompatible bed length (5.8ft) for the fender flares. It also explicitly states that Dually models, short bed models, and GMC Sierra models are not compatible.

## 3. PRODUCT FEATURES

G-PLUS Fender Flares are engineered for durability and vehicle protection:

- **Material:** Constructed from impact-resistant polypropylene (PP) using advanced injection molding technology. This material is lightweight, tough, durable, and resistant to both heat and cold, allowing it to quickly return to its original shape after impact.
- **Design:** Features a UV-resistant textured finish for an enhanced off-road appearance. The one-piece design ensures a seamless fit, eliminating gaps and preventing damage to vehicle paint.
- **Protection:** Provides comprehensive defense for your vehicle's wheels and body against mud, sand, gravel, and other road debris, reducing scratches and maintaining the vehicle's condition.



## 1st Generation

**Made of ABS**

(acrylonitrile butadiene styrene)

**Fragile & crisp**



## 2nd Generation

**PP** (Polypropylene)

**Thick & Bendable**

**Endure Different Extreme Weather**



**Quickly Return To Original Shape After Impact**

This image compares first-generation ABS material (fragile and crisp) with second-generation PP (Polypropylene) material, highlighting PP's thickness, bendability, and ability to endure extreme weather and return to shape after impact.

# ONE-PIECE FENDER



Protect car paint

Secure installation with no gaps

Better fit to the vehicle body

Elegant and stylish appearance



# MULTI-PIECES FENDER

Damage to car paint

Insecure installation with gaps

Poor fit to the body

Poor sealing performance

## PRODUCT STRUCTURE


This image illustrates the advantages of a one-piece fender design (protects paint, secure installation, better fit, elegant appearance) compared to multi-piece fenders (damage to paint, insecure installation, poor fit, poor sealing).

### 4. SETUP AND INSTALLATION

The G-PLUS Fender Flares are designed for easy installation without the need for drilling. Follow these general steps:

1. **Preparation:** Ensure the vehicle's wheel wells and surrounding body panels are clean and dry before beginning installation.
2. **Component Check:** Verify all four fender flares and the included mounting hardware (clips, screws, rubber trim) are present.
3. **Rubber Trim Installation:** Apply the provided rubber trim along the edge of each fender flare that will contact the vehicle body. This trim helps create a seal and protects the paint.
4. **Positioning:** Carefully position each fender flare onto the corresponding wheel well. Ensure proper alignment with the vehicle's contours.
5. **Securing:** Use the precision clips and other mounting hardware to securely attach the fender flares. Ensure they are snug and have no movement.

6. **Final Check:** After installation, double-check all mounting points to confirm tightness and proper fitment.



This image shows a person demonstrating the installation process of a fender flare onto a truck's wheel well.



This image displays the complete set of four G-PLUS fender flares along with the necessary installation hardware, including clips and rubber trim.

## 5. OPERATING FUNCTION

---

Once properly installed, the G-PLUS Fender Flares function by extending the coverage over your vehicle's tires. This extended coverage serves to:

- **Protect Vehicle Body:** Shield the vehicle's paint and body panels from debris, rocks, mud, and water kicked up by the tires during driving, especially on unpaved roads or during off-road activities.
- **Enhance Appearance:** Provide a wider, more aggressive stance and an upgraded aesthetic, contributing to an off-road style.
- **Comply with Regulations:** In some regions, fender flares are required to cover wider tires to comply with vehicle width regulations.



Resists The Impact Of Fine Sand  
And Gravel, Protects The Vehicle  
Body Surface And Reduces  
Scratches

This image shows a G-PLUS fender flare installed on a truck, demonstrating its ability to resist the impact of fine sand and gravel, thereby protecting the vehicle body surface and reducing scratches.

## 6. MAINTENANCE

---

To maintain the appearance and integrity of your G-PLUS Fender Flares, follow these simple maintenance guidelines:

- **Regular Cleaning:** Clean the fender flares regularly with mild automotive soap and water. Use a soft brush or cloth to remove dirt and grime.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or harsh chemicals, as these can damage the textured finish and material.
- **Inspect Mounting Hardware:** Periodically check all mounting clips and screws to ensure they remain tight and secure. Re-tighten if necessary to prevent loosening or rattling.
- **UV Protection:** While the flares are UV-resistant, applying a non-abrasive UV protectant designed for automotive plastics can help prolong their life and maintain their finish, especially in areas with intense sun exposure.

## 7. TROUBLESHOOTING

Should you encounter any issues with your G-PLUS Fender Flares, consider the following:

- **Loose Fitment:** If a fender flare feels loose or rattles, inspect the mounting hardware. Re-tighten any loose clips or screws. Ensure the rubber trim is properly seated between the flare and the vehicle body.
- **Gaps or Unevenness:** If gaps appear or the flare seems uneven, re-check the installation steps. Ensure the flare is correctly aligned and all mounting points are engaged. Slight adjustments may be needed.
- **Scratches or Scuffs:** Minor surface scratches on the textured finish can sometimes be minimized with specialized plastic restoration products. For deeper damage, replacement of the affected flare may be necessary.
- **Missing Hardware:** If any mounting hardware is lost or damaged, contact G-PLUS customer support for replacement parts.

## 8. SPECIFICATIONS

|                             |                                                                                                                                           |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Brand                       | G-PLUS                                                                                                                                    |
| Model Number                | 02RSA4521BDM-GP25                                                                                                                         |
| Material                    | Polypropylene (PP)                                                                                                                        |
| Color                       | Black                                                                                                                                     |
| Exterior Finish             | Textured                                                                                                                                  |
| Included Components         | 4pcs Fender Flares                                                                                                                        |
| Item Dimensions (L x W x H) | 45.3 x 27.6 x 6.31 inches                                                                                                                 |
| Compatible Vehicle Type     | Chevy Silverado 1500 (2014-2018), Chevy Silverado 2500 3500HD (2015-2019) with 6.5' & 8' Bed (Fleetside only, NOT GMC Sierra, NOT Dually) |

## 9. WARRANTY INFORMATION

G-PLUS Fender Flares come with a **1-year manufacturer warranty**. This warranty covers defects in material and workmanship under normal use. Please retain your proof of purchase for any warranty claims. For specific terms and conditions, refer to the warranty documentation provided with your product or contact G-PLUS customer support.

## 10. SUPPORT

---

For technical assistance, installation questions, or warranty inquiries, please contact G-PLUS customer support. You can typically find contact information on the product packaging or the official G-PLUS website.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

#### Name

#### Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

#### Question

#### Details

**Submit question**