



Manuals.plus /

- › NEBO /
- › NEBO Einstein 750 Lumen Headlamp User Manual

NEBO NEB-HLP-0009

NEBO Einstein 750 Lumen Headlamp User Manual

Model: NEB-HLP-0009

1. INTRODUCTION

This manual provides instructions for the proper setup, operation, and maintenance of your NEBO Einstein 750 Lumen Headlamp. Please read this manual thoroughly before using the product to ensure safe and efficient operation.

2. PACKAGE CONTENTS

- NEBO Einstein 750 Lumen Headlamp
- Adjustable Head Strap
- 4 x AAA Alkaline Batteries

3. SETUP AND BATTERY INSTALLATION

The NEBO Einstein 750 Lumen Headlamp requires 4 AAA batteries for operation. The battery compartment is located at the rear of the head strap.

1. Locate the battery compartment on the back of the head strap.
2. Open the battery compartment cover.
3. Insert the 4 AAA batteries, ensuring correct polarity (+/-) as indicated inside the compartment.
4. Close the battery compartment cover securely.
5. Adjust the head strap for a comfortable and secure fit on your head.



Figure 1: The NEBO Einstein 750 Lumen Headlamp. The main unit is gray with an orange button, attached to an adjustable black head strap.

4. OPERATING INSTRUCTIONS

4.1 Power On/Off and Mode Selection

The headlamp features multiple light modes, including white light at various brightness levels and a red light mode.

- **To Turn On/Off:** Press and hold the power button for approximately 8 seconds to activate or deactivate the headlamp.
- **To Cycle Modes:** Once on, short press the power button to cycle through the available white light brightness settings and red light mode.
- **Turbo Mode:** A 750 lumen Turbo Mode is available for maximum brightness when needed. Consult the product packaging or manufacturer's website for specific activation instructions for Turbo Mode, as it often requires a quick double-tap or specific button sequence.

750 LUMENS

A 750 lumen Turbo Mode gives extra power when you need it.



Figure 2: The headlamp illuminating a dark area, demonstrating its 750 lumen output.

4.2 Easy-Tilt Feature

The headlamp unit can be tilted to adjust the beam angle, allowing you to direct light precisely where it is needed without repositioning the entire headlamp.

EASY TILT

Get the perfect angle.



Figure 3: A hand demonstrating the easy-tilt function of the headlamp, adjusting the light beam angle.

5. MAINTENANCE

5.1 Battery Replacement

When the light output diminishes, it is time to replace the batteries. Follow the steps in Section 3 for battery installation. Always use fresh, high-quality AAA alkaline batteries. Do not mix old and new batteries or different battery types.

5.2 Cleaning and Storage

- Wipe the headlamp with a soft, damp cloth to remove dirt or debris. Do not use abrasive cleaners or solvents.
- Ensure the battery compartment is clean and dry before closing.
- Store the headlamp in a cool, dry place when not in use. Remove batteries if storing for extended periods to prevent leakage.

5.3 Water Resistance

The NEBO Einstein Headlamp is rated IPX4 water resistant, meaning it is protected against splashing water from any direction. It is not designed for submersion. Ensure the battery compartment is properly sealed to maintain water resistance.

WATER RESISTANT

Caught in the rain? No problem.



Figure 4: The headlamp shown on a wet surface, illustrating its water-resistant design.

6. TROUBLESHOOTING

- **Headlamp does not turn on:**

- Check if batteries are installed correctly with proper polarity.
- Replace with fresh AAA batteries.
- Ensure the battery compartment cover is securely closed.

- **Light is dim or flickers:**

- Batteries may be low. Replace with fresh AAA batteries.
- Ensure battery contacts are clean and free of corrosion.

- **Cannot access specific light mode:**

- Refer to Section 4.1 for correct button press sequences for mode selection and Turbo Mode activation.

7. SPECIFICATIONS

Feature	Detail
Model Number	NEB-HLP-0009
Brand	NEBO
Brightness	Up to 750 Lumens (Turbo Mode)
Light Source	LED
Power Source	4 x AAA Alkaline Batteries
Battery Life	Up to 60 hours (depending on mode)
Voltage	6 Volts
Material	Aluminum (housing)
Water Resistance	IPX4 (Water Resistant)
Item Weight	7.1 ounces (0.44 lbs)
Special Features	Adjustable, Durable, Easy-Tilt Design, Red Light Mode
UPC	645397937982

8. WARRANTY INFORMATION

The NEBO Einstein 750 Lumen Headlamp comes with a 1-year limited warranty from the date of purchase. This warranty covers manufacturing defects in materials and workmanship. It does not cover damage caused by misuse, accidents, unauthorized modifications, or normal wear and tear. For warranty claims or further details, please contact NEBO customer support.

9. CUSTOMER SUPPORT

For technical assistance, troubleshooting not covered in this manual, or general inquiries, please visit the official NEBO website or contact their customer service department.

NEBO Official Website: www.nebo.acgbrands.com