

[Manuals.plus](#) /

> [GarveeLife](#) /

> GarveeLife 10 ft x 12 ft Hardtop Gazebo GL-1012-PG-3 Instruction Manual

GarveeLife GL-1012-PG-3

GarveeLife 10 ft x 12 ft Hardtop Gazebo Instruction Manual

Model: GL-1012-PG-3

1. SAFETY INFORMATION

Snow Load Capacity: This gazebo with a polycarbonate roof can handle snow loads up to approximately 5 lbs per square foot (25 kg/m²). This means the roof can safely support up to 25 kilograms of accumulated snow per square meter. Exceeding this weight may cause structural damage. The maximum depth of snow the roof can hold varies with snow type. Promptly remove excess snow, especially after heavy snowfall or when snow is wet or compacted.

Wind Resistance: This product is designed for basic wind resistance. For enhanced safety in windy conditions, use additional securing methods such as sandbags, concrete footings, or guy ropes. Always assemble and disassemble the gazebo carefully, following instructions. Secure the gazebo to a stable foundation to prevent tipping in high winds. Be aware of weight limits and potential hazards when handling metal frame and roof components.

2. PRODUCT OVERVIEW

The GarveeLife 10 ft x 12 ft Hardtop Gazebo provides a durable and versatile outdoor living space. It features a double polycarbonate sheet roof and a high-strength aluminum alloy frame, designed for year-round use. The gazebo includes independently controlled curtains and mesh for privacy, insect protection, and weather shielding.



Image: The GarveeLife 10 ft x 12 ft Hardtop Gazebo installed in a spacious backyard, showcasing its design and size.



Image: A close-up view of the polycarbonate roof, illustrating how it allows natural light to filter through while blocking harmful UV rays.

3. PACKAGE CONTENTS

The GarveeLife Hardtop Gazebo is securely packaged and shipped in three separate cartons to ensure protection during transportation. Please verify all parts against the included parts list before beginning assembly.



Image: An illustration showing the gazebo components being shipped in three distinct boxes.

4. SETUP AND ASSEMBLY

Assembly typically requires 2-3 adults and can be completed in approximately 6 hours. 95% of screw holes are pre-drilled for ease of installation. Some self-tapping screws are required for water tightness. Ensure you have the following tools ready:

- Electric Drill
- Ladders (2 recommended)
- Gloves (for hand protection)

Follow the step-by-step instructions provided in the manual included with your product. Ensure all connections are secure before proceeding to the next step.




Image: A visual guide depicting the four main steps of the gazebo assembly, from frame construction to roof and curtain installation.




Image: Detail of the 3x3 inch high-quality aluminum alloy poles, highlighting their strength and design.



Image: A close-up of the gazebo's base plate, showing the anchor points for securing it to a foundation.

5. OPERATING INSTRUCTIONS

5.1 Curtains and Mesh

The gazebo features independently controlled curtains and mesh. The mesh provides protection against insects, while the curtains offer privacy and light blocking. They can be fully closed, semi-open, or fully open depending on your preference. The 200g polyester fabric is designed for durability and ease of cleaning.




Image: A detailed view of the high-density mosquito net, 200g waterproof curtain, and smooth metal zipper mechanism.



Image: Four illustrations demonstrating the different configurations of the gazebo's curtains and mesh: fully closed, fully open, semi-open, and mosquito net off.

5.2 Polycarbonate Roof

The double polycarbonate sheet roof allows natural light to penetrate while blocking harmful UV rays, helping to keep the area underneath cool. The roof is designed with a rainwater drainage system to ensure long-term anti-rust performance and maintain a dry space.

LET THE LIGHT IN

Let the warm sunlight stream through the polycarbonate roof and keep harsh UV rays away



Image: The gazebo standing in a snowy landscape, demonstrating how the polycarbonate roof allows sunlight to enter, creating a warm ambiance.




Image: A visual representation of the rainwater drainage system integrated into the gazebo roof, showing water flowing away from the structure.

6. MAINTENANCE

- **Cleaning Fabric:** The 200g polyester fabric of the curtains and mesh is easy to clean. Use mild soap and water with a soft brush or cloth. Rinse thoroughly and allow to air dry completely before storing or closing.
- **Roof Care:** Regularly inspect the polycarbonate roof for debris. As mentioned in the safety section, promptly remove excess

snow to prevent structural damage.

- **Frame Inspection:** Periodically check all bolts and connections to ensure they remain tight and secure. Inspect the aluminum alloy frame for any signs of damage or corrosion.
- **Anchoring:** Verify that the gazebo remains securely anchored to its foundation, especially after strong winds or storms. Re-secure if necessary.

7. TROUBLESHOOTING

- **Dented Poles/Damaged Parts:** If you receive parts that are dented or damaged, or if screw packaging is open, carefully inspect all components. If critical structural parts are compromised, contact customer service for assistance.
- **Roof Panel Track Issues:** If any track for the roof panels appears pinched or obstructed, gently attempt to reshape it to allow smooth panel insertion. Avoid excessive force to prevent further damage.
- **Missing Parts:** In the event of missing components, refer to the parts list in your manual and contact GarveeLife customer service with the specific part numbers required.
- **Stability Concerns:** If the gazebo feels unstable after assembly, re-check all connections and ensure the anchoring system is properly installed and secured to a stable foundation. Consider additional securing methods in high-wind areas.

8. SPECIFICATIONS

Feature	Detail
Brand	GarveeLife
Model Number	GL-1012-PG-3
Product Dimensions (L x W x H)	132"L x 106"W x 108"H
Style	Aluminum Frame & Polycarbonate Hardtop
Frame Material	Alloy Steel
Roof Material	Double Polycarbonate Sheets
Curtain Material	200g Polyester Fabric
Water Resistance Level	Water Repellent
UV Protection	Yes
Color	Gray
Snow Load Capacity	Up to 5 lbs/sq ft (25 kg/m²)
UPC	199641308146

9. WARRANTY AND SUPPORT

For any questions regarding your GarveeLife Hardtop Gazebo, including assembly, missing parts, or operational concerns, please do not hesitate to contact GarveeLife customer service. Refer to your purchase documentation for specific warranty details and contact information.

Contact Information: Please refer to the contact details provided in your product packaging or on the official GarveeLife website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question