



[Manuals.plus](#) /

> [ICEVIVAL](#) /

> ICEVIVAL 24-inch Beverage and Wine Refrigerator User Manual (Model BR011-150)

## ICEVIVAL BR011-150

# ICEVIVAL 24-inch Beverage and Wine Refrigerator User Manual

Model: BR011-150 | Brand: ICEVIVAL

## 1. INTRODUCTION AND SAFETY INFORMATION

Thank you for choosing the ICEVIVAL 24-inch Beverage and Wine Refrigerator. This appliance is designed to provide optimal storage conditions for your beverages and wines, whether used as a built-in or freestanding unit. Please read this manual thoroughly before installation, operation, or maintenance to ensure safe and efficient use.

### Important Safety Instructions

- Read all instructions before using the appliance.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- This appliance is intended for household use only.
- Ensure proper grounding. Connect to a grounded outlet only.
- Do not damage the refrigerant circuit.
- Keep ventilation openings clear of obstruction.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- This appliance is ETL certified for reliable safety and performance.

## 2. KEY FEATURES

The ICEVIVAL BR011-150 offers a range of features designed for convenience and optimal beverage preservation:

- **Spacious & Adjustable Storage:** Capacity for 112 standard 12oz cans and 8 standard 750ml wine bottles. Features adjustable wire shelves and a wooden wine rack for flexible configuration.
- **Efficient Cooling & Precise Control:** Temperature range of 37-65°F (3-18°C) with an internal fan for even air circulation and a frost-free defrost system.

- **Double-Layer Glass Door:** Insulated double-glazed glass door effectively blocks UV rays and external heat, reducing energy consumption and protecting contents.
- **Built-In or Freestanding Design:** Front ventilation allows for versatile installation under counters or as a standalone unit.
- **Quiet Operation:** Designed for minimal vibration and low noise levels (approximately 40dB), ensuring peaceful use in any setting.
- **Reversible Door:** The door can be configured to open from either the left or right side to suit your space.
- **Safety Lock:** Includes a built-in safety lock to secure your beverages.

## Large Capacity Storage Space



**112** cans   
Standard 12oz/330ml can

**8** bottles   
Standard 25oz/750ml bottle

Image: Large Capacity Storage Space for 112 cans and 8 bottles.

# Air-Cooling Circulation

Ensure your drinks and wine are perfectly chilled



Frost-Free Design



Temper Control: 37°F-65°F



**37°F-43°F**  
Milk



**37°F-47°F**  
Cola



**41°F-56°F**  
Champagne



**48°F-65°F**  
Wine




Image: Air-Cooling Circulation and Temperature Control.

# Double Layer Tempered Glass Door

Blocks external heat to reduce energy consumption



Image: Double-Layer Tempered Glass Door for insulation.

# Peaceful Operation

Never disturb your work or rest



Image: Peaceful Operation with low noise levels.

## 3. SETUP INSTRUCTIONS

Follow these steps for proper setup of your beverage refrigerator:

1. **Unpacking:** Carefully remove all packaging materials, including the foam and plastic film. Retain packaging for future transport if needed.
2. **Placement:** Choose a location with a solid, level surface that can support the weight of the unit when fully loaded. Ensure adequate ventilation around the unit. For built-in installation, the front ventilation design allows for placement directly under a counter without requiring side clearance.

3. **Leveling:** Adjust the leveling legs at the bottom of the unit to ensure it is perfectly level. This is crucial for proper operation and door alignment.
4. **Door Reversal (Optional):** If you need to change the door swing direction, refer to the detailed instructions in the included manual for reversing the door hinges.
5. **Power Connection:** Plug the unit into a dedicated, grounded 115 Volt AC outlet. Avoid using extension cords.
6. **Initial Operation:** Allow the unit to stand upright for at least 2-4 hours before plugging it in. After plugging in, let it run empty for a few hours to reach the desired temperature before loading beverages.



Image: Compact Design and Dimensions for placement.



**Freestanding**



**Built-in**

Image: Freestanding and Built-In Installation Options.

# Front Heat Dissipation Design

Front vent design allow for built-in placed



Image: Front Heat Dissipation Design for built-in use.

### Packaged with Care

1 Step



The plastic film fixes the drawer and wraps the outside

2 Step




Corrugated paper protects the legs

3 Step



Foam wraps the entire product

4 Step



Two-layer corrugated paper packaging



Image: Packaging and Shipping details.

## 4. OPERATING INSTRUCTIONS

Operating your ICEVIVAL beverage refrigerator is straightforward:

- **Power On/Off:** Use the power button on the control panel to turn the unit on or off.
- **Temperature Adjustment:** Use the up and down arrows on the control panel to set your desired temperature between 37°F and 65°F. The digital display will show the current temperature.
- **Internal Lighting:** The unit features blue LED lighting. Use the light button on the control panel to turn the interior light on or off.
- **Loading Beverages:** Arrange cans and bottles on the adjustable wire shelves and wooden wine rack. Ensure proper air circulation by not overcrowding the shelves.
- **Door Lock:** Use the provided key to lock the door for added security.

# Product Details

## LED Light & Control Panel



## Reversible Door



## Safety Door Lock



## Adjustable Shelves



## Leveling Legs



Image: Product Details including LED Light & Control Panel, Reversible Door, Safety Door Lock, Adjustable Shelves, and Leveling Legs.

Video: Demonstrates the features and quiet operation of the ICEVIVAL Beverage Refrigerator.

Video: Showcases the ICEVIVAL 24-inch Beverage Cooler in various settings, highlighting its cooling capabilities.

Video: Illustrates the ICEVIVAL Beverage Fridge as a central appliance for home bar setups.

## 5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your appliance:

- **Cleaning:** Disconnect the power before cleaning. Clean the interior and exterior surfaces with a soft cloth and mild detergent. Avoid abrasive cleaners or solvents.
- **Defrosting:** The unit features a frost-free system, minimizing the need for manual defrosting. If ice buildup occurs, unplug the unit and allow it to defrost naturally.
- **Door Seal:** Regularly check the door gasket for any signs of damage or wear. A tight seal is essential for efficient cooling.
- **Ventilation:** Ensure the front ventilation grille is free from dust and debris to maintain proper airflow and cooling efficiency.
- **Power Outages:** In case of a power outage, keep the door closed to maintain the internal temperature for as long as possible.

## 6. TROUBLESHOOTING

If you encounter issues with your beverage refrigerator, consult the table below before contacting support:

Problem	Possible Cause	Solution
Unit does not operate	No power; circuit breaker tripped; power cord not fully plugged in.	Check power supply; reset circuit breaker; ensure plug is secure.
Temperature is not cold enough	Door not closed properly; excessive door openings; warm items loaded; unit in direct sunlight; temperature setting too high.	Ensure door is sealed; reduce door openings; allow warm items to cool; relocate unit; adjust temperature setting lower.
Unit is noisy	Unit not level; loose parts; normal operating sounds.	Adjust leveling legs; check for loose items inside; gurgling/hissing sounds are normal.
Vibration	Unit not level.	Adjust leveling legs to ensure stability.
Door does not close properly	Unit not level; gasket dirty/damaged; shelves out of position.	Level the unit; clean/replace gasket; reposition shelves.

## 7. SPECIFICATIONS

Feature	Specification
Model Number	BR011-150
Product Dimensions (D x W x H)	22.6" x 23.42" x 34.3"
Capacity	5.3 Cubic Feet (112 Cans & 8 Bottles)
Temperature Range	37-65°F (3-18°C)
Installation Type	Undercounter / Freestanding
Defrost System	Frost Free
Voltage	115 Volts

Feature	Specification
Cooling Method	Compressor
Number of Shelves	3 (Adjustable Wire & Wood)
Refrigerant	R-600A
Door Material Type	Double-Layer Glass
Item Weight	83.7 Pounds
Annual Energy Consumption	170 Kilowatt Hours Per Year
UPC	850082170418
Included Components	Beverage & Wine Refrigerator

## 8. WARRANTY AND SUPPORT

ICEVIVAL is committed to your complete satisfaction. This product comes with a **1-year manufacturer's warranty** from the date of purchase, covering defects in materials and workmanship.

### Customer Support

For any questions, troubleshooting assistance, or warranty claims, please contact ICEVIVAL customer service. Have your model number (BR011-150) and proof of purchase ready.

We offer responsive after-sales service to ensure you have a worry-free ownership experience.



Image: Dedicated After-Sales Service.

# Authority Certifications



Image: Authority Certifications for product safety.