

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Vinsetto](#) /

› [Vinsetto Rolling Stool User Manual - Adjustable Height Swivel Work Chair, Model FR700-093](#)

Vinsetto FR700-093

Vinsetto Rolling Stool User Manual

Model: FR700-093

Brand: Vinsetto

1. INTRODUCTION

Thank you for choosing the Vinsetto Rolling Stool. This versatile and comfortable stool is designed for various professional settings such as massage parlors, beauty salons, tattoo studios, clinics, and offices. Its adjustable height, 360-degree swivel, and smooth-rolling casters provide optimal mobility and support. Please read this manual carefully before assembly and use to ensure safe and proper operation.

2. SAFETY INSTRUCTIONS

- **Maximum Weight Capacity:** Do not exceed the maximum recommended load of 110 kg (242 lbs). Overloading can cause damage or injury.
- **Assembly:** Ensure all parts are correctly assembled and tightened before use. Refer to the assembly instructions.
- **Stable Surface:** Use the stool on a flat, stable surface to prevent tipping.
- **Children:** Keep children away from the stool during assembly. Do not allow children to play on or with the stool.
- **Movement:** When moving the stool, ensure no obstacles are in the path of the casters.
- **Maintenance:** Regularly inspect the stool for loose parts, damage, or wear. Do not use if damaged.

3. PACKAGE CONTENTS

Please check the package to ensure all components are present and undamaged. If any parts are missing or damaged, contact customer support.

- Padded Seat
- Gas Lift Cylinder
- Base with Footrest Ring
- Casters (5 pieces)
- Assembly Hardware (screws, wrench if needed)



Image: The product is delivered in a single package.

4. SETUP AND ASSEMBLY

Assembly is required. Follow these steps carefully:

- 1. Attach Casters to Base:** Insert each of the five casters into the holes at the end of each leg of the stool base. Push firmly until they click into place.
- 2. Insert Gas Lift:** Place the gas lift cylinder into the central hole of the assembled base. Ensure it is seated securely.
- 3. Attach Seat:** Carefully place the padded seat onto the top of the gas lift cylinder. The seat has a central mechanism that will fit over the gas lift. Apply gentle downward pressure to secure it.
- 4. Test Stability:** Once assembled, sit on the stool to ensure all components are properly connected and stable.



Image: The stool's five casters provide stable and smooth movement.

5. OPERATING INSTRUCTIONS

5.1 Height Adjustment

To adjust the stool's height:

- **To Raise:** While standing, pull the lever located under the seat upwards. The seat will rise automatically. Release the lever at the desired height.
- **To Lower:** While seated, pull the lever located under the seat upwards. The seat will lower under your weight. Release the lever at the desired height.

HAUTEUR RÉGLABLE

Réglable de 50-64 cm



Image: The stool's height can be adjusted between 50 cm and 64 cm using the gas lift lever.

5.2 Swivel and Mobility

The stool features a 360-degree swivel seat and five smooth-rolling casters for easy movement.

- **Swivel:** The seat can rotate freely in any direction, allowing for flexible positioning without moving the base.
- **Movement:** The five casters allow the stool to be easily rolled across various floor types, providing effortless mobility.

FACILE À DÉPLACER

Cinq roues pivotantes à 360° facilitent les déplacements.



Image: The 360-degree swivel casters ensure easy movement and maneuverability.

6. MAINTENANCE

6.1 Cleaning

The stool's polyurethane (PU) upholstery is water-resistant and easy to clean.

- Wipe the seat and other surfaces with a soft, damp cloth.
- For stubborn stains, use a mild soap solution and then wipe clean with a dry cloth.
- Avoid using harsh chemicals, abrasive cleaners, or solvents, as these can damage the material.

POLYURÉTHANE

Résistant à l'eau et facile à nettoyer à l'aide d'un simple chiffon humide



Image: The polyurethane material is water-resistant and easy to clean with a damp cloth.

6.2 General Care

- Periodically check all screws and connections to ensure they are tight. Retighten if necessary.
- Keep the casters clean from hair, dust, and debris to ensure smooth rolling.
- Avoid exposing the stool to direct sunlight or extreme temperatures for prolonged periods, as this may affect the material's durability.

7. TROUBLESHOOTING

- **Stool does not adjust height:** Ensure the gas lift lever is fully engaged. Check if the gas lift cylinder is properly inserted into the base and seat mechanism. If the issue persists, the gas lift may need replacement.
- **Stool is unstable/wobbly:** Verify that all casters are fully inserted into the base. Check that the seat is securely attached to the gas lift. Ensure all assembly hardware is tightened.
- **Casters are not rolling smoothly:** Inspect casters for trapped debris (hair, lint, etc.). Clean them thoroughly. Ensure casters are not damaged.
- **Squeaking noises:** Check for loose connections and tighten them. A small amount of lubricant can be applied to moving parts if necessary, avoiding contact with upholstery.

8. SPECIFICATIONS



Image: Detailed dimensions of the Vinsetto Rolling Stool.

Feature	Specification
Model Number	FR700-093
Overall Dimensions	Ø 42 x 50-64H cm (16.5 x 19.7-25.2 inches)
Seat Diameter	32 cm (12.6 inches)
Adjustable Height Range	50 - 64 cm (19.7 - 25.2 inches)
Weight Capacity	110 kg (242 lbs)
Materials	Polyurethane (PU), Foam, Metal (Chrome-plated steel base)

Feature	Specification
Net Weight	3.5 kg (7.7 lbs)
Assembly Required	Yes

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the purchase documentation or contact your retailer. Keep your proof of purchase for any warranty claims.