Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

NUSTE CLB-6006

NUSTE CLB-6006 Portable Tire Inflator Instruction Manual

Model: CLB-6006

Introduction

Thank you for choosing the NUSTE CLB-6006 Portable Tire Inflator. This compact and powerful device is designed for efficient and convenient inflation of various items, including car tires, motorcycle tires, bicycle tires, and sports balls. Featuring a 150PSI output, auto shut-off, digital pressure gauge, and an integrated LED light, it ensures accurate and safe inflation wherever you go.

Safety Information

Please read all safety instructions carefully before using the device. Failure to follow these instructions may result in injury or damage to the product.

- Keep the device out of reach of children.
- Do not leave the inflator unattended while in operation.
- Avoid over-inflating tires or other items. Always refer to the manufacturer's recommended pressure.
- Do not operate the device near flammable liquids or gases.
- The air hose may become hot during prolonged use. Handle with care.
- Store the inflator in a cool, dry place when not in use.

Product Components

The NUSTE CLB-6006 Portable Tire Inflator package includes the following items:

- 1 x NUSTE CLB-6006 Tire Inflator
- 1 x Air Hose
- 1 x Presta Valve Adapter
- 1 x Ball Needle
- 2 x Air Nozzles
- 1 x Type-C Charging Cable
- 1 x User Manual

Setup

1. **Charging the Device:** Before first use, fully charge the tire inflator using the provided Type-C charging cable. Connect the cable to the device's Type-C port and a suitable USB power source. The battery indicator on the digital display will show charging status.
2. **Attaching the Air Hose:** Screw the air hose securely into the inflation port on the top of the device. Ensure it is tightened to prevent air leakage.
3. **Understanding the Display and Controls:**
    - **Power Button (Center):** Long press for 3 seconds to turn on/off. Short press to start/stop inflation.
    - **Mode Switch Button (Left):** Short press to cycle through preset modes (Car, Motorcycle, Bicycle, Ball, Custom). Long press to switch pressure units (PSI, KPA, BAR, KG/CM²).
    - **+/- Buttons (Top/Bottom):** Adjust the target pressure value.
    - **Light Button (Right):** Long press to turn on/off the LED light. Short press to cycle through light modes (Normal, Flashing, SOS).

Operating Instructions

1. **Power On:** Long press the Power Button for 3 seconds to turn on the device. The digital display will illuminate.
2. **Select Inflation Mode:** Short press the Mode Switch Button to select the appropriate preset mode for your item (Car, Motorcycle, Bicycle, Ball). For custom pressure, select the 'Custom' mode.
3. **Set Target Pressure:** Use the '+' and '-' buttons to adjust the desired target pressure. The real-time pressure will be displayed at the top, and the preset target pressure at the bottom.
4. **Connect to Item:**
    - For car/motorcycle/bicycle tires: Screw the air hose connector onto the tire valve stem.
    - For balls/inflatables: Attach the appropriate nozzle adapter (Presta valve, ball needle, or air nozzle) to the air hose, then connect to the item.



Image: The NUSTE Portable Tire Inflator connected to a car tire, demonstrating its fast inflation capability, inflating a standard car tire from 30 to 36 PSI in under 1 minute.

5. **Start Inflation:** Short press the Power Button to begin inflation. The device will automatically stop once the preset target pressure is reached.
6. **Auto Shut-Off:** The inflator features a precision auto shut-off function. It will automatically cease operation when the set pressure is achieved, preventing over-inflation.



Image: The NUSTE Portable Tire Inflator positioned next to a bicycle tire, highlighting its safe auto-stop feature. The display shows preset PSI levels for various items like cars, motorcycles, bicycles, and balls.

7. **Disconnect:** Once inflation is complete and the device has stopped, quickly disconnect the air hose from the item. A small amount of air may escape, which is normal.
8. **Power Off:** Long press the Power Button for 3 seconds to turn off the device.

Additional Features

- **LED Light Modes:** Long press the Light Button to activate the LED light. Short press to cycle through Normal (steady), Flashing, and SOS modes. This is useful for nighttime visibility or emergencies.



Image: The NUSTE Portable Tire Inflator displaying its three LED light modes: Normal, Flashing, and SOS, designed for various situations including roadside emergencies.

- **Power Bank Function:** The device includes USB-A and Type-C output ports, allowing it to function as a power bank to charge your electronic devices in an emergency.




Image: The NUSTE Portable Tire Inflator showcasing its long battery life, indicating it can inflate up to 4 car tires, 8 motorcycle tires, 15 bicycle tires, or 30 balls on a single charge.

Maintenance

- **Cleaning:** Wipe the device with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** Store the inflator and its accessories in a dry, cool place, away from direct sunlight and extreme temperatures.
- **Battery Care:** To prolong battery life, charge the device at least once every three months, even if not in regular use.
- **Hose Care:** Ensure the air hose is not kinked or damaged during storage.

Troubleshooting

Problem	Possible Cause	Solution
Device does not turn on.	Low battery or device is off.	Charge the device fully. Long press the power button for 3 seconds.
Inflator does not start.	Incorrect mode selected or target pressure not set.	Ensure a mode is selected and target pressure is set. Short press power button to start.
Air leaks during inflation.	Hose not securely attached or valve connection is loose.	Tighten the air hose to the inflator. Ensure the nozzle is firmly connected to the item's valve.
Inaccurate pressure reading.	Improper connection or sensor issue.	Ensure the hose is properly connected. Disconnect and reconnect to reset the reading.

Specifications

- **Brand:** NUSTE
- **Model:** CLB-6006
- **Max Pressure:** 150 PSI
- **Material:** ABS Plastic
- **Item Weight:** 1.23 pounds
- **Package Dimensions:** 6.1 x 3.39 x 3.19 inches
- **Included Components:** Tire Inflator, Air Hose, Presta Valve, Ball Needle, 2 Air Nozzles, Type-C Charging Cable, Manual

Official Product Video

Your browser does not support the video tag.

Video: Demonstration of the NUSTE portable air compressor inflating car tires, showcasing its ease of use and automatic functions.

Warranty and Support

NUSTE products are manufactured to high-quality standards. For warranty information, technical support, or any inquiries regarding your CLB-6006 Portable Tire Inflator, please refer to the contact details provided on the product packaging or visit the official NUSTE website. Please retain your proof of purchase for warranty claims.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0FMJJMKJ3

More documents and user manuals: **https://manuals.plus/**