Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR PTS22-C

VEVOR Dog Bike Trailer and Pet Stroller 2-in-1 User Manual

Model: PTS22-C

1. Introduction

Thank you for choosing the VEVOR 2-in-1 Dog Bike Trailer and Pet Stroller. This versatile product allows you to safely and comfortably transport your pet, whether you're cycling or walking. This manual provides essential information for proper assembly, operation, and maintenance to ensure a safe and enjoyable experience for both you and your pet. Please read all instructions carefully before use and retain this manual for future reference.

2. Safety Instructions

Your safety and the safety of your pet are paramount. Always adhere to the following guidelines:

- **Weight Limit:** Do not exceed the maximum load capacity of 40 kg (88 lbs). Overloading can compromise stability and safety.
- **Pet Restraint:** Always use the integrated restraint leash to secure your pet inside the cabin. This prevents sudden jumps or falls during transit.
- **Pre-Ride Check:** Before each use, ensure all wheels are securely attached, tires are properly inflated, brakes are functional, and the bike coupler (if in trailer mode) is firmly connected to your bicycle.
- **Visibility:** Always attach the warning flag for increased visibility, especially when using the product as a bike trailer. Ensure reflectors are clean and visible.
- **Bicycle Compatibility:** The bike trailer is designed for bicycles with 22-28 inch rear wheels. It is recommended for use with pedal bikes and not recommended for e-bikes.
- **Supervision:** Never leave your pet unattended in the trailer or stroller.
- **Road Conditions:** Exercise caution on uneven terrain, inclines, or busy roads. Adjust your speed and handling according to conditions.
- **Weather Protection:** Utilize the PVC transparent front flap for protection against wind and rain, and ensure mesh panels provide adequate ventilation.

3. Package Contents

Please verify that all components are present before assembly:

- 1 x Dog Bike Trailer / Pet Stroller Unit
- 1 x Warning Flag

- 1 x User Manual

4. Setup and Assembly

Follow these steps to assemble your VEVOR Dog Bike Trailer and Pet Stroller:

4.1 Unfolding the Frame

1. Place the folded unit on a flat, stable surface.
2. Release any locking mechanisms that secure the frame in its folded position.
3. Carefully unfold the main cabin frame until it clicks into place, ensuring all locking pins are engaged.

4.2 Attaching Rear Wheels

1. Locate the two large rear wheels.
2. Press the quick-release button on the wheel axle.
3. Insert the wheel axle into the designated slot on the rear of the trailer frame until it locks securely. Repeat for the second wheel.

4.3 Attaching the Push Handle (for Stroller Mode)

1. Insert the push handle into the receivers at the top rear of the cabin.
2. Ensure the handle locks into position. The handle is adjustable and can rotate 90°-180° for comfortable pushing.

4.4 Attaching the Front Swivel Wheel (for Stroller Mode)

1. Locate the small front swivel wheel.
2. Insert the stem of the front wheel into the receiver at the front underside of the cabin.
3. Ensure it clicks or locks into place.

4.5 Attaching the Bike Tow Bar (for Trailer Mode)

1. Remove the front swivel wheel if it was attached.
2. Attach the tow bar to the front underside of the cabin, securing it with the provided pins or locking mechanisms.
3. Ensure the tow bar is firmly connected to the trailer.



Figure 4.5: The VEVOR pet trailer is designed for easy folding and compact storage, making it convenient to transport in a car trunk or store at home.

5. Operating Instructions

5.1 Bike Trailer Mode

1. **Attach to Bicycle:** Secure the universal bike coupler to the rear axle of your bicycle (compatible with 22-28 inch wheels). Connect the tow bar from the trailer to the coupler, ensuring all safety pins and straps are engaged.

2. **Load Pet:** Open the rear door of the cabin. Gently guide your pet inside.
3. **Secure Pet:** Attach your pet's harness to the integrated restraint leash inside the cabin. This prevents your pet from jumping out during the ride.
4. **Close Cabin:** Securely close the rear door and any other openings. Ensure the mesh panels are in place for ventilation, or use the PVC rain cover if needed.
5. **Visibility:** Always attach the warning flag to the designated pole on the trailer for maximum visibility to other road users.
6. **Ride Safely:** Start slowly to allow your pet to adjust. Be mindful of the added length and weight of the trailer when turning, braking, and navigating obstacles.



Figure 5.1: The VEVOR pet trailer securely attaches to most adult bicycles, providing a safe way to transport your dog during bike rides.

5.2 Pet Stroller Mode

1. **Convert to Stroller:** If previously in trailer mode, detach the tow bar and attach the front swivel wheel. Ensure the push handle is securely in place.
2. **Load and Secure Pet:** Open the rear door, guide your pet inside, and attach their harness to the internal restraint leash. Close the door securely.
3. **Adjust Handle:** Adjust the push handle to a comfortable height and angle for walking.
4. **Use Brakes:** Engage the rear brake system when stopping or parking to prevent the stroller from rolling.
5. **Maneuver:** The front swivel wheel allows for easy steering and maneuverability.



Figure 5.2: The VEVOR pet stroller offers a comfortable and convenient way to take your dog for walks, featuring an adjustable handle and smooth-rolling wheels.

5.3 General Features

- **Ventilation:** The breathable mesh panels provide excellent airflow and visibility for your pet.
- **Weather Protection:** Use the transparent PVC front flap to shield your pet from wind and light rain while maintaining visibility.
- **Safety Features:** The trailer/stroller includes a high-visibility warning flag, rear reflectors, a built-in restraint leash,

and a rear brake system for enhanced safety.



Figure 5.3a: Key design elements for pet comfort include durable Oxford fabric, a sturdy steel frame, and breathable mesh panels, complemented by a clear rain cover.



Figure 5.3b: Safety is ensured with a high-visibility flag, reflectors, an internal leash, and a reliable rear brake system.

6. Maintenance

Regular maintenance will extend the life of your VEVOR Dog Bike Trailer and Pet Stroller.

- **Cleaning:** Clean the fabric components with a damp cloth and mild soap. Avoid harsh chemicals. Allow to air dry completely before folding or storing.
- **Tire Care:** Periodically check tire pressure and inflate to the recommended PSI (usually indicated on the tire

sidewall). Inspect tires for wear and tear.

- **Frame Inspection:** Regularly check the steel frame for any signs of damage, rust, or loose connections. Tighten any loose bolts or screws.
- **Hitch/Coupler:** Ensure the bike coupler and tow bar connections are clean and free of debris. Lubricate moving parts if necessary.
- **Storage:** When not in use, fold the unit for compact storage. Store in a dry, cool place away from direct sunlight to prevent material degradation.

7. Troubleshooting

If you encounter issues, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Trailer/Stroller feels wobbly or unstable.	Loose wheel attachment, uneven tire pressure, damaged wheel.	Ensure all wheels are securely locked. Check and adjust tire pressure. Inspect wheels for damage; replace if necessary.
Difficulty attaching to bicycle.	Incorrect coupler installation, incompatible bike wheel size.	Refer to assembly instructions for correct coupler attachment. Verify your bike has 22-28 inch rear wheels.
Pet seems uncomfortable or anxious.	Lack of acclimatization, insufficient ventilation, rough ride.	Allow your pet to gradually get used to the trailer/stroller. Ensure mesh panels are open for airflow. Drive/walk smoothly, especially over bumps. Provide familiar bedding.
Brakes are not effective.	Brake cable loose or damaged, brake pads worn.	Inspect brake cable and pads. Adjust cable tension or replace worn pads. If unsure, consult a professional.

8. Specifications

Feature	Detail
Model Number	PTS22-C
Maximum Load Capacity	40 kg (88 lbs)
Pet Cabin Dimensions (L x W x H)	800 x 535 x 560 mm (31.5 x 21 x 22 inches)
Compatible Bicycle Wheel Size	22-28 inches
Main Materials	Carbon Steel + 600D Oxford Fabric + PP
Net Weight	14.6 kg (31.75 lbs)
Product Dimensions (Trailer Mode)	1380 x 755 x 800 mm
Product Dimensions (Stroller Mode)	1280 x 755 x 800 mm
Folded Dimensions	800 x 620 x 240 mm

9. Warranty and Support

For warranty information, technical support, or replacement parts, please refer to the documentation provided with your purchase or contact VEVOR customer service directly. Keep your purchase receipt as proof of purchase.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question