

[Manuals.plus](#) /

› [TOGGLER](#) /

› TOGGLER SNAPTOGGLE BB Toggle Anchor Installation Manual

TOGGLER 50425

TOGGLER SNAPTOGGLE BB Toggle Anchor Installation Manual

Model: 50425

INTRODUCTION

The TOGGLER SNAPTOGGLE BB Toggle Anchors are heavy-duty fasteners designed for secure mounting in various hollow materials. These anchors provide strong support for items such as TV mounts, cabinets, shelving, and other fixtures. They are engineered for ease of installation and reliable performance.

WHAT'S IN THE BOX



Image: Contents of the TOGGLER SNAPTOGGLE BB Toggle Anchor box, showing 10 toggle anchors and 10 bolts.

- 10 x SNAPTOGGLE® BB™ Toggle Anchors (with 1/4" threaded channel)
- 10 x 1/4" x 2-1/2" Bolts

TOOLS REQUIRED

SNAPTOGGLE®

Heavy-Duty Toggle Bolts

HEAVY WEIGHT STRENGTH



Image: Essential tools for installation, including a power drill and a 1/2 inch drill bit.

- Power Drill
- 1/2" Drill Bit (for pilot hole)

Note: Compatible bolt sizes for BB™ and BBS™ anchors are 1/4" - 20. Bolt sizes are stamped on the metal channel.

INSTALLATION INSTRUCTIONS (HOLLOW WALL)




Image: Step-by-step visual guide for installing the toggle anchors in hollow walls.

1. **Drill Hole:** Drill a 1/2" diameter hole. Hold the metal channel alongside the plastic straps and slide the channel through the hole.
2. **Pull Straps:** Hold the ends of the straps between your thumb and forefinger and pull them towards you until the channel rests flush behind the wall or ceiling.
3. **Slide Cap:** Pull back and slide the plastic cap along the straps with your other hand until the flange of the cap is flush with the wall or ceiling.
4. **Snap Straps:** Snap the straps at the wall or ceiling by pushing side to side, snapping off the straps level with the flange of the cap. Discard the straps.
5. **Insert Bolt:** Place your item over the flange. Insert the bolt through the item and tighten until flush against the item, then stop. Use bolts included in this box or any 1/4"-20 UNC bolt at least 1/2" longer than the combined thickness of

the item and the wall (or ceiling).



Video: Demonstration of drilling a hole and inserting the toggle anchor into a wall.

PRODUCT FEATURES



Image: Key features of the SNAPTOGGLE BB Toggle Anchors.

- **High Load Capacity:** Holds up to 265 lbs in 1/2" drywall and 1080 lbs in concrete block.
- **Versatile Grip Range:** Suitable for 3/8" to 3-5/8" hollow materials.
- **Metal-to-Metal Anchor:** Features a high-strength 2" metal channel with a unique pivot action for secure fastening. The plastic straps hold the metal channel in place, but the metal bolt engages the channel directly, bearing the fixture's weight.
- **Smallest Drill Hole:** Requires only a 1/2" drill bit for installation.
- **Reusable:** The metal channel does not fall behind the wall if the bolt is removed, allowing for reuse.
- **No Spin Design:** Engineered to prevent spinning during installation, ensuring a secure fit.
- **Made in USA:** Manufactured in the United States.

APPLICATIONS




Image: Examples of common uses for SNAPTOGGLE BB Toggle Anchors.

These versatile anchors are suitable for a wide range of applications in hollow materials.

- TV Mounts
- Cabinets
- Large Mirrors
- Air Units
- Handrails
- Hanging Lights
- Shelving
- Other heavy fixtures

SPECIFICATIONS

Attribute	Detail
Fastener Type	Toggle Bolt
Head Style	Winged or Butterfly
Finish Type	Zinc
Shape	T-shape
Item Diameter	0.38 Inches
Thread Size	1/4"-20 UNC
Number of Pieces	10
Compatible Grip Range	3/8" to 3-5/8"
Maximum Shear Strength	401 lbs
Material	Steel
Item Weight	11.2 ounces (for 10 pack)

Attribute	Detail
Model Number	50425

WARRANTY AND SUPPORT

For specific warranty information or technical support, please refer to the official TOGGLER website or contact their customer service. These anchors are proudly Made in the USA.
You can visit the [TOGGLER Store on Amazon](#) for more products and information.

© 2026 TOGGLER. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question