

KQBKKMSAB-01-40X30CM/15.7X11.8IN

Electric Meter Chest Decorative Painting

Instruction Manual

1. PRODUCT OVERVIEW

The Electric Meter Chest Decorative Painting is designed to conceal unsightly electrical meter boxes, breaker chests, or fuse chests, enhancing the aesthetic appeal of your living space. It features a convenient lift-open design for easy access to the meter while maintaining a clean and elegant appearance.

Constructed with a durable PS frame and a crystal film core, this decorative cover is waterproof, sturdy, and resistant to damage, ensuring long-lasting use. The artwork is created using a detailed spray painting process, providing vivid colors and clear visuals.

This product is suitable for various applications, including decorative distribution boxes, display items, and murals, making it a versatile addition to living rooms, entrances, corridors, bedrooms, cafes, hotels, and offices.



Figure 1: The Electric Meter Chest Decorative Painting, featuring a dandelion design, shown with its lift-open mechanism providing access to the meter box.

2. SPECIFICATIONS

Attribute	Detail
Product Name	Meter Chest Decorative Painting
Model Number	KQBKKMSAB-01-40X30CM/15.7X11.8IN

Attribute	Detail
Opening Mode	Lifting Lid (Hydraulic Flip Design)
Frame Material	PS (Polystyrene)
Frame Color	Black
Core Material	Crystal Film
Craft	Spray Painting
Framing	Framed
Current Frame Size	40x30cm / 15.7x11.8in
Coverable Electrical Panel Size (for current model)	33x23cm / 13x9in
Package Dimensions	0.39 x 0.39 x 0.39 inches
Item Weight	3.31 Pounds

Note: Other sizes are available and can cover different electrical panel dimensions. Refer to product listings for specific variant details.

3. SETUP AND INSTALLATION

The Electric Meter Chest Decorative Painting is designed for quick and easy installation without the need for special tools or drilling, preserving your wall integrity.

3.1 Installation Method Overview

Punch-free installation Will not damage the wall



Installation with an electric drill will damage the wall.



Simple and beautiful installation

Figure 2: Comparison illustrating the difference between traditional drilling (left, marked with an X) and the simple, wall-friendly punch-free installation method (right) for the decorative cover.

This product utilizes a punch-free installation method, which prevents damage to your walls, unlike traditional drilling methods.

3.2 Preparing for Installation

*No drilling required, an upgrade!
Can also be installed seamlessly on tiled walls.*



Clean the picture and apply double-sided tape.

*Apply the tape to the back of the frame
and peel off the release paper.*



Determine the hanging position for the frame.

*Find the hanging position and press firmly
for 3 seconds.*

Figure 3: Two steps for installation preparation: applying double-sided tape to the back of the frame (left) and determining the hanging position before pressing firmly for 3 seconds (right).

1. Clean the surface of the picture frame where the double-sided tape will be applied.
2. Apply the provided double-sided tape to the back of the frame and peel off the release paper.
3. Determine the desired hanging position for the frame on your wall.
4. Press the frame firmly against the wall at the determined position for approximately 3 seconds to ensure adhesion.

3.3 Compatible Wall Types for Traceless Nails

Scope of use of traceless nails




Figure 4: Diagram showing various wall types compatible with the traceless nails: lime wall, cement wall, painted walls, wallpaper, and plank wooden doors. The center displays the different types of traceless nails.

The traceless nail installation method is suitable for a variety of wall surfaces, including:

- Lime walls
- Cement walls
- Painted walls
- Wallpapered walls
- Plank wooden doors

3.4 Step-by-Step Traceless Nail Installation

Installation process

Traceless nail installation tutorial



1 Use a pen to mark the nail position (keep it level)



2 Hammer the traceless nails into the wall according to the corresponding marks



3 Insert the picture frame into the seamless nail hook from top to bottom



4 Drive two traceless nails into the bottom to complete the installation.

Figure 5: Four-step visual guide for traceless nail installation: 1. Mark the nail position with a pen. 2. Hammer traceless nails into the wall. 3. Insert the picture frame into the seamless nail hook. 4. Drive two traceless nails into the bottom to secure.

- 1. Mark Position:** Use a pen to mark the exact nail position on the wall. Ensure the mark is level.
- 2. Install Top Nails:** Hammer the traceless nails into the wall according to the marks. These nails will support the top of the frame.
- 3. Hang Frame:** Carefully insert the picture frame into the seamless nail hooks from the top, allowing it to hang securely.
- 4. Secure Bottom:** Drive two additional traceless nails into the bottom of the frame to prevent it from swinging and to complete the installation.

4. OPERATION

The Electric Meter Chest Decorative Painting features a hydraulic flip design for easy operation. To access the meter box, simply lift the bottom edge of the decorative painting. The hydraulic mechanism will assist in holding the lid open. To close, gently push the lid down until it rests flush against the wall.

5. MAINTENANCE

Due to its PS frame and crystal film material, the decorative cover is designed for easy cleaning and durability.

- **Cleaning:** To clean the surface of the painting and frame, use a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals, as these may damage the finish or the crystal film.
- **Dusting:** Regularly dust the surface with a dry, soft cloth to prevent accumulation.
- **Inspection:** Periodically check the installation points to ensure the frame remains securely attached to the wall.

6. TROUBLESHOOTING

This product is designed to address common issues associated with exposed meter boxes and traditional installation methods.

Do you also encounter these troubles?



【Exposed meter box】

Unsightly



Punching and destroying the wall

The wall is riddled with holes



"Prolonged yellowing"

Hanging paintings change color easily

Let us solve these problems!



【Farewell to nudity】

Practical and beautiful



【No need to drill holes】

Traceless nail installation

Figure 6: Common issues addressed by the product: an unsightly exposed meter box (top left), wall damage from drilling (top middle), and paintings yellowing over time (top right). Below, the product is shown as a solution, offering a beautiful cover and no need for drilling.

- **Problem: Exposed Meter Box is Unsightly.**
Solution: The decorative painting is specifically designed to cover and beautify exposed meter boxes, integrating them seamlessly into your interior decor.
- **Problem: Wall Damage from Installation.**
Solution: The punch-free, traceless nail installation method eliminates the need for drilling, preventing holes and damage to your walls.
- **Problem: Artwork Yellowing Over Time.**
Solution: The crystal film core material is designed for durability and color retention, reducing the

likelihood of yellowing compared to traditional prints.

- **Problem: Frame is not level after installation.**

Solution: Ensure that the initial marking of the nail positions (Step 1 of installation) is done accurately with a level. Adjust the position of the bottom traceless nails if minor leveling is required.

- **Problem: Frame feels loose on the wall.**

Solution: Verify that the traceless nails are fully hammered into the wall and that the frame is properly seated on the hooks. Ensure the bottom traceless nails are also securely in place.

7. WARRANTY AND SUPPORT

For any questions, concerns, or support needs regarding your Electric Meter Chest Decorative Painting, please contact the manufacturer or your point of purchase. Please refer to your purchase documentation for specific warranty terms and conditions.
