

[Manuals.plus](#) /

› [WETIE](#) /

› WETIE BS-B2 82oz 5-in-1 Slushie Machine and Frozen Drink Maker Instruction Manual

WETIE BS-B2

WETIE BS-B2 82oz 5-in-1 Slushie Machine and Frozen Drink Maker Instruction Manual

Model: BS-B2

1. IMPORTANT SAFEGUARDS

Please read all instructions carefully before using the WETIE BS-B2 Slushie Machine. Retain this manual for future reference.

- Ensure the machine is placed on a stable, level surface.
- Do not immerse the main unit in water or other liquids.
- Keep hands and utensils out of the container during operation to prevent injury.
- Unplug the machine from the outlet when not in use, before assembling or disassembling parts, and before cleaning.
- Supervise children closely when the appliance is in use.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner.
- Use only manufacturer-recommended attachments.
- Avoid contact with moving parts.
- This appliance is for household use only.

2. PRODUCT OVERVIEW

The WETIE BS-B2 is a versatile 5-in-1 frozen drink maker designed to create slushies, soft-serve ice cream, and other frozen treats without the need for pre-chilling or ice. It features smart cooling technology, multiple preset modes, and an 82oz capacity.

2-IN-1 SOFT ICE CREAM & SLUSHIE MAKER

Enjoy Perfect Slushies and Soft Ice Cream with One Purchase



Soft Ice Cream

+



Slushie



Image: The WETIE BS-B2 Slushie Machine, showcasing its ability to produce both soft ice cream and slushies.

Components

ALL-IN-ONE ACCESSORIES



Recipe Inspirations



Protective Packing



Cleaning Brush



- 1 Black Rubber Ring
- 2 Removable Smoothies Outlet
- 3 Comfortable Handle
- 4 Plunger
- 5 Mixing Blade
- 6 Evaporator
- 7 Container
- 8 Drip Tray

Note: Custom-fit box with double-layer foam for safe, damage-free delivery

Image: An exploded view diagram illustrating the various components of the WETIE BS-B2 Slushie Machine, including the black rubber ring, removable smoothie outlet, comfortable handle, plunger, mixing blade, evaporator, container, and drip tray.

1. **Black Rubber Ring:** Ensures a tight seal.
2. **Removable Smoothie Outlet:** For dispensing and easy cleaning.
3. **Comfortable Handle:** For operating the dispenser.
4. **Plunger:** Helps push contents through the outlet.
5. **Mixing Blade:** Continuously stirs and freezes ingredients.
6. **Evaporator:** The internal cooling element.
7. **Container:** Holds the liquid ingredients (82oz total capacity).
8. **Drip Tray:** Collects any spills.

3. SETUP AND ASSEMBLY

Follow these steps to assemble your WETIE BS-B2 Slushie Machine before first use.

EASY TO ASSEMBLE



Attach Slide the condensation catch and mixing blade



Secure Push the container back and lock it



Install Insert the plunger and align the middle rubber with the frosted mark



Position Ensure the spring's curved end of the handle is against the guide rails



Insert Push the handle into the hollow gap while pressing downward



Align Align handle holes with outlet holes



Lock Insert and rotate the pin to the lock position

Image: A visual guide demonstrating the seven steps for assembling the WETIE BS-B2 Slushie Machine, including attaching the condensation catch and mixing blade, securing the container, installing the plunger, positioning the handle, inserting the handle, aligning outlet holes, and locking the handle.

1. **Attach Condensation Catch and Mixing Blade:** Slide the condensation catch onto the main unit, then attach the mixing blade to the evaporator shaft.
2. **Secure Container:** Push the clear container back onto the main unit until it clicks into place.
3. **Install Plunger:** Insert the plunger into the smoothie outlet, ensuring the middle rubber ring aligns with the frosted mark.
4. **Position Handle:** Ensure the spring's curved end of the handle is against the guide rails.
5. **Insert Handle:** Push the handle into the hollow gap while pressing downwards.
6. **Align Handle Holes:** Align the handle holes with the outlet holes.
7. **Lock:** Insert and rotate the pin to the lock position.

Your browser does not support the video tag.

Video: This video demonstrates the step-by-step assembly process for the WETIE 2-in-1 Slush Machine, showing how to correctly attach components like the mixing blade, container, and handle.

4. OPERATING INSTRUCTIONS

Making Slushies and Frozen Drinks

NO ICE NEEDED

3 Simple Steps, Perfect Smoothies



Pour
in your drink



Rotate
to select a mode



Wait
for slushie



Warm Tips: Sugar Content > 5% Alcohol Content: 2.8% ~ 16%

Image: A visual guide showing the three simple steps to make slushies: pour in your drink, rotate to select a mode, and wait for the slushie. Includes warm tips about sugar and alcohol content.

1. **Prepare Ingredients:** Pour your desired liquid (juice, coffee, milk, wine, etc.) into the container. Ensure the liquid level is between the MIN (27oz) and MAX (54oz) markings. For optimal results, ensure sugar content is >5% and alcohol content is between 2.8%-16%.
2. **Select Mode:** Rotate the START knob to select your desired mode from the five presets: Ice Cream, Coffee Slush, Juice Slush, Milk Slush, or Alcohol Slush.
3. **Adjust Temperature (Optional):** Rotate the smart control knob to adjust the temperature. Rotate clockwise for a smoother, more sippable texture. Rotate counter-clockwise for a thicker, colder texture.
4. **Wait:** The machine will begin freezing. Slushies are typically ready within 15-30 minutes, depending on ingredients, volume, and starting temperature. Soft ice cream takes 45-60 minutes.
5. **Dispense:** Once ready, use the handle to dispense your frozen drink.

5 PRESET MODES ENDLESS FLAVOR



Image: The WETIE BS-B2 machine displaying its five preset modes: Ice Cream, Coffee Slush, Juice Slush, Milk Slush, and Alcohol Slush, along with temperature adjustment indicators.

Making Soft Serve Ice Cream

For soft serve ice cream, you may need to install the frothing nozzle.

Your browser does not support the video tag.

Video: This video demonstrates how to install the frothing nozzle, which is essential for making soft-serve ice cream with the WETIE Slushie Machine.

Ensure the liquid level for ice cream is between MIN (27oz) and MAX ICE CREAM (33oz) markings for optimal results.

Child Lock Function

- To activate the child lock, press the knob for 3 seconds.
- To deactivate, press the knob again for 3 seconds.

Continuous Operation

The WETIE BS-B2 can maintain optimal texture for up to 24 hours. You can add more liquids without stopping the machine, allowing for continuous serving.

Image: The WETIE BS-B2 Slushie Machine operating continuously, illustrating its 24-hour runtime capability to maintain optimal texture for frozen drinks.

5. MAINTENANCE AND CLEANING

Regular cleaning ensures hygiene and extends the lifespan of your machine. The WETIE BS-B2 features a self-cleaning mode and fully detachable, dishwasher-safe components.

UPGRADED DESIGN FOR DEEP CLEAN

Fully Detachable Smoothie Outlet



Image: A comparison showing the upgraded design of the WETIE BS-B2 with a fully detachable smoothie outlet for deep cleaning, contrasting it with other designs that may accumulate dirt.

Self-Cleaning Mode

- Pour lukewarm water into the container.
- Rotate the knob to select the 'CLEAN' mode.
- The machine will run a 4-minute cleaning cycle.
- After the cycle, dispense the water and proceed with manual cleaning for thoroughness.

Manual Cleaning and Disassembly



**Manual
Cleaning**



**Auto-Cleaning
Mode**



**Dishwasher-
Safe**
Removable Parts





EASY TO CLEAN

Note: Accessories are dishwasher safe (avoid using a heated dry cycle), easy to hand wash, and the machine features a self-cleaning mode

Image: This image illustrates the multiple cleaning options for the WETIE BS-B2, including the 4-minute self-cleaning mode, easy hand washing after quick disassembly, and dishwasher-safe removable parts.

1. **Unplug:** Always unplug the machine before disassembling or cleaning.
2. **Remove Pin:** Unlock and remove the pin securing the handle.
3. **Detach Handle:** Carefully detach the handle.
4. **Remove Plunger:** Pull out the plunger from the smoothie outlet.
5. **Unlock Locking Rod:** Unlock the locking rod that holds the container.
6. **Remove Container:** Carefully remove the clear container.
7. **Remove Mixing Blade:** Detach the mixing blade from the evaporator.
8. **Remove Condensation Catch:** Remove the condensation catch.
9. **Remove Drip Tray:** Lift and remove the drip tray.

Your browser does not support the video tag.

Video: This video illustrates the easy disassembly process of the WETIE Slushie Machine, showing how to remove various parts for thorough cleaning.

Wash all removable parts (container, mixing blade, plunger, handle, drip tray, smoothie outlet) with warm, soapy water or place them in the dishwasher (avoid using a heated dry cycle). Use the included cleaning brush for hard-to-reach areas. Ensure all parts are completely dry before reassembling.


6. TROUBLESHOOTING

Refer to the following table for common issues and their resolutions.

Issue/Error Code	Possible Cause	Resolution
E1 on display	Missing magnets on the slush bucket, or mixing blade/locking rod incorrectly installed.	Check if the magnets on both sides of the slush bucket are missing. Ensure the mixing blade and locking rod are correctly installed and locked.
E2 on display	Missing magnets on the slush bucket, or mixing blade/locking rod incorrectly installed.	Check if the magnets on both sides of the slush bucket are missing. Ensure the mixing blade and locking rod are correctly installed and locked.
E3 on display	Internal error or blockage.	Turn off and unplug the device. Remove and reassemble the mixing blade. Then reconnect the power and turn the machine back on.
Mixing blades make a rubbing noise	Insufficient sugar content or improper blade installation.	Add higher sugar content to your mixture. Check and properly install the blade in place.
Machine leaking	Improper silicone ring installation or worn-out ring.	Check the silicone ring installation. Replace if worn using the spare provided. Ensure it sits in the plunger bottom groove.

7. SPECIFICATIONS

Detailed specifications for the WETIE BS-B2 Slushie Machine.



SPECIFICATIONS

Product Name: Soft Serve Ice Cream & Slushie Machine

Model: BS-B2

Duration of Manufacturing: Slushies: 15–30 MINS
& Soft Ice Cream: 45–60 MINS

Capacity: 82oz

Fill Mark: MIN:27oz & MAX:54oz ICE CREAM: 33oz & MAX:54oz

Noise: <60dB

Dimension: 15.67 × 7.48 × 16.02 inches

Weight: 17.20lb

Image: A diagram showing the product dimensions and key specifications of the WETIE BS-B2 Slushie Machine.

- **Product Dimensions:** 15.6 x 7.4 x 16 inches
- **Item Weight:** 17.2 pounds
- **Manufacturer:** WETIE
- **Model Number:** BS-B2
- **Capacity:** 82oz (Total Vessel Capacity)
- **Fill Mark (Slushies):** MIN 27oz & MAX 54oz

- **Fill Mark (Ice Cream):** MIN 27oz & MAX 33oz
- **Slushie Production Time:** 15-30 minutes
- **Soft Ice Cream Production Time:** 45-60 minutes
- **Noise Level:** <60 dB
- **Runtime:** Up to 24 hours (maintains optimal texture)
- **Material:** Food-Grade (Thickened PC Container, Stainless Steel Evaporator, Food-grade Mixing Blade)

8. WARRANTY AND SUPPORT

Information regarding product warranty and customer support is typically provided with your purchase documentation or on the manufacturer's official website. Please refer to those resources for the most accurate and up-to-date details.

- **Warranty:** Please consult the warranty card included in your product packaging or visit the WETIE official website for warranty terms and conditions.
- **Customer Support:** For technical assistance, troubleshooting not covered in this manual, or parts replacement, please contact WETIE customer support through the contact information provided in your product documentation or on the official WETIE website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0FNCGGZXZ>

More documents and user manuals: <https://manuals.plus/>