

[Manuals.plus](#) /

› [COMHOMA](#) /

› COMHOMA DF-B105-GY-6-4FT Metal Outdoor Storage Shed Instruction Manual

COMHOMA DF-B105-GY-6-4FT

COMHOMA DF-B105-GY-6-4FT Metal Outdoor Storage Shed Instruction Manual

Model: DF-B105-GY-6-4FT

1. IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before assembly and use. Failure to follow these instructions may result in injury or property damage.

- Assembly may require 2-3 individuals. Always follow the provided instructions and use appropriate safety measures when handling heavy components.
- Wear protective gloves during assembly to prevent cuts and scrapes.
- Ensure the shed is assembled on a flat, level surface to ensure stability and proper door operation.
- Secure the shed to the ground using appropriate anchors (not included) to prevent wind damage.
- Do not store flammable materials or chemicals inside the shed.
- Keep children and pets away from the assembly area.

2. PRODUCT OVERVIEW

The COMHOMA DF-B105-GY-6-4FT Metal Outdoor Storage Shed is designed for durable and secure outdoor storage. Constructed from high-quality galvanized steel with a powder-coated finish, it withstands harsh weather conditions, keeping your items safe and dry.



Image: Front, side, and top-down views of the COMHOMA 6x4ft metal shed, illustrating its dimensions (78.78"D x 48.03"W x 73.62"H), 125 CU.FT storage capacity, and 440 lbs roof weight capacity. Also shows two boxes for shipping and two pairs of gloves for assembly.

Key Features:

- **Durable Construction:** Made of high-quality galvanized steel with a powder-coated finish for weather resistance.
- **Spacious Storage:** Offers 125 CU.FT of storage capacity, ideal for snow blowers, shovels, outdoor chairs, and bicycles. Customizable interior with storage racks (not included).
- **Waterproof Design:** Sloping roof design ensures effective rainwater drainage, preventing leakage and keeping contents dry.
- **Security & Ventilation:** Features a lockable door for security and two top vents for better airflow, maintaining a cool and odor-free interior.
- **Easy Assembly:** Equipped with part number labels, a comprehensive manual, and installation gloves. Requires 2-3 individuals for assembly.

3. ASSEMBLY INSTRUCTIONS

Follow these steps carefully for proper assembly. It is recommended to have 2-3 people for this process.

Video Guide:

Video: A detailed assembly guide for the COMHOMA Storage Shed, demonstrating each step of the construction process.

Step-by-Step Assembly:

1. Assemble the Base Frame (Steps 1-6):

Connect the bottom frame pieces (BS1L, BS1, BS2, BS3) using F1 screws. Ensure the frame is square and level by checking diagonal measurements. The floor frame must be both square and level for proper hole alignment.



Image: A visual guide illustrating the initial steps of assembling the shed's base frame, highlighting the connection points and the use of F1 screws. It also shows how to check for squareness and levelness.

2. Install Wall Panels (Steps 8-23):

Attach the wall panels to the base frame. It is recommended to place all wall panels first, installing screws at the bottom, confirming their positions, and then proceeding to install screws on top. Ensure door frames (ULA, UR1) cover the raised part on the wall panel, do not insert.




Image: A visual guide demonstrating the process of attaching the wall panels to the assembled base frame, emphasizing the correct sequence of screw installation and panel alignment.

3. Assemble and Attach the Roof (Steps 24-36):

Assemble the roof panels and attach them to the top of the wall structure. Do not fully tighten F2 screws until all roof panels are in place. Install PS4, PS1, PS2, and PS3 in order. Do not install F1 and V2 in the holes near the outer side of PS2 and PS3.



VARIOUS OCCASIONS




Image: A visual guide detailing the assembly of the roof structure, including the placement of roof panels and the final tightening of screws.

4. Install the Doors (Steps 37-48):

Assemble the door panels and attach them to the shed. Ensure hinges and latches are securely fastened. The other door operates the same way.

PRODUCT DIMENSION

Storage Shed Dimensions
6'x4'

Storage Capacity
125 CU.FT

Roof Weight Capacity
440 LBS



2 BOXES
May arrive at different times



2 PAIRS OF GLOVES
Wear gloves when assembly





Image: A close-up of the shed's double doors, highlighting the robust lockable mechanism for enhanced security.

4. USAGE AND STORAGE

This metal shed provides an optimal solution for various outdoor storage needs, keeping your items protected and organized.

Spacious Interior:


With 125 cubic feet of storage, you can store a wide range of items, from garden tools to outdoor furniture. The interior is designed to allow for customization with additional shelving or hooks (not included) to maximize your storage space.



Image: An interior view of the shed, showcasing its large storage capacity with various garden tools, a lawnmower, and storage bins neatly organized.

Weather Protection:

The sloping roof design ensures efficient water runoff, preventing accumulation and protecting your stored items from rain and snow. The galvanized steel construction is also windproof, UV-resistant, and snowproof.



PROTECTIVE FILM

Each piece is coated with a protective film to prevent friction during transport



Image: Four panels illustrating the shed's weather resistance: windproof, waterproof, UV-resistant, and snowproof, with corresponding icons.

Security and Airflow:

The lockable door provides enhanced security, keeping your tools and equipment safe from theft and preventing small animals from entering. Two top vents ensure continuous airflow, maintaining a cool and odor-free environment inside the shed.



LOCKABLE DOOR

Secures Your
Valuables from Unauthorized Access



Image: Close-up views of the shed's lockable door with a padlock and the ventilation design with air vents, highlighting security and airflow features.

5. MAINTENANCE

To ensure the longevity and optimal performance of your COMHOMA metal shed, follow these simple maintenance guidelines:

- **Regular Cleaning:** Periodically clean the exterior of the shed with mild soap and water to remove dirt, dust, and debris. Avoid abrasive cleaners or harsh chemicals that could damage the powder-coated finish.
- **Inspect for Damage:** Regularly check the shed for any signs of damage, such as dents, scratches, or loose screws. Address any issues promptly to prevent further deterioration.
- **Clear Roof:** In areas with heavy snowfall, ensure the roof is cleared of excessive snow accumulation to prevent structural stress.
- **Lubricate Moving Parts:** Lubricate door hinges and locking mechanisms annually to ensure smooth operation and prevent rust.
- **Ventilation:** Keep the air vents clear of obstructions to maintain proper airflow and prevent moisture buildup inside the shed.

6. TROUBLESHOOTING

If you encounter any issues during assembly or use, refer to the following common troubleshooting tips:

- **Holes Not Aligning:** Ensure the base frame is perfectly square and level. Slight adjustments to the frame or panels may be necessary. Do not overtighten screws until all parts are loosely fitted.
- **Missing Parts:** Double-check the package contents against the parts list in your manual. If any parts are missing, contact COMHOMA customer support.
- **Door Sticking/Not Closing Properly:** Verify that the shed is on a level surface. Uneven ground can cause door misalignment. Check hinges for proper installation and lubrication.
- **Water Leakage:** Ensure all screws are tightened securely, especially on the roof panels. Check that the sloping roof design is correctly oriented for water runoff.

- **Plastic Film Removal:** If the protective film is difficult to remove after assembly, try using a hairdryer on a low setting to gently warm the film, making it easier to peel off.

7. SPECIFICATIONS

Brand	COMHOMA
Model Number	DF-B105-GY-6-4FT
Color	Gray
Material	Galvanized Steel
Product Dimensions	78.78"D x 48.03"W x 73.62"H
Item Weight	99 Pounds
Door Style	Single Hinged, Lockable
Water Resistance Level	Waterproof
Assembly Required	Yes

8. WARRANTY AND SUPPORT

For any questions, concerns, or warranty claims, please contact COMHOMA customer support. Refer to your purchase documentation for specific warranty details.

- **Returns:** 30-day easy returns.
- **Customer Support:** Available for assistance with product inquiries or issues.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for

conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0FNQMMQK2>

More documents and user manuals: <https://manuals.plus/>