

[Manuals.plus](#) /

› [FLYDIGI](#) /

› FLYDIGI Wireless Charger Dock 2 Pro User Manual for Apex 5 and Vader 5 Pro

FLYDIGI 2 Pro

FLYDIGI Wireless Charger Dock 2 Pro User Manual

Model: 2 Pro

PRODUCT OVERVIEW

The FLYDIGI Wireless Charger Dock 2 Pro is designed to provide efficient charging and enhanced connectivity for your FLYDIGI Apex 5 and Vader 5 Pro controllers. This dock features a 150 FPS full-color display, RGB pixel charging base, and multiple USB ports for versatile use.



Image: The FLYDIGI Wireless Charger Dock 2 Pro, showcasing its design and a controller in the charging position.

PACKAGE CONTENTS

- FLYDIGI Wireless Charger Dock 2 Pro (1 unit)
- *Note: A USB cable is not included in the package.*

SETUP INSTRUCTIONS

1. **Connect Power:** Connect the Wireless Charger Dock 2 Pro to a power source using a compatible USB cable (not included). You can use a PC USB port or a USB wall adapter.
2. **Place Controller:** Gently place your FLYDIGI Apex 5 or Vader 5 Pro controller onto the charging dock. Ensure the controller is properly aligned with the charging contacts on the dock.
3. **Verify Charging:** The 150 FPS full-color display on the dock will show visual feedback indicating the charging status. The RGB pixel charging base will also illuminate.
4. **Connect Receiver (Optional):** If using the controller wirelessly, insert the controller's 2.4 GHz receiver into the

dedicated slot on the dock. This allows the dock to act as a passthrough for the wireless connection.

5. **Utilize USB Ports:** The dock includes 3 USB ports and 1 Type-C port. These can be used to connect other peripherals or for additional charging.

OPERATING INSTRUCTIONS

Charging Your Controller

- Place the compatible FLYDIGI controller (Apex 5 or Vader 5 Pro) onto the dock.
- The dock will automatically begin wireless charging.
- Monitor the charging status via the integrated 150 FPS full-color display.

Customizing Display and RGB

- The dock supports customization of its display visuals and RGB lighting.
- To access customization options, connect the dock to a PC and use the FLYDIGI Space Station 4.0 software.
- Through the software, you can select various pre-recorded visuals and adjust lighting settings for the RGB pixel charging base.

Using USB Hub Functionality

- The dock functions as a small USB hub, providing 3 standard USB ports and 1 Type-C port.
- Connect other USB devices such as mouse/keyboard dongles, fingerprint readers, or other peripherals to these ports for convenient access.

MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the surface of the dock. Avoid using abrasive cleaners or solvents.
- **Storage:** Store the dock in a cool, dry place away from direct sunlight and extreme temperatures when not in use.
- **Handling:** Handle the dock with care to prevent damage to the charging contacts or USB ports.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Controller not charging.	<ul style="list-style-type: none">• Dock not powered.• Controller not properly seated.• Incompatible controller model.	<ul style="list-style-type: none">• Ensure the dock is connected to a working power source.• Re-seat the controller, ensuring proper alignment with charging contacts.• Verify that your controller is a FLYDIGI Apex 5 or Vader 5 Pro.
Display or RGB not working.	<ul style="list-style-type: none">• Power issue.• Software configuration.	<ul style="list-style-type: none">• Check power connection.• Connect to PC and use FLYDIGI Space Station 4.0 to check display/RGB settings.
USB ports not functioning.	<ul style="list-style-type: none">• Insufficient power.• Device incompatibility.	<ul style="list-style-type: none">• Ensure the dock is connected to a stable power source.• Test with different USB devices.

SPECIFICATIONS

- **Model Name:** 2 Pro

- **Brand:** FLYDIGI
- **Compatible Devices:** FLYDIGI Apex 5, FLYDIGI Vader 5 Pro controllers
- **Connectivity Technology:** Wired (for power and data passthrough)
- **Power Source:** Wireless (for controller charging)
- **Additional Features:** 150 FPS Full-Color Display, RGB Pixel Charging Base, 3x USB ports, 1x Type-C port, Space Station 4.0 Support
- **Item Weight:** 0.32 Kilograms
- **Color:** White

WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the official FLYDIGI website or contact FLYDIGI customer service directly. Keep your purchase receipt for warranty claims.

Manufacturer: Flydigi

Seller: FLYDIGI US (via Amazon)

Return Policy: 30-day refund/replacement policy (as per Amazon's buybox winner information).

© 2026 FLYDIGI. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

