

[Manuals.plus](#) /

› [Yocan](#) /

› Yocan DUBB 750mAh 510 2in1 Dual Cartridge Battery Stealth MOD User Manual

Yocan DUBB

Yocan DUBB 750mAh 510 2in1 Dual Cartridge Battery Stealth MOD

User Manual

INTRODUCTION

Thank you for choosing the Yocan DUBB. This device is a versatile 2-in-1 dual cartridge battery designed for discreet and efficient use. It features a 750mAh battery, adjustable voltage, and a clear TFT display. This manual provides essential information for safe and optimal operation of your Yocan DUBB device.



510 ステルスMOD
(2in1) デュアル
カートリッジバッテリー



Black



Silver



Teal



Burgundy



Green



Blue



Purple

Image: The Yocan DUBB device shown in various available colors.

PACKAGE CONTENTS

Please verify that all items are present in your package:

- 1 x Yocan DUBB Device
- 1 x USB Type-C Charging Cable
- 1 x User Manual (Foreign Language)

510カートリッジを2つ同時に装着できるステルスMOD

DUBB

Dual cartridge support your stylish, discreet vaping solution.

異なるフレーバーを組み合わせる
デュアルカートリッジ対応



【パッケージ内容】

- DUBB 本体 (カートリッジは付属していません)
- Type-C 充電ケーブル
- ユーザーマニュアル (外国語表記)



Image: Contents of the Yocan DUBB package, including the device, charging cable, and manual.

PRODUCT OVERVIEW

Familiarize yourself with the components of your Yocan DUBB device:

機能紹介

・パフカウンター・プリヒート機能・1時間後に自動シャットダウン




1.8-4.2 電圧



デュアル510
カートリッジ



オート吸引
ボタン加熱



振動フィード
バック



カラーTFT
ディスプレイ

各名称



Image: Labeled diagram of the Yocan DUBB device components.

- **Mouthpiece:** Where vapor is inhaled.
- **Power Button:** Used for turning the device on/off and manual activation.
- **Color TFT Display:** Shows voltage, puff count, battery level, and cartridge status.
- **Bottom Button:** Used for navigation and adjustments.
- **750mAh Battery:** Internal rechargeable battery.
- **Type-C Charging Port:** For charging the device.
- **Base:** The bottom part of the device.

SETUP

Initial Charging

Before first use, fully charge the device using the provided USB Type-C cable. Connect the cable to the device's charging port and a standard 5V/1A USB power source. Avoid using high-output USB adapters, as this may damage the device. The charging time is

approximately 1 hour.

Inserting Cartridges

The Yocan DUBB supports two 510-thread cartridges simultaneously, up to 2.0ml in size. The cartridges are secured via a strong magnetic connection within the device's body for a stealth design.

1. Ensure the device is powered off.
2. Gently insert your 510-thread cartridges into the designated slots. The magnetic connection will hold them in place.
3. You can use two cartridges of the same flavor or different flavors to mix and match.

デュアルカートリッジ対応：各最大2.0ml(サイズ)
DUBBでフレーバーを組み合わせるベイピングを楽しみましょう。
最大2.0mlサイズのカートリッジを2本まで装着できるように設計されており、同じフレーバーで濃度を濃くしたり、異なるフレーバーでミックスすることができます。

(カートリッジは付属しません)



1.8~4.2Vの電圧範囲 & プリヒート機能
0.1V単位の正確な電圧調整で、ベイピング体験をカスタマイズできます。
1.8Vで10秒間の予熱機能で、オイルの粘度が高いリキッドもスムーズに気化します。

Image: The Yocan DUBB with two 510 cartridges inserted, demonstrating its dual cartridge capability.

OPERATING INSTRUCTIONS

Power On/Off

Press the Power Button 5 times rapidly to turn the device ON or OFF.

Voltage Adjustment

The Yocan DUBB allows for precise voltage adjustment from 1.8V to 4.2V in 0.1V increments. Use the Bottom Button to cycle through voltage settings on the TFT display to find your preferred vaping experience.

Preheat Function

The device features a 10-second preheat function at 1.8V. This helps to warm up thicker liquids for smoother vaporization. Activate the preheat function by pressing the Power Button 2 times rapidly.

Inhalation Modes

The Yocan DUBB offers two convenient inhalation modes:

- **Auto-Draw Activated:** Simply inhale from the mouthpiece to activate heating.
- **Button-Activated:** Press and hold the Power Button while inhaling for consistent vapor production.

強力マグネット接続

DUBBが備えている強力な磁石で、ボディの上部と下部の脱着を簡単に行うことができます。マグネット接続ベースは、しっかりと固定されシームレスなベイピング体験を提供します。



[2種類の起動方式] オートドロ-&ボタン加熱



ドローアクティベート方式
吸い込むだけでパワフルな加熱が始まるオートドロ



ボタンマニュアル方式
ボタンを長押しで加熱し安定した出力でコントロール

Image: Demonstration of the auto-draw and button-activated modes, along with the magnetic connection for cartridges.

Color TFT Display

The 1.26-inch color TFT display provides real-time information at a glance, including:

- Current Voltage Setting
- Puff Counter
- Battery Remaining Percentage
- Cartridge Status
- Preheat Status



Image: Close-up of the Yocan DUBB's color TFT display and its 750mAh battery.

MAINTENANCE

To ensure the longevity and optimal performance of your Yocan DUBB, follow these maintenance guidelines:

- **Cleaning:** Regularly wipe the device with a dry, soft cloth. Ensure the cartridge connection points are clean and free of

residue. Do not use harsh chemicals or abrasive materials.

- **Storage:** Store the device in a cool, dry place away from direct sunlight and extreme temperatures. Keep it out of reach of children and pets.
- **Charging:** Always use the provided USB Type-C cable and a compatible 5V/1A power adapter. Avoid overcharging or completely draining the battery.
- **Automatic Shutdown:** The device will automatically shut down after 1 hour of inactivity to conserve battery and prevent accidental activation.

TROUBLESHOOTING

If you encounter issues with your Yocan DUBB, please refer to the following common solutions:

Problem	Possible Cause	Solution
Device not turning on	Low battery; Device is off	Charge the device fully; Press power button 5 times rapidly to turn on.
No vapor production	Cartridge not properly inserted; Low liquid level; Clogged cartridge; Low battery	Ensure cartridges are fully seated; Refill/replace cartridge; Clean cartridge; Charge device.
Poor vapor quality	Incorrect voltage setting; Low liquid; Old cartridge	Adjust voltage; Refill/replace cartridge; Replace cartridge.
Device not charging	Faulty cable/adaptor; Dirty charging port	Try a different USB-C cable/adaptor; Clean the charging port gently.

SPECIFICATIONS

Detailed technical specifications for the Yocan DUBB device:

Yocan EXCLUSIVE VAPESカテゴリーのデバイスが日本上陸！



SPECIFICATIONS

Size:	51.77*25*102mm
Color TFT Display:	1.26inch
Support Resistance:	>0.8 Ω
Battery Capacity:	750mAh
Voltage Range:	1.8-4.2V
Preheat:	1.8V 10Sec
Safety Cut-off:	15 Seconds
Charging Type:	5V/1A Type-C
Charging Time:	1.0 Hour
Fits 510 Carts:	$\varnothing \leq 14\text{mm}$, Height $\leq 63\text{mm}$
Weight:	205 g



Image: A table displaying the Yocan DUBB's technical specifications.

Size	Approx. 51.77 x 25 x 102 mm
Weight	Approx. 205g
Battery Capacity	750mAh
Voltage Range	1.8V - 4.2V (0.1V increments)
Preheat Function	1.8V for 10 seconds
Coil Resistance Support	>0.8 Ω recommended
Charging Type	USB Type-C (5V/1A)
Charging Time	Approx. 1 hour

Display	1.26-inch Color TFT
Cartridge Compatibility	510 thread, up to 2.0ml, Ø ≤14mm, Height ≤63mm
Safety Cut-off	15 Seconds

WARRANTY AND SUPPORT

Your Yocan DUBB device purchased from an authorized dealer, such as "Natural Gift", comes with a 30-day product warranty. This includes a 30-day exchange or refund policy for initial defects. If you experience any initial defects, such as the device not powering on, within 30 days of purchase, please contact the store directly for assistance.

Note: This warranty does not cover issues arising from customer misuse or accidental damage.



Image: Warranty information indicating a 30-day product and money-back guarantee.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question