

[Manuals.plus](#) /

› [Fanbulous](#) /

› Fanbulous 52-Inch Ceiling Fan with Light and Remote Control (Model F-JP52BK-1D01) - User Manual

Fanbulous F-JP52BK-1D01

Fanbulous 52-Inch Ceiling Fan with Light and Remote Control (Model F-JP52BK-1D01) - User Manual

1. INTRODUCTION

This user manual provides detailed instructions for the installation, operation, and maintenance of your Fanbulous 52-inch ceiling fan with integrated LED light and remote control. Please read this manual thoroughly before installation and use to ensure safe and efficient operation.

2. SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or personal injury, always follow these basic precautions:

- Ensure power is turned off at the circuit breaker before installation or servicing.
- All electrical wiring must be performed by a qualified electrician and comply with local codes and regulations.
- The fan must be mounted to a ceiling joist or support structure capable of supporting the fan's weight.
- Do not operate the fan with damaged blades or housing.
- Avoid placing objects in the path of the rotating blades.
- This fan is suitable for indoor and outdoor use (covered patios, gazebos), but avoid direct exposure to rain.

3. PACKAGE CONTENTS

Carefully unpack all components and ensure all items are present before beginning installation. Refer to the image below for a visual representation of the included parts.

Fanbulous

Remote Control

Multi function, enjoy a smart life



Reversible DC Motor



Super Quiet



3 Color Temperature



Dimmable Light 10-100%



6 Wind Speeds



Light Memory Function



Timer Setting 1/4Hours

Figure 1: All components of the Fanbulous 52-inch ceiling fan, including blades, motor housing, light kit, remote control, and mounting hardware.

- Ceiling Fan Motor Assembly
- Fan Blades (Dual-finish: Black and Wood Grain)
- LED Light Kit
- Remote Control with Receiver
- Downrods (5", 10", 15")
- Mounting Bracket and Hardware

- User Manual

4. PRODUCT FEATURES

- **Ultra-Quiet DC Motor:** Operates below 35 decibels for a peaceful environment.
- **Reversible Blade Function:** Provides cooling airflow in summer and circulates warm air in winter.
- **Integrated 24W 3CCT LED Light:** Features an 11-inch massive cover with 2000LM output. Offers three color temperatures (3000K/4000K/6000K) and 70% energy savings.
- **Smart Remote Control:** Allows adjustment of 6-speed settings, 1/4-hour timer, and includes a fan speed memory function.
- **Dual-Color Blades:** Reversible blades with modern black and retro wood grain finishes to match various decor styles.
- **Multiple Downrod Options:** Includes 5", 10", and 15" downrods for adaptable installation heights.
- **Sloped Ceiling Compatible:** Supports installation on ceilings sloped up to 15 degrees.

5. INSTALLATION GUIDE

This section provides a general overview of the installation process. For detailed, step-by-step instructions, please refer to the included User Manual booklet.

5.1 Mounting the Fan

1. **Prepare the Mounting Location:** Ensure the electrical box is securely mounted to a ceiling joist and capable of supporting the fan's weight. Turn off power at the circuit breaker.
2. **Install the Mounting Bracket:** Secure the mounting bracket to the electrical box using the provided screws.
3. **Assemble the Downrod:** Select the appropriate downrod length (5", 10", or 15"). Thread the fan wires through the downrod.
4. **Attach the Fan Motor to Downrod:** Secure the fan motor assembly to the chosen downrod.
5. **Hang the Fan Assembly:** Carefully lift the fan assembly and hang it from the mounting bracket.

Fanbulous

Stronger Air Volume, Higher Brightness



Figure 2: Illustration of the fan motor assembly and downrod attachment.

5.2 Wiring Connections

1. **Connect Electrical Wires:** Connect the fan's electrical wires to the household wiring according to the wiring diagram in the detailed manual. Ensure all connections are secure.
2. **Install Remote Receiver:** Place the remote control receiver within the canopy.
3. **Secure the Canopy:** Slide the canopy up to the ceiling and secure it to the mounting bracket.

5.3 Attaching Fan Blades

1. **Choose Blade Finish:** Decide between the black or wood grain side of the blades.
2. **Attach Blades to Blade Holders:** Secure each fan blade to its respective blade holder using the provided screws.
3. **Attach Blade Holders to Motor:** Fasten the assembled blade holders to the fan motor housing.



Figure 3: The Fanbulous 52-inch ceiling fan with black blades, showcasing its modern aesthetic in a living room setting.

5.4 Installing the Light Kit

1. **Connect Light Kit Wires:** Connect the wires from the LED light kit to the fan motor assembly.
2. **Secure Light Kit:** Attach the light kit to the bottom of the fan motor housing.
3. **Install Light Cover:** Twist or snap the light cover into place.

Fanbulous

Adjustable Light

Stepless 3CCT & dimming light




Figure 4: The Fanbulous ceiling fan demonstrating its adjustable light color temperature (CCT) and dimming capabilities.

6. OPERATING INSTRUCTIONS

Your Fanbulous ceiling fan is operated using the included multifunctional remote control.

Fanbulous

Stronger Air Volume, Higher Brightness



18W Big LED Light

The ultimate experience
of higher performance

Figure 5: The remote control for the Fanbulous ceiling fan, highlighting buttons for fan speed, light control, timer, and direction.

- **Power On/Off:** Press the power button to turn the fan and light on or off.
- **Fan Speed Control:** Use buttons 1-6 to select desired fan speed.
- **Light On/Off:** Press the light button to toggle the light.
- **Color Temperature (CCT) Adjustment:** Use the CCT button to cycle through 3000K (Warm White), 4000K (Natural White), and 6000K (Cool White).
- **Dimming Function:** Adjust light brightness from 10% to 100%.
- **Timer Function:** Set the fan to turn off automatically after 1, 4, or 8 hours.

- **Reverse Function:** Press the reverse button to change the blade direction for summer (downward airflow) or winter (upward airflow) modes.
- **Memory Function:** The fan remembers your last fan speed and light color temperature settings.

Fanbulous

Quiet Enjoyment

1H/4H timer setting







10dB



Breathe

25dB



Library

35dB



Our Ceiling Fan

45dB



Whisper

55dB



Crowded Street

Figure 6: Visual representation of the Fanbulous ceiling fan's quiet operation, rated at below 35 decibels.

Fanbulous

6-Speed Reversible Motor

Cool in summer, warm in winter




6 Speeds

1



2



3



4



5



6

Figure 7: Diagram illustrating the reversible motor function, providing cool air in summer and warm air circulation in winter.

7. MAINTENANCE

- **Cleaning:** Periodically clean the fan blades and motor housing with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Tighten Fasteners:** Check all screws and fasteners annually to ensure they are secure.
- **Blade Balance:** If the fan wobbles, ensure all blades are securely attached and balanced. Refer to the detailed manual for balancing instructions.

- **Light Source:** The LED light source is integrated and not user-replaceable. Contact customer support if the light fails.

8. TROUBLESHOOTING


Problem	Possible Cause	Solution
Fan does not start.	No power to the fan; loose wiring; remote control not paired.	Check circuit breaker. Verify all wiring connections. Re-pair remote control (refer to detailed manual).
Fan wobbles.	Loose blades; unbalanced blades; loose mounting hardware.	Ensure all blade screws are tight. Use a balancing kit (not included) if necessary. Tighten mounting bracket screws.
Light does not work.	Loose wiring; LED driver failure; remote control issue.	Check light kit wiring. Ensure remote control batteries are fresh. Contact customer support if LED driver is suspected.
Remote control not working.	Dead batteries; remote not paired; interference.	Replace batteries. Re-pair remote control. Ensure no obstructions or strong interference sources.
Mismatch between fan blades and bracket.	Manufacturing defect.	Contact customer support for replacement parts.

9. SPECIFICATIONS

- **Brand:** Fanbulous
- **Model Name:** F-JP52BK-1D01
- **Size:** 52 inches
- **Color:** Black (with reversible wood grain option)
- **Power Source:** AC120V
- **Motor Type:** Quiet DC Motor
- **Light:** 24W 3CCT LED (3000K/4000K/6000K), 2000LM
- **Fan Speeds:** 6-Speed
- **Special Features:** Adjustable Height & Tilt, LED Light, Quiet Operation, Remote Controlled, Timer, Reversible Blades
- **Product Dimensions:** 52"D x 52"W x 17"H
- **Item Weight:** 16.11 pounds
- **Recommended Room Type:** Living Room, Bedroom, Gazebo, Covered Patio

Fanbulous

52 Inch Ceiling Fan



A 5"
B 10"



Mounting Options

Room Size:

12 X 12 FT - 20 X 20 FT



Low Ceiling



High Ceiling



Slanted Ceiling($\leq 15^\circ$)

Figure 8: Detailed dimensions of the 52-inch Fanbulous ceiling fan and various mounting options for different ceiling heights and types.

10. WARRANTY AND SUPPORT

Fanbulous offers a **30-day no-hassle return policy** and a **2-year after-sales service** for this product. If you encounter any issues or have questions, please contact our dedicated customer service team for full support and peace of mind.

For assistance, please refer to the contact information provided in your original purchase documentation or

visit the official Fanbulous website.