

[Manuals.plus](#) /

> [eclife](#) /

> eclife 24-inch Bathroom Vanity with Blue Boat Glass Vessel Sink - Instruction Manual

eclife THKFVS001

eclife 24-inch Bathroom Vanity with Blue Boat Glass Vessel Sink - Instruction Manual

Model: THKFVS001

1. INTRODUCTION

Thank you for choosing the eclife 24-inch Bathroom Vanity with Blue Boat Glass Vessel Sink. This manual provides essential information for the safe and correct assembly, operation, and maintenance of your new vanity. Please read all instructions carefully before beginning installation and retain this manual for future reference.



Image 1.1: The eclife 24-inch Bathroom Vanity with Blue Boat Glass Vessel Sink.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety instructions may result in injury or property damage.

- Always follow assembly instructions carefully.
- Use appropriate safety gear, such as gloves and eye protection, when handling sharp or heavy components.
- Keep fingers away from door hinges during assembly and use to prevent pinching.
- Ensure all connections for plumbing are secure and watertight to prevent leaks.
- Do not overload shelves or drawers to maintain stability and prevent damage.
- This product is intended for indoor use only.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact eclife customer support.

- Vanity Cabinet
- Glass Vessel Sink (Blue Boat design)
- Faucet
- Drain Assembly
- User Manual (this document)
- Hardware Pack (screws, connectors, etc.)

4. SPECIFICATIONS

Brand	eclife
Model Number	THKFVS001
Product Dimensions	20.1"D x 24"W x 31.9"H
Item Weight	78 Pounds
Material	Engineered Wood, Tempered Glass
Color	White (Cabinet), Blue Boat (Sink)
Installation Type	Countertop (Vessel Sink)
Mounting Type	Floor Mount
Number of Doors	2
Number of Shelves	2 (including bottom open shelf)



Image 4.1: Detailed dimensions of the vanity cabinet and vessel sink.

5. SETUP AND ASSEMBLY

This vanity requires assembly. Clear instructions and numbered parts are provided for straightforward assembly. It is recommended to have two people for assembly.

5.1 Pre-Assembly Steps

- Unpack all components and lay them out on a clean, soft surface to prevent scratches.
- Identify all parts using the provided parts list in your separate assembly guide.
- Gather necessary tools (e.g., screwdriver, adjustable wrench).

5.2 Cabinet Assembly

Follow the step-by-step instructions in your separate assembly manual to construct the vanity cabinet. Pay close attention to the orientation of panels and the secure fastening of all screws and connectors.

PRODUCT DETAILS



Image 5.1: Detail of the vanity's grooved lines and classic feet, indicating proper panel alignment.

5.3 Door and Hinge Installation

Install the soft-closing hinges onto the cabinet doors and then attach the doors to the cabinet frame. Adjust the hinges as needed to ensure proper door alignment and smooth soft-closing function.

Your browser does not support the video tag.

Video 5.1: Guide for adjusting the soft-closing door hinges. This video demonstrates how to fine-tune the hinges for optimal door operation and alignment.

STORAGE & HINGES



Image 5.2: View of the vanity's interior storage and soft-closing hinges.

5.4 Sink, Faucet, and Drain Installation

- Place the Blue Boat glass vessel sink onto the vanity top, ensuring it is centered over the drain opening.
- Install the faucet and drain assembly according to their respective instructions. Ensure all plumbing connections are tightened securely to prevent leaks.
- Apply a bead of silicone sealant around the base of the vessel sink where it meets the vanity top for a watertight seal.




Image 5.3: The unique handmade pattern of the Blue Boat glass vessel sink and the water-saving faucet.

6. OPERATING INSTRUCTIONS

Your eclife vanity is designed for ease of use and durability.

- **Soft-Closing Doors:** The cabinet doors are equipped with soft-closing hinges. Gently push the doors to close them; they will slow down and close silently to prevent slamming and protect the cabinet.
- **Open Storage Shelf:** Utilize the bottom open shelf for easy access to towels, decorative items, or frequently used toiletries.
- **Water-Saving Faucet:** The included faucet is designed to reduce water consumption without compromising performance. Operate the handle to control water flow and temperature.

7. MAINTENANCE

Proper care will ensure the longevity and appearance of your vanity.

- **Cabinet Cleaning:** Wipe the engineered wood cabinet surfaces with a soft, damp cloth. Avoid abrasive

cleaners or harsh chemicals that can damage the finish. Dry immediately after cleaning.

- **Sink Cleaning:** The tempered glass vessel sink is easy to clean. Use a mild soap and water solution with a soft cloth or sponge. Rinse thoroughly and dry to prevent water spots. Avoid harsh scrubbing pads or acidic cleaners.
- **Faucet Maintenance:** Clean the faucet with a soft cloth and mild soap. Do not use abrasive cleaners, polishes, or waxes, as these can damage the finish.
- **Hinge Adjustment:** If doors become misaligned over time, refer to the hinge adjustment video (Video 5.1) or your assembly manual for instructions on how to re-adjust the soft-closing hinges.

8. TROUBLESHOOTING

Refer to the following common issues and solutions:

Problem	Possible Cause	Solution
Doors do not close properly or are misaligned.	Hinges need adjustment.	Adjust the soft-closing hinges using a screwdriver. Refer to Video 5.1 or the assembly manual for detailed instructions.
Water leaks from faucet or drain connections.	Loose plumbing connections.	Ensure all nuts and fittings are tightened securely. Check for proper installation of rubber washers and seals. Do not overtighten.
Sink appears unstable or wobbly.	Sink not properly secured or sealant not applied.	Ensure the sink is correctly positioned and secured to the vanity top. Apply silicone sealant around the base of the sink for stability and a watertight seal.
Cabinet wobbles.	Uneven floor or loose assembly.	Check all assembly screws and tighten if loose. Use shims under the vanity feet if the floor is uneven.

9. WARRANTY AND SUPPORT

eclife products are designed for quality and durability. For specific warranty information, please refer to the warranty card included with your product or visit the official eclife website. If you encounter any issues or require assistance, please contact eclife customer support:

- **Online Support:** Visit the [eclife Store on Amazon](#) for FAQs and contact options.
- **Email:** Refer to your product packaging or warranty card for direct email support.

When contacting support, please have your model number (THKFVS001) and purchase information readily available.