



Manuals.plus /

› VINGLI /

› VINGLI Pink Queen Loft Bed with Flat Rungs User Manual

## VINGLI Queen Loft Bed with Flat Rungs (B0FP5DKCJL)

# VINGLI Pink Queen Loft Bed with Flat Rungs User Manual

Model: Queen Loft Bed with Flat Rungs (B0FP5DKCJL)

## 1. INTRODUCTION

---

Thank you for choosing the VINGLI Pink Queen Loft Bed with Flat Rungs. This manual provides essential information for the safe assembly, operation, and maintenance of your new loft bed. Please read all instructions carefully before assembly and retain this manual for future reference.

## 2. SAFETY INFORMATION

---

**WARNING: Failure to follow these safety instructions could result in serious injury.**

- Always follow the assembly instructions carefully.
- Do not let children jump on or off the bed.
- The maximum weight limit for this loft bed is 550 lbs (249 kg).
- Ensure the surface of the mattress is at least 5 inches (12.7 cm) below the upper edge of the guardrails.
- Do not use a box spring with this bed. A mattress is required.
- Regularly check all bolts and connections to ensure they are tight and secure.
- Do not use replacement parts other than those authorized by the manufacturer.
- The ladder can be attached to either side of the bed. Ensure it is securely fastened before use.

## Safety Loft bed



**Figure 2.1:** Safety features including anti-collision rounded corners, triangular support structure, and anti-slip flat ladder rungs for enhanced user safety.

### 3. PACKAGE CONTENTS

Before beginning assembly, verify that all parts listed below are present and undamaged. If any parts are missing or damaged, please contact VINGLI customer support.

- Bed Frame Components (Metal beams, posts, guardrails)
- Metal Slats
- Ladder with Flat Rungs
- Hardware Pack (Bolts, nuts, washers, Allen key)
- Installation Manual
- Wall Anchors (Recommended for added stability)


### 4. ASSEMBLY INSTRUCTIONS (SETUP)

---

Assembly typically requires two adults. Please follow the step-by-step instructions provided in the included installation manual. An assembly video is also available for visual guidance.


1. **Prepare the Area:** Clear a spacious area for assembly. Lay out all components and hardware.
2. **Assemble the Main Frame:** Connect the main support beams and posts according to the diagrams in the manual. Ensure all connections are finger-tight at this stage.
3. **Install Guardrails:** Attach the full-length guardrails to the upper bed frame.
4. **Attach Ladder:** The ladder can be attached to either the left or right side of the bed. Secure it firmly using the provided hardware.
5. **Install Metal Slats:** Place the metal slats onto the bed frame. The noise-free design includes non-woven strips to reduce sound. Ensure each slat is properly seated.
6. **Tighten All Connections:** Once the bed frame is fully assembled, go back and securely tighten all bolts and screws using the provided Allen key. Do not overtighten.
7. **Optional: Wall Anchoring:** For enhanced stability, it is highly recommended to anchor the loft bed to a wall using the provided wall anchors.

# STURDY LOFT



1

**2 Sturdy Center Beams**  
100% solid metal for extra support



2

**Noise Free Design**  
Non-woven strip to reduce noise



3

**Easy To Install**  
Made of 100% Metal Slats and just  
one click and done

Figure 4.1: Key assembly features: 2 sturdy center beams for support, noise-free slat design, and simple slat installation.

# Removable Ladder

Ladder can be attached to either side



Figure 4.2: The ladder can be positioned on either the left or right side of the bed to suit your room layout.

## 5. USAGE (OPERATING)

The VINGLI Pink Queen Loft Bed is designed to maximize space in your room. Its 55-inch under-bed clearance provides ample room for various uses.

- **Mattress Compatibility:** Use a Queen size mattress with a recommended thickness of 7 inches (17.8 cm). Ensure the mattress surface is at least 5 inches (12.7 cm) below the top of the guardrails.
- **Under-Bed Space:** Utilize the generous space beneath the bed for a desk, seating area, storage shelves, or a play zone.
- **Ladder Use:** Always use the ladder to access and exit the bed. Do not jump on or off the bed.

# SPACE SAVING LOFT BED

Larger Space for play, storage, or reading under



**Figure 5.1:** The 55-inch under-bed clearance allows for a comfortable seating area or other furniture.



Figure 5.2: Create a dedicated study or work area with a desk and chair under the loft bed.

## 6. MAINTENANCE

---

Proper maintenance will ensure the longevity and safety of your VINGLI Loft Bed.

- **Cleaning:** Wipe down the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the paint finish.
- **Hardware Check:** Periodically (e.g., every 3 months) inspect all bolts, screws, and connections. Tighten any that have become loose.
- **Slat Inspection:** Ensure all metal slats are securely in place and not bent or damaged.
- **Guardrail Integrity:** Verify that guardrails are firmly attached and free from damage.

## 7. TROUBLESHOOTING

---

If you encounter any issues with your loft bed, refer to the following common solutions:

Problem	Possible Cause	Solution
Bed feels wobbly or unstable.	Loose hardware; not anchored to wall.	Tighten all bolts and screws. Ensure the bed is anchored to a wall using the provided hardware.
Squeaking noises.	Loose connections; friction between metal parts.	Tighten all hardware. Check if non-woven strips on slats are properly placed. Apply a small amount of lubricant (e.g., silicone spray) to connection points if necessary.
Difficulty assembling parts.	Incorrect orientation of parts; bolts not aligned.	Refer to the assembly manual diagrams carefully. Do not fully tighten bolts until all parts are loosely connected. Watch the assembly video for visual guidance.
Mattress not fitting correctly.	Incorrect mattress size or thickness.	Ensure you are using a Queen size mattress. The recommended thickness is 7 inches, and the mattress surface must be at least 5 inches below the guardrails.

## 8. SPECIFICATIONS

Feature	Detail
Model	Queen Loft Bed with Flat Rungs (B0FP5DKCJL)
Brand	VINGLI
Color	Pink
Frame Material	Metal
Overall Dimensions (L x W x H)	81.89" x 62.2" x 67.52" (208 cm x 158 cm x 171.5 cm)
Under-Bed Clearance	55 inches (139.7 cm)
Maximum Weight Capacity	550 lbs (249 kg)
Recommended Mattress Thickness	7 inches (17.8 cm)
Special Features	Adjustable, Flat Rungs with Rubber Cover, No Box Spring Needed, Full-length Guardrails, Reinforced Center Beams
Assembly Required	Yes




Figure 8.1: Dimensional overview of the VINGLI Pink Queen Loft Bed.

## 9. WARRANTY AND SUPPORT

The VINGLI Pink Queen Loft Bed comes with a Limited Warranty. For specific details regarding warranty coverage, please refer to the documentation included with your purchase or visit the official VINGLI website.

For customer support, missing parts, or any questions regarding assembly or use, please contact VINGLI customer service through the retailer where the product was purchased or via the contact information provided on the VINGLI brand store page.

**VINGLI Brand Store:** Visit the VINGLI Store on Amazon

