



[Manuals.plus](#) /

> [YOURLITE](#) /

> YOURLITE 36-inch Bathroom Vanity with Ceramic Sink Combo USBA20070 Instruction Manual

YOURLITE USBA20070

YOURLITE 36-inch Bathroom Vanity with Ceramic Sink Combo USBA20070 Instruction Manual

Model: USBA20070

1. INTRODUCTION

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your YOURLITE 36-inch Bathroom Vanity with Ceramic Sink Combo, model USBA20070. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Image 1.1: The YOURLITE 36-inch Bathroom Vanity with Ceramic Sink Combo, featuring a black cabinet and white ceramic top.

The YOURLITE bathroom vanity is designed to offer both functionality and aesthetic appeal to your bathroom space. It features a durable MDF board cabinet with a waterproof painted finish, a smooth ceramic sink, two soft-close doors, and three drawers for ample storage.

2. SAFETY INFORMATION

Please observe the following safety precautions during assembly and use:

- Always wear appropriate safety gear, such as gloves and eye protection, during assembly.
- Ensure all parts are present and undamaged before beginning assembly. Do not attempt to assemble if any parts are missing or broken.
- This product is heavy. Assembly and installation should be performed by two people to prevent injury.

- Do not overtighten screws, as this may damage the material.
- Keep small parts away from children to prevent choking hazards.
- Ensure the vanity is installed on a level surface to prevent tipping.
- Consult a qualified plumber for water supply and drainage connections if you are unsure.

3. PACKAGE CONTENTS

The YOURLITE 36-inch Bathroom Vanity is shipped in two separate packages. Please verify that all components are present before proceeding with assembly.

YOURLITE

SHIP WITH 2 SEPARATE BOXES



1 x Package A

1 x Vanity Cabinet
1 x Installation Instruction



1 x Package B

1 x Drop in Sink
1 x Hardware Package

Assemble Required
Delivery Date may be different

Image 3.1: Illustration of the two packages received: one for the vanity cabinet and one for the sink and hardware.

Package A: Vanity Cabinet

- 1 x Vanity Cabinet
- 1 x Installation Instruction Manual (detailed assembly guide)

Package B: Sink and Hardware

- 1 x Drop-in Ceramic Sink
- 1 x Hardware Package (includes knobs, hinges, screws, etc.)

4. SETUP AND INSTALLATION

Refer to the detailed Installation Instruction Manual included in Package A for step-by-step assembly and installation procedures. The following provides a general overview.

4.1 Pre-Installation Checks

- Ensure the installation area is clean, dry, and level.
- Verify that water supply and drainage lines are accessible and correctly positioned for the vanity's dimensions. The back of the vanity is unobstructed to accommodate floor or wall drainage.
- Confirm you have all necessary tools (e.g., screwdriver, wrench, level).



Image 4.1: Detailed dimensions of the vanity cabinet and ceramic sink, including internal measurements for storage.

4.2 Assembly Steps (General)

1. **Assemble the Cabinet:** Follow the instructions to assemble the main vanity cabinet structure. This typically involves attaching side panels, back panel, and internal shelves.
2. **Install Drawers and Doors:** Attach the drawer slides and assemble the drawers. Install the cabinet doors using the provided soft-close hinges.
3. **Place the Ceramic Sink:** Carefully place the ceramic sink onto the top of the assembled cabinet. Ensure it is properly aligned and secured according to the instructions.
4. **Connect Plumbing:** Connect the faucet (not included) and drain assembly to the sink. Connect the water supply lines and drain trap to your home's plumbing system. Ensure all connections are watertight.
5. **Secure Vanity:** Position the freestanding vanity in its desired location. It is recommended to secure the vanity to the wall for stability, especially if there is a risk of tipping.



Image 4.2: Interior features of the vanity, highlighting soft-close door hinges, waterproof paint on the cabinet, and smooth drawer rails.

5. OPERATING INSTRUCTIONS

The YOURLITE bathroom vanity is designed for straightforward use.

- **Doors:** The two side-hung doors are equipped with soft-close hinges, which prevent slamming and reduce noise. Gently push the doors to close them, and they will slowly and quietly shut.
- **Drawers:** The three drawers operate on smooth rails, allowing for easy opening and closing. Utilize these drawers for organizing smaller bathroom essentials.
- **Sink:** The ceramic sink features a smooth, water-proof finish for easy cleaning. An overflow is integrated to prevent water from spilling over if the tap is accidentally left on.



Image 5.1: Features of the ceramic sink, emphasizing its water-resistant, easy-to-clean, and smooth surface.

6. MAINTENANCE AND CARE

Proper maintenance will ensure the longevity and appearance of your vanity.

- **Cabinet Cleaning:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals, as these can damage the waterproof painted finish. Dry immediately after cleaning.
- **Sink Cleaning:** Clean the ceramic sink regularly with a mild soap and water solution. Rinse thoroughly and

wipe dry to prevent water spots. Do not use abrasive pads or strong chemical cleaners that could scratch or dull the ceramic surface.

- **Hardware:** Periodically check and tighten any loose screws on hinges, drawer slides, or knobs. Clean metal hardware with a soft, dry cloth.
- **Spills:** Wipe up any water spills on the cabinet immediately to prevent moisture damage, despite the waterproof coating.

7. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

Problem	Possible Cause	Solution
Water Leakage from Sink/Faucet	Loose plumbing connections, damaged seals.	Check all water supply and drain connections. Tighten fittings as necessary. Replace worn seals or O-rings. Consult a plumber if the issue persists.
Drawers are Sticking or Not Closing Smoothly	Obstruction in drawer, misaligned rails, loose screws.	Remove drawer and check for any objects obstructing the path. Ensure drawer rails are clean and free of debris. Verify that all screws securing the rails are tight and properly aligned.
Cabinet Doors are Misaligned or Not Closing Properly	Hinges are loose or require adjustment.	The soft-close hinges are adjustable. Use a screwdriver to adjust the hinge screws to align the doors. Refer to the detailed installation manual for specific hinge adjustment instructions.
Vanity Feels Unstable	Uneven floor, vanity not secured to wall.	Ensure the vanity is on a level surface. If necessary, use shims to stabilize. Secure the vanity to the wall using appropriate anchors and screws (not included) for added stability.

8. SPECIFICATIONS

Feature	Detail
Brand	YOURLITE
Model Name	USBA20070
Color	Black
Product Dimensions	18"D x 36"W x 33"H
Mounting Type	Freestanding
Frame Material	Engineered Wood (MDF)
Finish Type	Painted (Waterproof)
Top Material Type	Ceramic
Number of Doors	2 (Soft-Close)
Number of Drawers	3 (Smooth Rails)
Weight Limit	150 Pounds

Feature	Detail
Item Weight	66 Pounds
Assembly Required	Yes
Included Components	Vanity Cabinet, Ceramic Sink, Hardware, Installation Instruction Manual

9. WARRANTY AND SUPPORT

For warranty information and customer support regarding your YOURLITE 36-inch Bathroom Vanity, please refer to the documentation included with your purchase or contact YOURLITE customer service directly. Contact details can typically be found on the manufacturer's official website or through your point of purchase.