

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [RECHOO](#) /

> [RECHOO COB-XT Rechargeable Flashlight User Manual](#)

RECHOO COB-XT

RECHOO COB-XT Rechargeable Flashlight User Manual

Model: COB-XT

1. PRODUCT OVERVIEW

The RECHOO COB-XT Rechargeable Flashlight is a versatile illumination tool designed for various applications, including camping, hunting, emergencies, and general outdoor use. It features a dual-switch design, multiple lighting modes, and a robust, waterproof construction.



Image 1.1: RECHOO COB-XT Rechargeable Flashlight.

2. SETUP AND INITIAL USE

2.1. Package Contents

Verify that all items are present in the package:

- RECHOO COB-XT Flashlight (x2)
- Charging Cable (USB Type-C) (x2)
- Lanyard (x2)
- User Manual (x1)



Image 2.1: Contents included in the RECHOO COB-XT flashlight package.

2.2. Charging the Flashlight

Before first use, fully charge the flashlight. The device is equipped with a 4000mAh rechargeable battery.

1. Locate the USB Type-C charging port on the flashlight. It is typically protected by a rubber cover.
2. Open the rubber cover to expose the Type-C input port.
3. Connect the provided USB Type-C cable to the flashlight's charging port and the other end to a compatible USB power source (e.g., wall adapter, computer USB port).
4. The integrated LCD power display will show the charging status and battery percentage. A full charge typically takes 3-4 hours.



Image 2.2: The flashlight features a precision LCD digital display for battery status.

PRODUCT DETAIL

LIGHTING SOURCE:



HIGH LUMENS
SPOTLIGHT LED



20 WHITE LIGHT
COB LED



20 RED LIGHT
COB LED



BUILD-IN HIGH CAPACITY
RECHARGEABLE BATTERY



USB TYPE-A
Output Port

USB TYPE-C
Charging Port




Image 2.3: Detailed view of the USB Type-C input and USB Type-A output ports.

3. OPERATION

The RECHOO COB-XT flashlight features a dual-switch design for easy control of its various lighting modes.

PACKAGE CONTENT



COB-XT
x2



Charging Cable
x2



Lanyard
x2



User Manual
x1



Image 3.1: The flashlight's dual-switch design for mode selection.

3.1. Dual Switch Functionality

The flashlight has two distinct buttons, each controlling a different set of lighting modes:

- **COB Light Switch:** Controls the COB floodlight modes.
- **Spotlight Switch:** Controls the main spotlight modes.

3.2. Lighting Modes

The flashlight offers 8 lighting modes, divided between the COB and Spotlight functions:

COB Modes (Floodlight)

Press the COB light switch to cycle through these modes:

- **High:** Maximum brightness for wide-area illumination.
- **Low:** Reduced brightness for extended battery life or closer tasks.
- **Red Light:** For preserving night vision.
- **Red Light Strobe:** For signaling or emergency situations.

Spotlight Modes (Long-Range)

Press the Spotlight switch to cycle through these modes:

- **High:** Maximum brightness for long-distance illumination.
- **Low:** Reduced brightness for moderate distances or battery conservation.
- **Strobe:** Flashing light for signaling or disorientation.
- **Combo:** Activates both COB and Spotlight simultaneously for maximum illumination.

Memory Function: The flashlight includes a memory function. If left in any mode for 10 seconds or more, it will automatically turn off. The next time it is powered on, it will resume the last used mode.

COB Modes

Engineered for daily carry with dual-spectrum versatility:

2 White light levels for everyday tasks

2 Red light modes for night vision preservation



High



Low



Red Light



Red Light Strobe



DUAL-SWITCH RECHARGEABLE FLASHLIGHT

2 Button with **8** Lighting Modes



Spotlight Modes

Tactical-Grade Illumination:

3 White-light tiers

1 Combined-output mode for critical response scenarios.



High



Low



Strobe



Combo




Image 3.3: Demonstrating COB white light for camping and COB red light for night walking.



Image 3.4: The flashlight's spotlight can illuminate objects up to 3280 feet away.

3.3. Power Bank Function

The flashlight can function as a power bank to charge other devices. It features a USB Type-A output port.

1. Open the rubber cover to expose the USB Type-A output port.

2. Connect your device's charging cable to the USB Type-A port on the flashlight.
3. The flashlight will begin charging your device. Monitor the flashlight's LCD display for remaining battery life.

4. MAINTENANCE

4.1. Cleaning

To maintain optimal performance, keep the flashlight clean. Wipe the exterior with a soft, damp cloth. Do not use abrasive cleaners or solvents.

4.2. Water Resistance

The RECHOO COB-XT flashlight is rated IP65 waterproof, meaning it is protected against dust ingress and low-pressure water jets from any direction. It can be used in heavy rain or snow, but it is not designed for submersion.



Image 4.1: The flashlight demonstrating its IP65 waterproof capability.

4.3. Battery Care and Storage

For long-term storage, charge the battery to approximately 50-70% and store the flashlight in a cool, dry place. Recharge every 3-6 months to prevent deep discharge and prolong battery life. The 21700 lithium

battery is replaceable, allowing for future battery maintenance.

5. TROUBLESHOOTING

Problem	Possible Cause	Solution
Flashlight does not turn on.	Low or depleted battery.	Charge the flashlight fully using the provided USB Type-C cable.
Light is dim or flickers.	Low battery charge.	Recharge the flashlight.
Flashlight not charging.	Charging cable or adapter issue; port obstruction.	Ensure the USB Type-C cable is securely connected. Try a different USB power source or cable. Check the charging port for debris.
Power bank function not working.	Flashlight battery too low; incorrect cable.	Ensure the flashlight has sufficient charge. Use a compatible USB-A cable for your device.

6. SPECIFICATIONS

Feature	Detail
Model	COB-XT
Light Source Type	LED (High Lumens Spotlight LED, 20 White Light COB LED, 20 Red Light COB LED)
Brightness	Up to 9000 Lumens
Color Temperature	8500 Kelvin
Lighting Modes	8 Modes (COB: High/Low/Red Light/Red Light Strobe; Spotlight: High/Low/Strobe/Combo)
Battery Type	Built-in 4000mAh Rechargeable 21700 Lithium Battery
Charging Port	USB Type-C Input
Output Port	USB Type-A Output (Power Bank Function)
Material	Military Grade Aluminum Alloy
Water Resistance	IP65 Waterproof
Drop Resistance	2-meter anti-drop
Product Dimensions	4.72"D x 1.37"W x 0.98"H

Feature	Detail
Item Weight	0.59 Kilograms (approx. 1.3 pounds)

2025 BRAND NEW FLASHLIGHT



Image 6.1: The 2-in-1 LED chip design featuring COB flood light and spotlight.

MILITARY GRADE MATERIALS

Engineered for extreme environments, featuring an impact-resistant casing with 2-meter drop resistant.



Image 6.2: The flashlight's construction from military-grade aluminum alloy for durability.

7. WARRANTY AND SUPPORT

7.1. Limited Warranty

The RECHOO COB-XT Rechargeable Flashlight comes with a limited warranty. Please refer to the warranty card included in your package for specific terms and conditions. This warranty typically covers manufacturing defects under normal use.

7.2. Customer Support

For any questions, technical assistance, or warranty claims, please contact RECHOO customer support. Contact information can usually be found on the product packaging or the official RECHOO website.

8. PRODUCT VIDEO

Your browser does not support the video tag.

Video 8.1: An official product video demonstrating the features and functionality of the RECHOO COB-XT Rechargeable Flashlight, including its dual-switch operation, various lighting modes, waterproof capabilities, and charging features.