

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Evenflo](#) /

› [Evenflo Tribute LX Convertible Car Seat Instruction Manual](#)

## Evenflo Tribute LX

# Evenflo Tribute LX Convertible Car Seat Instruction Manual

Model: Tribute LX Convertible Car Seat

Brand: Evenflo

## 1. INTRODUCTION

The Evenflo Tribute LX Convertible Car Seat is designed to provide safety and comfort for your child from infancy through toddlerhood. This manual provides essential information for proper installation, use, and maintenance of your car seat. Please read all instructions carefully before using the product.

This car seat is suitable for children weighing 5 to 40 lb and measuring 19 to 40 inches tall, transitioning from rear-facing to forward-facing modes.

## 2. SAFETY INFORMATION

Your child's safety is paramount. The Evenflo Tribute LX Convertible Car Seat meets or exceeds all applicable Federal Safety Standards. In addition to federally required testing, it undergoes structural integrity, rollover, and temperature testing.

### Important Safety Guidelines:

- Always secure your child in the car seat using the 5-point harness system.
- Ensure the car seat is correctly installed in your vehicle according to the instructions for either rear-facing or forward-facing mode.
- Never leave your child unattended in the car seat.
- Register your car seat to receive important safety updates and recall information.

## 3. PRODUCT OVERVIEW

The Evenflo Tribute LX Convertible Car Seat features a compact and lightweight design, making it suitable for smaller vehicles and travel. Key components include:

- **5-Point Harness System:** For secure child restraint.
- **4-Position Shoulder Harness:** Adjustable to accommodate your growing child.
- **Up-Front Harness Adjust:** For easy tightening and loosening of the harness.
- **Plush Head Pillow:** Provides comfort and proper head positioning for infants (removable).

- **Removable Cup Holder:** Dishwasher-safe for convenience.
- **LATCH System Compatibility:** For secure installation in vehicles equipped with LATCH anchors.



## BUDGET-FRIENDLY WITHOUT SACRIFICING SAFETY OR COMFORT

Figure 1: Front view of the Evenflo Tribute LX Convertible Car Seat, highlighting the harness and head pillow.

### 4. SETUP AND INSTALLATION

#### 4.1 Rear-Facing Installation (5-40 lb, 19-40 in.)

For rear-facing installation, ensure the car seat is positioned in the back seat of your vehicle. The child's head must be at least 1 inch below the top of the car seat shell.

1. Place the car seat in the rear-facing position on your vehicle's back seat.
2. Route the vehicle's seat belt or LATCH strap through the designated rear-facing belt path.
3. Tighten the seat belt or LATCH strap securely. The car seat should not move more than 1 inch side-to-side or front-to-back at the belt path.

4. Verify the recline angle is appropriate for your child's age and weight, typically indicated by a level line on the car seat.



## FOR KIDS 5-40 LB AND AN IDEAL FIT FOR SMALLER VEHICLES

*Figure 2: A child secured in the Evenflo Tribute LX car seat in a rear-facing position.*

### **4.2 Forward-Facing Installation (30-40 lb, 35-40 in.)**

For forward-facing installation, the child must meet the minimum weight and height requirements. The top of the child's ears must be below the top of the car seat shell.

1. Place the car seat in the forward-facing position on your vehicle's back seat.
2. Route the vehicle's seat belt or LATCH strap through the designated forward-facing belt path.
3. Attach the top tether strap to the vehicle's tether anchor and tighten.
4. Tighten the seat belt or LATCH strap securely. The car seat should not move more than 1 inch side-to-side or front-to-back at the belt path.



Figure 3: A child secured in the Evenflo Tribute LX car seat in a forward-facing position.

## 5. OPERATING INSTRUCTIONS

### 5.1 Securing Your Child

1. Place your child in the car seat with their back flat against the seat back.
2. Bring the harness straps over your child's shoulders and between their legs.
3. Buckle the chest clip at armpit level.
4. Insert the two buckle tongues into the buckle until they click.
5. Pull the up-front harness adjust strap to tighten the harness until it is snug against your child's body. You should not be able to pinch any excess webbing at the child's shoulder.

Your browser does not support the video tag.

Video 1: Demonstrates the features and adjustments of the Evenflo Tribute LX car seat, including harness adjustments.

## 6. MAINTENANCE

---

Regular cleaning and maintenance will ensure the longevity and hygiene of your Evenflo Tribute LX Convertible Car Seat.

- **Fabric Pads:** The durable, stain-resistant polyester fabrics are removable and machine washable. Refer to the care label for specific washing instructions.
- **Harness Straps:** Wipe harness straps with a damp cloth. Do not machine wash or immerse harness straps in water, as this may weaken them.
- **Buckle:** Clean the buckle by rinsing with warm water. Do not use soaps or detergents.
- **Shell and Plastic Parts:** Wipe clean with mild soap and water.
- **Cup Holder:** The removable cup holder is dishwasher-safe for easy cleaning.

## 7. TROUBLESHOOTING

---

If you encounter issues with your car seat, please refer to the following common solutions or contact customer support.

- **Harness too loose:** Ensure the harness straps are routed correctly and pull the up-front adjust strap firmly until snug.
- **Car seat moves excessively:** Re-install the car seat, ensuring the vehicle's seat belt or LATCH strap is tightened securely. The car seat should not move more than 1 inch at the belt path.
- **Buckle sticking:** Rinse the buckle with warm water to remove any debris. Do not use lubricants.

For further assistance, the Evenflo ParentLink® Consumer Care Team offers live video support with certified car seat safety technicians to assist with proper vehicle installation.

## 8. SPECIFICATIONS

---

Feature	Detail
Product Dimensions	17 x 19 x 25 inches
Maximum Weight Recommendation	40 Pounds
Minimum Weight Recommendation	5 Pounds
Material Type	Polyester, Polyurethane (50% Polyurethane, 50% Polyester)
Harness Type	5-Point
Number of Reclining Positions	1
Orientation	Rear-Facing (5-40 lb), Forward-Facing (30-40 lb)
Installation Type	Seat Belt, LATCH
Item Weight	9.29 pounds
Color	Saturn Gray



Figure 4: Dimensions of the Evenflo Tribute LX Convertible Car Seat.

## 9. WARRANTY AND SUPPORT

Evenflo is committed to providing safe and reliable products. For specific warranty information, please refer to the documentation included with your product or visit the official Evenflo website.

### Customer Support:

If you need help installing your car seat or have any questions, the Evenflo ParentLink® Consumer Care Team offers real-time online support. You can get live video support with a certified car seat safety technician to assist with proper vehicle installation, ensuring you can drive with confidence.

Visit the [Evenflo Store](#) for more information and products.