

INTERGREAT ITWHITE93711

INTERGREAT White Metal Storage Cabinet User Manual

Model: ITWHITE93711 | Brand: INTERGREAT

		Safety Information	Package Contents	Assembly		
Instructions	Operation	Maintenance	Troubleshooting	Specifications	Warranty & Support	

1. SAFETY INFORMATION

- Please read all safety warnings and instructions carefully before assembly and use. Failure to follow these instructions may result in injury or product damage.
- **Wall Mounting:** Ensure proper wall mounting to prevent tipping. Use the provided anti-tipping hardware to secure the cabinet to a wall. This is crucial to avoid potential injuries, especially in households with children or pets.
 - **Locking System:** Utilize the locking system to secure belongings and prevent unauthorized access. Keep keys in a safe place.
 - **Assembly:** Follow assembly instructions carefully. Be aware of potential pinch points during assembly. It is recommended to have two people for assembly due to the weight and size of the components.
 - **Weight Capacity:** Do not exceed the maximum weight capacity of 180 pounds per shelf or 900 pounds total for the cabinet. Overloading can cause structural failure and injury.
 - **Heavy Package:** The product comes in a heavy package (approximately 73 lbs). Exercise caution when lifting and moving the carton to the assembly area.

2. PACKAGE CONTENTS

Verify all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support.



Image: Exploded view of all cabinet components and hardware. This image shows the various metal panels, shelves, doors, and small parts required for assembly.

ADJUSTABLE SHELVES

Shelf Height and Quantity can be adjusted
depends on your need



Image: Close-up of the locking mechanism, keys, and anti-tipping wall anchors. These are essential for secure and safe installation.

Included Components:

- Cabinet Panels (Top, Bottom, Sides, Back)
- 2 Doors
- 4 Adjustable Shelves
- Locking Mechanism with 2 Keys
- Anti-Tipping Hardware (screws, wall anchors)
- Assembly Hardware (screws, bolts, nuts)
- User Manual (this document)

Tools Required (Not Included):

- Phillips Head Screwdriver (power driver recommended for efficiency)
- Hammer (for wall anchors)
- Drill (for wall mounting)

- Measuring Tape
- Level
- Gloves (recommended for handling metal edges)

3. ASSEMBLY INSTRUCTIONS

Assembly typically takes approximately 40 minutes with two people and appropriate tools. Carefully follow the steps below.

1. **Unpack Components:** Lay out all parts on a clean, soft surface to prevent scratches. Verify all components against the package contents list.
2. **Assemble Base Frame:** Connect the bottom panel to the side panels using the provided screws. Ensure all connections are secure but do not overtighten initially.
3. **Attach Back Panels:** Secure the back panels to the assembled frame.
4. **Install Top Panel:** Attach the top panel to complete the main cabinet frame.
5. **Install Doors:** Attach the two doors to the cabinet frame using the hinges. Ensure doors swing freely and align correctly.
6. **Install Locking Mechanism:** Secure the locking mechanism to one of the doors and ensure it engages properly with the other door and the cabinet frame. Test with keys.
7. **Insert Adjustable Shelves:** Place the 4 adjustable shelves into the desired positions. The shelves can be moved to accommodate items of various heights.
8. **Wall Mounting (Crucial Safety Step):**
 - Position the cabinet in its final location.
 - Mark the wall through the pre-drilled holes on the back of the cabinet.
 - Drill pilot holes in the wall at the marked locations.
 - Insert wall anchors (if applicable for your wall type).
 - Secure the cabinet to the wall using the anti-tipping screws. Ensure the cabinet is stable and cannot tip over.

INTERGREAT



• Anti-tipping



• locking keys

PREVENT TIPPING PRE-HOLE FIXING ON THE WALL

Image: Diagram illustrating the anti-tipping mechanism and how to fix the cabinet to the wall using pre-drilled holes and anchors.

PRODUCT DIMENSION



Each shelf can hold up to **180lbs**



Image: Product dimension diagram showing the overall size (71" H x 32" W x 16" D) and individual shelf capacity (180 lbs).

4. OPERATION

4.1. Opening and Closing Doors

The cabinet features two hinged doors. To open, turn the handle and pull. To close, push the doors firmly until they latch.

4.2. Locking and Unlocking

Insert one of the provided keys into the lock cylinder on the door handle. Turn the key to engage or disengage the 3-point locking system. Remove the key after locking to prevent unauthorized access.

4.3. Adjusting Shelves

The cabinet includes four adjustable shelves. To adjust a shelf:

1. Empty the shelf of all contents.

2. Lift the shelf slightly and pull it out from its current position.
3. Relocate the shelf to the desired height by aligning its clips with the corresponding slots on the cabinet sides.
4. Ensure the shelf is level and securely seated before placing items on it.



Image: An INTERGREAT cabinet with its doors open, showcasing the adjustable shelves filled with various items, demonstrating versatility.

5. MAINTENANCE

Regular maintenance ensures the longevity and proper function of your storage cabinet.

- **Cleaning:** Wipe surfaces with a soft, damp cloth. Avoid abrasive cleaners or solvents that could damage the powder-coated finish.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Lock Mechanism:** If the lock mechanism becomes stiff, apply a small amount of graphite lubricant to the keyhole. Do not use oil-based lubricants.
- **Shelf Adjustment:** When adjusting shelves, ensure they are fully seated in the slots to prevent accidental dislodgement.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Cabinet is wobbly or unstable.	Screws are loose; cabinet is not level; anti-tipping hardware not installed or improperly installed.	Ensure all assembly screws are tightened. Check if the cabinet is on a level surface. Install or re-secure the anti-tipping hardware to the wall.
Doors do not close properly or are misaligned.	Hinges are loose or bent; cabinet frame is not square.	Check and tighten hinge screws. Ensure the cabinet frame was assembled squarely. Adjust hinges if necessary.
Lock mechanism is stiff or not engaging.	Dust or debris in the lock; mechanism misalignment.	Apply graphite lubricant to the keyhole. Check if the doors are fully closed and aligned before attempting to lock.
Shelves are difficult to adjust or fall out.	Shelf clips not properly seated; shelf overloaded.	Ensure shelf clips are fully inserted into the desired slots. Do not exceed the 180 lbs per shelf weight limit.
Missing parts during assembly.	Packaging error.	Contact INTERGREAT customer support with your purchase details and a list of missing parts.

7. SPECIFICATIONS

Feature	Detail
Brand	INTERGREAT
Model Number	ITWHITE93711
Color	White
Material	Cold-Rolled Steel (0.88mm thick)
Finish Type	Powder Coated
Product Dimensions (D x W x H)	16"D x 32"W x 71"H
Item Weight	73 pounds
Number of Doors	2
Number of Shelves	4 (Adjustable)
Shelf Weight Capacity	180 pounds per layer
Total Weight Capacity	Up to 900 pounds
Locking System	3-Point Locking with 2 Keys
Additional Features	Anti-Tipping Wall Mount Design
Recommended Uses	Art & Crafts, Files & Folders, Tools, Home Office, Garage, Warehouse, Kitchen, Living Room, Utility Room

Feature	Detail
UPC	784227748548

8. WARRANTY & SUPPORT

8.1. Warranty Information

Specific warranty details are typically provided with your purchase documentation. Please refer to the warranty card or contact INTERGREAT customer support for information regarding coverage and duration. Optional protection plans may be available for purchase, offering extended coverage beyond the standard manufacturer's warranty. Check your purchase platform for details on 2-Year, 3-Year, or Complete Protect plans.

8.2. Customer Support

For assistance with assembly, missing parts, or any other product-related inquiries, please contact INTERGREAT customer support.

- **Seller:** INTERGREAT
- **Contact:** Refer to your purchase platform for direct seller contact information or visit the official INTERGREAT store page.
- **Online Resources:** Assembly videos and additional manuals may be available on the INTERGREAT brand store or product page.

© 2026 INTERGREAT. All rights reserved.

This manual is for informational purposes only. Product specifications are subject to change without notice.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question