

Evenflo Tribute LX

Evenflo Tribute LX Convertible Car Seat User Manual

Model: Tribute LX

1. PRODUCT OVERVIEW

The Evenflo Tribute LX Convertible Car Seat is designed to provide safety and comfort for your child. This car seat transitions from rear-facing to forward-facing mode, accommodating children from 5 to 40 pounds and 19 to 40 inches tall. Its compact and lightweight design makes it suitable for smaller vehicles and convenient for travel.

Key Features:

- **Weight Range:** Rear-facing (5-40 lbs), Forward-facing (30-40 lbs).
- **Height Range:** Rear-facing (19-40 inches), Forward-facing (35-40 inches).
- **Harness System:** 5-point harness with 4-position shoulder harness adjustment.
- **Adjustability:** Up-front harness adjust for easy secure fit.
- **Comfort:** Removable plush head pillow for proper head positioning.
- **Convenience:** Removable, dishwasher-safe cup holder.
- **Maintenance:** Removable, stain-resistant polyester fabrics are machine washable.



BUDGET-FRIENDLY WITHOUT SACRIFICING SAFETY OR COMFORT

Figure 1: Front view of the Evenflo Tribute LX Convertible Car Seat, showing the 5-point harness and removable cup holder.

2. SAFETY INFORMATION

The Evenflo Tribute LX Convertible Car Seat meets or exceeds all applicable Federal Safety Standards. In addition to federally required testing, it undergoes structural integrity testing, rollover testing, and temperature testing to ensure maximum safety for your child.

WARNING:

- Always read and follow all instructions and warnings provided in the complete car seat manual and your vehicle's owner's manual.
- Never use a car seat that has been involved in a moderate to severe crash, even if there is no visible damage.
- Ensure the car seat is properly installed and the child is correctly secured in the harness on every ride.
- Do not use accessories or parts not approved by Evenflo.

3. SETUP AND INSTALLATION

Proper installation is critical for child safety. This car seat can be installed using your vehicle's seat belt system.

3.1 Rear-Facing Installation

For children weighing 5-40 lbs and measuring 19-40 inches. The car seat must be installed in a rear-facing position in the back seat of the vehicle.



**FOR KIDS 5-40 LB AND AN IDEAL FIT
FOR SMALLER VEHICLES**

Figure 2: Example of a child properly secured in the car seat in a rear-facing position.

3.2 Forward-Facing Installation

For children weighing 30-40 lbs and measuring 35-40 inches. The car seat must be installed in a forward-facing position in the back seat of the vehicle.



LIGHTWEIGHT, COMPACT DESIGN PERFECT FOR FAMILY TRAVEL

Figure 3: Example of a child properly secured in the car seat in a forward-facing position.

For detailed step-by-step installation instructions, please refer to the complete instruction manual included with your car seat or visit the Evenflo website. For personalized assistance, contact the Evenflo ParentLink® Consumer Care Team for live video support with a certified car seat safety technician.

4. OPERATING INSTRUCTIONS

4.1 Securing Your Child

1. Place your child in the car seat.
2. Bring the harness straps over your child's shoulders and between their legs.
3. Insert the two buckle tongues into the buckle until they click.
4. Pull the harness adjustment strap located at the front of the car seat to tighten the harness until it is snug against your child's body. Ensure you cannot pinch any excess webbing at the child's shoulder.
5. Position the chest clip at armpit level.



GROW WITH IT

With use from 5 to 40 lb (19 to 40 in. tall), offers rear-facing and forward-facing modes, 5-point harness, plus 4-position shoulder harness



Figure 4: Illustration of the up-front harness adjustment mechanism.

4.2 Head Pillow

The plush head pillow provides comfort and support for proper head positioning, especially for smaller infants. It can be removed as your child grows and no longer requires it.

4.3 Cup Holder

The car seat includes a removable cup holder for convenience. It can be easily detached for cleaning.

5. MAINTENANCE AND CARE

5.1 Cleaning the Fabric

The durable, stain-resistant polyester fabrics are removable and machine washable. Refer to the care label on the fabric for specific washing instructions. Typically, use cold water and a gentle cycle. Air dry or tumble dry on low heat.

5.2 Cleaning the Buckle and Harness

- Wipe the buckle and harness straps with a damp cloth. Do not immerse the buckle in water or use harsh cleaning agents, as this may affect its performance.
- The cup holder is dishwasher-safe for easy cleaning.

5.3 General Care

Periodically inspect the car seat for any signs of wear, damage, or missing parts. Ensure all components are securely attached and functioning correctly.

6. TROUBLESHOOTING

If you encounter any issues with your Evenflo Tribute LX Convertible Car Seat, please review the complete instruction manual for detailed troubleshooting steps. If the problem persists or you require further assistance, contact Evenflo Customer Service.

Common concerns may include:

- Difficulty tightening or loosening the harness.
- Car seat not installing securely in the vehicle.
- Missing or damaged parts.

7. SPECIFICATIONS

Attribute	Value
Brand	Evenflo
Model	Tribute LX
Maximum Weight Recommendation	40 Pounds
Installation Type	Seat Belt
Orientation	Rear-Facing, Forward-Facing
Harness Type	5-Point
Number of Height Positions	1 (for shoulder harness adjustment)
Item Dimensions (D x W x H)	19"D x 17"W x 25"H
Item Weight	9.29 Pounds
Material Type	Polyester, Polyurethane
Color	Jupiter Red
UPC	032884206155
ASIN	B0FPSL4V3F



Figure 5: Dimensions of the Evenflo Tribute LX Convertible Car Seat.

8. WARRANTY AND SUPPORT

For information regarding the product warranty, please refer to the warranty card included with your purchase or visit the official Evenflo website. Evenflo provides a ParentLink® Consumer Care Team for support.

Evenflo ParentLink® Consumer Care Team:

- Offers help online in real time.
- Provides live video support with a certified car seat safety technician to assist with proper vehicle installation.

For further assistance, please visit the [Evenflo official website](#) or contact their customer service directly.

