

## Victoper A1200T

# Victoper A1200T Rechargeable LED Flashlight User Manual

Model: A1200T

## 1. INTRODUCTION

Thank you for choosing the Victoper A1200T Rechargeable LED Flashlight. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new flashlight. Please read this manual thoroughly before use and retain it for future reference.

## 2. SAFETY INSTRUCTIONS

- Do not look directly into the LED light beam. The high intensity light can cause temporary vision impairment or permanent eye damage.
- Keep the flashlight out of reach of children.
- Do not disassemble the flashlight. This may void the warranty and could lead to damage or injury.
- Use only the specified charging method and voltage (5V2A adapter recommended) to prevent damage to the battery or flashlight.
- Avoid exposing the flashlight to extreme temperatures or direct sunlight for prolonged periods.
- Dispose of batteries according to local regulations.

## 3. PACKAGE CONTENTS

Please check the package for the following items:

- Victoper A1200T Rechargeable LED Flashlight (x2)
- USB Charging Cable (x2)
- Wrist Strap (pre-attached or included separately)
- User Manual




Image showing two Victoper A1200T rechargeable LED flashlights, each with a wrist strap, alongside two USB charging cables. The flashlights are black with a red band.

## 4. PRODUCT OVERVIEW

The Victoper A1200T is a high-performance, rechargeable LED flashlight designed for various outdoor and indoor applications. It features a durable aluminum body, multiple lighting modes, and an adjustable zoom function.

### Key Features:

- **High Lumens Output:** Provides powerful illumination.
- **5 Lighting Modes:** High, Medium, Low, Strobe, and SOS for versatile use.
- **Zoomable Function:** Adjusts from a wide floodlight to a focused spotlight.
- **USB Rechargeable:** Convenient charging via USB cable.
- **IP65 Waterproof:** Resistant to dust and water splashes.
- **Durable Construction:** Made from aluminum alloy for longevity.



Graphic illustrating the Victoper A1200T flashlight's powerful beam, reaching up to 200 meters (656 feet). It also demonstrates the adjustable zoom feature, showing how to widen or narrow the light beam.

## 5. SETUP

### Charging the Flashlight:

1. Locate the USB charging port on the flashlight. It is typically covered by a rubber flap for protection.
2. Open the rubber flap and insert the small end of the provided USB charging cable into the flashlight's port.
3. Connect the larger end of the USB cable to a compatible 5V2A USB power source (e.g., power bank, laptop, car charger, or wall adapter).

4. The indicator light near the charging port will illuminate **red** to indicate that the flashlight is charging.
5. Once fully charged, the indicator light will turn **green**.
6. Disconnect the charging cable and securely close the rubber flap to maintain the flashlight's waterproof rating.

**Note: Please use an adapter below 5V2A for charging to avoid failure to charge due to high-power adapters.**



Diagram explaining the USB rechargeable feature of the Victoper A1200T flashlight. It shows the charging port, red indicator for charging, green for fully charged, and recommends using a 5V2A adapter with examples like power banks, laptops, car chargers, and wall adapters.

# BUILT-IN LONG LASTING BATTERY

**15H  
1800MAH**



USB-C  
Rechargeable

Image highlighting the built-in 1800mAh battery of the Victoper A1200T flashlight, providing up to 15 hours of continuous operation on a single charge.

## 6. OPERATING INSTRUCTIONS

### Power On/Off and Mode Switching:

1. To turn the flashlight **ON**, press the power button located on the tail cap or side of the flashlight. It will typically start in High mode.
2. To cycle through the lighting modes (High → Medium → Low → Strobe → SOS), press the power button repeatedly while the flashlight is on.
3. To turn the flashlight **OFF**, press and hold the power button for approximately 5 seconds in any mode.

Alternatively, if you cycle through all modes, the flashlight will turn off after the SOS mode.



Visual representation of the five distinct lighting modes available on the Victoper A1200T flashlight: High, Medium, Low, Strobe, and SOS. Each mode is depicted with a corresponding scenario.

#### Adjusting the Zoom:

The Victoper A1200T features an adjustable head for zooming. To adjust the beam:

- Gently push the head of the flashlight forward to narrow the beam into a focused spotlight.
- Pull the head of the flashlight backward to widen the beam into a broad floodlight.

## 7. MAINTENANCE

## Cleaning:

- Wipe the flashlight body with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Keep the lens clean for optimal light output. Use a lens cleaning cloth if necessary.

## Storage:

- Store the flashlight in a cool, dry place away from direct sunlight and extreme temperatures.
- For long-term storage, ensure the battery is partially charged (around 50%) to prolong its lifespan. Recharge every 3-6 months if not in use.



Illustration of the Victoper A1200T flashlight's IP65 waterproof rating, demonstrating its resilience in rainy and snowy conditions. The image also emphasizes its durable construction.

## 8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Flashlight does not turn on.	Battery is depleted.	Charge the flashlight using the provided USB cable.
Flashlight does not charge.	Charging cable or adapter is faulty. Incorrect adapter voltage.	Try a different USB cable or 5V2A adapter. Ensure the adapter is 5V2A or lower.
Light output is dim.	Battery is low. Lens is dirty.	Recharge the flashlight. Clean the lens with a soft cloth.
Zoom function is stiff.	Dirt or debris in the mechanism.	Clean the exterior of the flashlight. Avoid forcing the zoom mechanism.

## 9. SPECIFICATIONS

Feature	Detail
Model	A1200T
Light Source Type	LED
Power Source	Battery Powered (Built-in Rechargeable)
Battery Capacity	1800mAh
Runtime	Up to 15 hours
Special Feature	Adjustable Focus (Zoomable)
Lighting Modes	High, Medium, Low, Strobe, SOS
Material	Aluminum
Color	Black
Waterproof Rating	IP65
Product Dimensions	5.12"D x 1.38"W (approx. 13cm x 3.5cm)
Item Weight	12.8 ounces (for the pack)
Manufacturer	Yiwu Yunmai Electronic Commerce Co., Ltd.

## FOR ANY SITUATION



Image displaying the compact dimensions of the Victoper A1200T flashlight (5.12 inches length, 1.38 inches width) and showcasing its versatility in different scenarios such as cycling, outdoor exploration, and reading.

### 10. WARRANTY AND SUPPORT

Victoper products are designed for reliability and performance. For any questions, technical support, or warranty claims, please contact our customer service team. Please have your purchase information and model number ready when contacting support.

For further assistance, please visit the official Victoper store or contact your retailer.

© 2025 Victoper. All rights reserved.