

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [Victoper](#) /

> [Victoper A1200T Rechargeable LED Flashlight User Manual](#)

## Victoper A1200T

# Victoper A1200T Rechargeable LED Flashlight User Manual

Model: A1200T

Thank you for choosing the Victoper A1200T Rechargeable LED Flashlight. This manual provides essential information for safe and efficient operation.

## 1. INTRODUCTION

The Victoper A1200T is a high-performance, rechargeable LED flashlight designed for various applications, including outdoor activities, emergency situations, and general household use. Its durable construction, multiple lighting modes, and convenient USB-C charging make it a reliable tool.



Figure 1: Victoper A1200T Flashlight Overview

## 2. PACKAGE CONTENTS

Please check the package for the following items:

- 2 x Victoper A1200T Rechargeable LED Flashlights
- 2 x Rechargeable Batteries (pre-installed or separate)
- 2 x USB-C Charging Cables
- 1 x User Manual

### 3. PRODUCT FEATURES

- **High Lumens Output:** Provides powerful illumination for various environments.
- **5 Lighting Modes:** High, Medium, Low, Strobe, and SOS for versatile use.
- **Zoomable Function:** Adjustable focus from a wide floodlight to a concentrated spotlight.
- **USB-C Rechargeable:** Built-in rechargeable battery with convenient USB-C charging.
- **Durable Construction:** Crafted from aircraft-grade aluminum alloy with IP65 waterproof rating.
- **Compact and Portable:** Pocket-sized design for easy carrying.



Figure 2: Compact Design for Portability

### 4. SETUP

#### 4.1 Initial Charging

1. Before first use, fully charge the flashlight.
2. Locate the USB-C charging port, usually covered by a rubber flap for waterproofing.
3. Connect the provided USB-C cable to the flashlight and a compatible USB power source (e.g., wall adapter, power bank, computer).
4. The indicator light will show charging status (e.g., red for charging, green for fully charged).
5. Charging typically takes 3-4 hours.



Figure 3: USB-C Charging Port and Indicators

**Important: Please use an adapter below 5V2A for charging to avoid failure to charge due to high-power adapters.**

## 5. OPERATING INSTRUCTIONS

### 5.1 Power On/Off and Mode Selection

1. To turn the flashlight ON, press the power button located at the tail cap.
2. To cycle through the 5 lighting modes (High, Medium, Low, Strobe, SOS), press the power button repeatedly while the flashlight is ON.
3. To turn the flashlight OFF, press and hold the power button for approximately 5 seconds in any mode. Alternatively, cycle through all modes until it turns off.



Figure 4: 5 Lighting Modes and Power Button Operation

### 5.2 Zoom Function

The flashlight features an adjustable head for zooming the beam:

- **Zoom In (Floodlight):** Pull the head of the flashlight backward to widen the beam for a broader area of illumination.
- **Zoom Out (Spotlight):** Push the head of the flashlight forward to narrow the beam for a concentrated, long-distance light.



Figure 5: Zoom In for Wider Sight



Figure 6: Zoom Out for Brighter Light in Focal Site

## 6. PRODUCT DEMONSTRATION

### 6.1 Victoper New Rechargeable Flashlight Video

Your browser does not support the video tag.

Video 1: This video demonstrates the key features of the Victoper A1200T flashlight, including its 5 lighting modes, USB-C charging, and zoomable function. It provides a visual guide to operating the device and highlights its versatility.

## 7. MAINTENANCE

- **Cleaning:** Wipe the flashlight with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Storage:** Store the flashlight in a cool, dry place away from direct sunlight and extreme temperatures.
- **Battery Care:** To prolong battery life, charge the flashlight regularly, even if not in frequent use. Avoid fully discharging the battery for extended periods.
- **Water Resistance:** Ensure the USB-C port's rubber flap is securely closed to maintain IP65 water resistance.



Figure 7: IP65 Waterproof Feature

## 8. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Flashlight does not turn on.	Low battery; Faulty battery connection; Power button issue.	Charge the flashlight fully. Ensure the battery is correctly inserted. Contact support if the issue persists.
Light is dim or flickers.	Low battery; Loose connections.	Recharge the flashlight. Ensure all parts are securely tightened.
Flashlight not charging.	Faulty cable/adaptor; Charging port obstruction.	Try a different USB-C cable and adapter (ensure 5V2A or lower). Clean the charging port gently.

## 9. SPECIFICATIONS

Feature	Detail
Model	A1200T
Light Source Type	LED
White Brightness	656 Lumens
Power Source	Battery Powered (Rechargeable)
Battery Capacity	1800 mAh (Lithium Polymer)
Charging Port	USB-C
Material	Aluminum
Water Resistance Level	IP65 Waterproof
Special Feature	Adjustable Focus (Zoomable)
Product Dimensions	5"D x 1"W x 4"H
Item Weight	12.6 ounces
Battery Life	50,000 Hours (LED lifespan)



Figure 8: Built-in 1800mAh Long-lasting Battery

## 10. WARRANTY INFORMATION

---

The Victoper A1200T Rechargeable LED Flashlight comes with a Limited Warranty. Please refer to the product packaging or contact Victoper customer support for specific warranty terms and conditions.

## 11. CUSTOMER SUPPORT

---

For any questions, concerns, or technical assistance, please contact Victoper customer support through the retailer where the product was purchased or visit the official Victoper website.

**Online Store:** [Victoper Amazon Store](#)

## 12. SAFETY INFORMATION

---

- Do not look directly into the LED light to avoid eye injury.
- Keep out of reach of children.
- Do not disassemble the flashlight, as this may void the warranty and cause damage.
- Avoid exposing the flashlight to extreme heat or fire.