

[Manuals.plus](#) /

› [LINKHOO](#) /

› LINKHOO 10' x 8' Large Outdoor Storage Shed Instruction Manual

LINKHOO SWF-SS-136-0916

LINKHOO 10' x 8' Large Outdoor Storage Shed Instruction Manual

Model: SWF-SS-136-0916

SAFETY INFORMATION

WARNING: Safety warnings related to assembly and proper usage are provided with the product. Always follow these warnings to prevent injury or damage.

When handling metal components, always wear appropriate protective gloves to avoid cuts or scrapes from sharp edges.

Ensure a level foundation before beginning assembly to guarantee stability and proper function of the shed.

PRODUCT OVERVIEW

The LINKHOO 10' x 8' Large Outdoor Storage Shed provides a spacious and durable solution for your outdoor storage needs. Constructed from galvanized steel, it is designed to withstand various weather conditions.

Key Features:

- **Spacious & Multi-Functional:** This 80 sq.ft outdoor storage shed offers versatile space for gardening tools, seasonal gear, or as a compact workshop.
- **Durable Construction:** Made with 24/34-gauge galvanized steel, resistant to rust, strong winds (up to 6 Beaufort), and heavy snow.
- **Ventilation & Light:** Features 4 vents and a translucent window to prevent humidity damage and provide natural light.
- **Lockable Sliding Doors:** Equipped with sliding doors for easy access and security (padlock not included).



Figure 1: Overall dimensions and features of the LINKHOO 10' x 8' Storage Shed.




Figure 2: Interior view highlighting the steel frame construction and ample storage space.




Figure 3: Exterior view showcasing the translucent windows for natural light.


- 1** Bolt pre-drilled frame pieces on leveled ground.



- 2** Secure main galvanized steel sheets.



- 3** Install roof frame.



- 4** Secure roof sheets.




Figure 4: Details of the double lockable doors, durable hinges, and louver vents.

LARGE



Rain Proof



UV Proof



Rust Proof



Figure 5: Top-down view illustrating the 80 sq.ft storage capacity.

SETUP (ASSEMBLY INSTRUCTIONS)

Assembly requires two people and power tools. Begin by assembling the frame and ensuring a level foundation. Follow the step-by-step manual provided with the product.

Assembly Steps Overview:



Figure 6: Visual guide to the main assembly stages.

Official Assembly Videos:

Video 1: Detailed installation guide for the sliding door mechanism. (Duration: 18:06)

Video 2: General assembly steps for a similar 8x10ft metal shed. (Duration: 10:27)

Video 3: Assembly overview for a LINKHOO 6' x 4' Metal Storage Shed. Note: This video is for a different size, but may provide general assembly insights. (Duration: 1:36)

Video 4: Overview of a LINKHOO 11.2x10.6 Ft Shed. Note: This video is for a different size, but may provide general assembly insights. (Duration: 12:07)

Video 5: Short overview of a LINKHOO Metal Storage Shed. Note: This is a 5-second preview video. (Duration: 0:05)

OPERATING INSTRUCTIONS

The shed features sliding doors for easy access. To open, slide the doors along their tracks. To close, ensure the doors

are fully shut and engage the latch mechanism. A padlock (purchased separately) can be used to secure the doors.

MAINTENANCE

The shed is constructed from 24/34-gauge galvanized steel, offering excellent resistance to rust, wind, and snow. To maintain its condition and ensure a long lifespan:

- Regularly inspect the shed for any loose screws or bolts and tighten them as needed.
- Keep the roof clear of excessive debris, especially heavy snow, to prevent structural strain.
- Clean the exterior periodically with mild soap and water to remove dirt and maintain appearance.
- Ensure the sliding door tracks are free of obstructions for smooth operation.




Figure 7: The shed is built to withstand various weather conditions, including snow, wind, and rain.

TROUBLESHOOTING

- **Leaks:** If leaks occur, particularly from the roof, check the roof screws. It may be necessary to replace standard

screws with metal roofing screws that include rubber grommets for a better seal.

- **Door Misalignment:** Ensure the shed is on a perfectly level foundation. An uneven base can cause doors to not close properly or slide smoothly.
- **Stability Issues:** For optimal performance and storm resistance, anchor the shed to a DIY raised wooden base (10–15 cm) or a solid concrete foundation.

SPECIFICATIONS

Feature	Detail
Brand	LINKHOO
Model Number	SWF-SS-136-0916
Product Dimensions	118"D x 102"W x 81"H (Approx. 10'D x 8.5'W x 6.75'H)
Material	Galvanized Steel
Color	Yellow
Water Resistance Level	Water Resistant
Door Style	Sliding Doors
Assembly Required	Yes
Item Weight	63.8 pounds

WARRANTY AND SUPPORT

The product is backed by reliable support, including free replacements for missing parts. For any inquiries or assistance, 24/7 customer service is available.

This product is eligible for 30-day easy returns.

For further support, please visit the [LINKHOO Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0FR8BBY6W>

More documents and user manuals: <https://manuals.plus/>