



[Manuals.plus](#) /

> [Opuladuo](#) /

> Opuladuo 6-Inch Pruning Chainsaw Chain for HART HGCS071 User Manual

## Opuladuo 6 Inch

# Opuladuo 6-Inch Pruning Chainsaw Chain for HART HGCS071 User Manual

Model: 6 Inch

## INTRODUCTION

---

This manual provides essential information for the safe and effective use of your Opuladuo 6-inch replacement pruning chainsaw chain, specifically designed for the HART HGCS071 pruning saw. Please read these instructions carefully before installation and operation to ensure proper function and safety.

## SAFETY INFORMATION

---

Always prioritize safety when working with power tools. Failure to follow safety guidelines can result in serious injury.

- **Wear appropriate personal protective equipment (PPE):** This includes safety glasses, gloves, and hearing protection.
- **Ensure the chainsaw is powered off and unplugged:** Before performing any maintenance, installation, or adjustment, disconnect the power source.
- **Inspect the chain and saw regularly:** Check for damage, wear, or loose components.
- **Keep bystanders clear:** Maintain a safe distance from the work area.
- **Handle chains with care:** Chains are sharp. Use gloves to prevent cuts.

## PACKAGE CONTENTS

---

Verify that all items are present in the package:

- 2 x Opuladuo 6-Inch Pruning Chainsaw Chains
- 1 x Storage Case (if included)



Image: Two Opladuo 6-inch chainsaw chains are neatly coiled and placed inside a transparent plastic storage case. The case features the "Opladuo" brand logo and "CHAINSAW CHAIN" text on a wood-grain background label.

## SETUP: CHAIN INSTALLATION

---

Follow these steps to safely install the replacement chain on your HART HGCS071 pruning saw.

1. **Prepare the Saw:** Ensure the pruning saw is turned off and the battery is removed (for cordless models) or unplugged (for corded models).
2. **Remove the Bar Cover:** Locate and loosen the nuts or screws holding the bar cover in place. Carefully remove the cover.
3. **Remove Old Chain and Bar:** Take off the old chain and guide bar. Inspect the drive sprocket for wear and replace if necessary.
4. **Install New Chain:** Place the new Opladuo chain onto the guide bar, ensuring the cutting teeth are facing the correct direction (away from the saw body on the top edge of the bar).
5. **Position Bar and Chain:** Fit the guide bar and chain assembly onto the saw, ensuring the chain engages with the

drive sprocket.

6. **Replace Bar Cover:** Reattach the bar cover and hand-tighten the nuts or screws. Do not fully tighten yet.
7. **Adjust Chain Tension:** Adjust the chain tensioning screw until the chain is snug against the guide bar but can still be pulled freely by hand. There should be no slack on the underside of the bar, but it should not be overly tight.
8. **Final Tightening:** Fully tighten the bar cover nuts or screws.
9. **Lubricate:** Apply appropriate chainsaw bar and chain oil to the chain and guide bar before first use.



Image: Two new Opladuo 6-inch chainsaw chains are shown in a coiled state, illustrating their compact form before being stretched onto a guide bar. The chains are made of durable metal with sharp cutting teeth.




Image: A detailed close-up view of the Opoladuo chainsaw chain highlights the individual cutting teeth and drive links. The image emphasizes the precision and sharpness of the chain's components, crucial for effective cutting.

## OPERATING INSTRUCTIONS

---

Once the chain is correctly installed and tensioned, you can begin operating your HART HGCS071 pruning saw. Always refer to your saw's original instruction manual for specific operating procedures and safety warnings.

- **Pre-Operation Check:** Before each use, check the chain tension, ensure the chain is properly lubricated, and inspect for any damage.
- **Proper Grip:** Always hold the pruning saw firmly with both hands.
- **Cutting Technique:** Allow the chain to do the work. Do not force the saw. Start cuts slowly and maintain control.
- **Avoid Kickback:** Be aware of the kickback zone at the tip of the guide bar. Avoid cutting with this area.
- **Clear Work Area:** Ensure your work area is free of obstacles and debris.



Image: This image displays two Opuladuo chainsaw chains, with a circular inset magnifying a section of the chain. The magnified view clearly shows the hardened steel teeth and rivets, indicating the chain's robust construction and sharpness for efficient cutting.

## MAINTENANCE

---

Regular maintenance extends the life of your chainsaw chain and ensures optimal performance.

- **Chain Lubrication:** Ensure your saw's automatic oiler is functioning correctly, or manually apply bar and chain oil frequently during operation.
- **Chain Sharpening:** Sharpen the chain regularly to maintain cutting efficiency. Refer to your saw's manual for the correct file size and angle. Dull chains can cause kickback and strain the saw motor.
- **Chain Tension:** Check chain tension frequently, especially during the first hour of use with a new chain, and adjust as needed. A loose chain can derail, and an overly tight chain can cause premature wear.
- **Cleaning:** After each use, clean debris from the guide bar groove and around the sprocket.
- **Storage:** When not in use, store the chain in a dry place, ideally in its protective case, to prevent rust and damage.



Image: Two Opuladuo chainsaw chains are displayed against a backdrop of neatly stacked firewood. This visual context emphasizes the chains' intended use for cutting wood, highlighting their readiness for demanding tasks.

## TROUBLESHOOTING

If you encounter issues with your Opuladuo chainsaw chain, consider the following common problems and solutions:

Problem	Possible Cause	Solution
Chain not cutting efficiently	Dull chain, incorrect chain tension, insufficient lubrication.	Sharpen the chain, adjust tension, ensure proper lubrication.
Chain smoking or overheating	Insufficient lubrication, incorrect chain tension (too tight), dull chain.	Check oil level and flow, adjust chain tension, sharpen chain.
Chain derails from guide bar	Loose chain tension, worn guide bar, damaged drive sprocket.	Adjust chain tension, inspect and replace guide bar or sprocket if worn.

For issues not covered here, consult the original HART HGCS071 pruning saw manual or contact Opuladuo customer support.

## SPECIFICATIONS

- 
- **Product Type:** Replacement Chainsaw Chain
  - **Brand:** Opuladuo
  - **Size:** 6 Inch
  - **Compatibility:** HART HGCS071 Pruning Saw
  - **Quantity:** 2 Chains per package
  - **Material:** Hardened Steel
  - **Item Weight:** Approximately 4.8 ounces (for the package)
  - **Package Dimensions:** Approximately 4 x 2 x 0.5 inches

## WARRANTY AND SUPPORT

---

For warranty information or technical support regarding your Opuladuo 6-inch pruning chainsaw chain, please refer to the seller's policies on the purchase platform or contact Opuladuo customer service directly. Keep your purchase receipt as proof of purchase.

**Manufacturer:** Opuladuo

**ASIN:** B0FRDNGS2V

© 2025 Opuladuo. All rights reserved.

This manual is for informational purposes only. Always follow the safety guidelines provided by your power tool manufacturer.