Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VEVOR W8515D

VEVOR One-Piece Toilet Instruction Manual

Model: W8515D

Brand: VEVOR

Introduction
Features
Dimensions
Included Components
Setup & Installation
Operating Instructions
Maintenance
Troubleshooting
Specifications
Warranty & Support

1. Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your VEVOR One-Piece Toilet, Model W8515D. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.

2. Key Features

- **Seamless Easy Clean:** The one-piece design eliminates gaps between the tank and base, simplifying cleaning and preventing dirt accumulation.
- **Compact Design:** Measuring 27.56 x 15.2 x 29.02 inches (700 x 387 x 737 mm), this toilet is suitable for smaller bathrooms, maximizing space with its sleek, modern appearance.
- **Dual Flush System:** Offers 1.0 GPF (gallons per flush) for liquid waste and 1.28 GPF for solid waste, promoting water conservation and efficient cleaning.
- **Durable Glazed Finish:** Features a premium, high-temperature fired glaze that resists wear and minimizes dirt adhesion, ensuring a cleaner and more visually appealing surface.
- **Comfortable Seat Height:** Designed with a 17.52 inch (445 mm) seat height, providing improved accessibility and comfort for seniors, expectant mothers, and taller users.



Image: The seamless one-piece design of the VEVOR toilet, highlighting its smooth, easy-to-clean surfaces.



Image: A VEVOR toilet illustrating its compact dimensions, ideal for limited bathroom spaces.



Image: Diagram showing the dual-flush system (1.0 GPF and 1.28 GPF) and the vortex jet flush for efficient cleaning.



Image: A close-up view of the toilet's durable glazed finish, emphasizing its sanitary and scratch-resistant properties.



Image: An illustration demonstrating the comfortable 17.52-inch (445 mm) seat height, ideal for various users.

3. Dimensions

Refer to the diagram below for detailed measurements of the VEVOR One-Piece Toilet.

- **Product Dimensions (Depth x Width x Height):** 27.56" x 15.2" x 29.02" (700 x 387 x 737 mm)
- **Seat Height:** 17.52 inches (445 mm)
- **Rough-In:** 12 inches



Item Model Number: **W8515D**
Height with Seat: **17.52 inch (445mm)**
Flush Type: **Dual Flush**
Tank Capacity: **13.8L**
Net Weight: **99.58 lbs / 45.16 kg**
Product Dimensions: **27.56 × 15.2 × 29.02 inch / 700 × 387 × 737 mm**
Accessories: **1 x One-Piece Toilet、1 x Tank Lid、1 Set x Toilet Seat Cover**
1 Set x Top Push Button、1 Set x American 7-Shaped Floor Bolt Kit (includes 2 x T-Shaped Bolts, 2 x L30 Mounting Bolts, 2 x Nuts, 2 x Washers, 2 x L60 Self-Tapping Screws, 2 x Decorative Caps, 2 x Plastic Pads)
2 x Foot Chains、1 x American Copper-Plated Wax Ring、1 x User Manual

Image: A comprehensive diagram displaying all key dimensions of the VEVOR One-Piece Toilet, including height, width, depth, and seat height.

4. Included Components

The following items are included with your VEVOR One-Piece Toilet:

- 1 x One-Piece Toilet
- 1 x Tank Lid
- 1 x Toilet Seat Cover
- 1 x Top Push Button
- 1 Set x American 7-Shaped Floor Bolt Kit (includes 2 x T-Shaped Bolts, 2 x L30 Mounting Bolts, 2 x Nuts, 2 x Washers, 2 x L60 Self-Tapping Screws, 2 x Decorative Caps, 2 x Plastic Pads)
- 2 x Foot Chains
- 1 x American Copper-Plated Wax Ring
- 1 x User Manual

5. Setup and Installation

Proper installation is crucial for optimal performance and to prevent leaks. It is recommended to consult a professional plumber for installation if you are not experienced with plumbing work.

Pre-Installation Checklist

- Ensure all included components are present and undamaged.
- Verify the 12-inch rough-in measurement in your bathroom for compatibility.
- Turn off the main water supply to the bathroom before beginning installation.

Installation Tips

- **Water Inlet Valve Position:** Install the water inlet valve on the left or right side of the toilet, 6-8 inches (15-20 cm) above the floor for easy access and connection.
- **Water Supply Line Compatibility:** The toilet is compatible with two standard water inlet sizes, offering flexibility during installation.



Image: Visual guide for water inlet valve placement and water supply line connection during toilet installation.

6. Operating Instructions

The VEVOR One-Piece Toilet features a dual-flush system designed for efficient water usage. The flush mechanism is located on the top of the tank.

- **Partial Flush (1.0 GPF):** Press the *smaller button* on the top of the tank for liquid waste. This option uses less water, contributing to water conservation.
- **Full Flush (1.28 GPF):** Press the *larger button* on the top of the tank for solid waste. This option provides a stronger flush for effective waste removal.

The integrated vortex jet flush system ensures a powerful and thorough cleaning of the bowl with each flush.

7. Maintenance and Cleaning

The VEVOR One-Piece Toilet is designed for easy maintenance and cleaning due to its seamless, skirted design and durable glazed finish.

- **Exterior Cleaning:** Wipe down all exterior surfaces with a soft cloth and a mild, non-abrasive bathroom cleaner. The smooth, gap-free design prevents dirt and grime from accumulating in hard-to-reach areas.
- **Interior Cleaning:** Use a toilet brush and a non-abrasive toilet bowl cleaner. Apply the cleaner, scrub the bowl thoroughly, and then activate a full flush to rinse.
- **Seat Care:** The plastic toilet seat is easy to clean with a soft cloth and mild soap. Avoid using harsh chemicals or abrasive scrubbers, as these can damage the seat material. The soft-close feature helps prevent slamming and extends the life of the seat.
- **Floor Area:** The skirted design covers the floor bolts, making it easier to sweep and mop around the base of the toilet without obstructions.

8. Troubleshooting

If you encounter any issues with your VEVOR One-Piece Toilet, please refer to the following common solutions before contacting customer support.

Common Issues and Solutions

- **Weak Flush:** Ensure the water supply valve behind the toilet is fully open. Check the water level in the tank; it should be at the recommended fill line.
- **Continuous Running Water:** Inspect the flapper or flush valve inside the tank for proper sealing. Ensure no debris is preventing it from closing completely. Adjust the fill valve if the water level is too high.
- **Leaking at Base:** Verify that the toilet is securely bolted to the floor and that the wax ring is properly sealed between the toilet and the drain pipe. Tighten the floor bolts if necessary, but do not overtighten to avoid cracking the ceramic.
- **Slow Tank Refill:** Check for any obstructions in the fill valve or the water supply line. Ensure the water supply valve is fully open.

For persistent problems or issues not listed here, contact VEVOR customer support for further assistance.

9. Technical Specifications

Feature	Detail
Model Number	W8515D
Brand	VEVOR

Feature	Detail
Color	White
Material	Ceramic (Toilet), Plastic (Seat)
Flush Type	Dual Flush (1.0 GPF / 1.28 GPF)
Product Dimensions (D x W x H)	27.56" x 15.2" x 29.02" (700 x 387 x 737 mm)
Seat Height	17.52 inches (445 mm)
Rough-In	12 inches
Item Weight	99.6 Pounds
Installation Method	Floor Mounted
UPC	197988160236

10. Warranty and Support

For detailed warranty information, technical support, or to inquire about replacement parts, please visit the official VEVOR website or contact their customer service directly. Keep your purchase receipt for warranty claims.
Online Resources: www.vevor.com

© 2026 VEVOR. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0FRF6HGZL

More documents and user manuals: **https://manuals.plus/**