

TIDEWE BL008-CG-TE-AMZ

TIDEWE 360-Degree See-Through Pop-Up Hunting Blind User Manual

Model: BL008-CG-TE-AMZ

1. INTRODUCTION

This manual provides detailed instructions for the setup, operation, maintenance, and troubleshooting of your TIDEWE 360-Degree See-Through Pop-Up Hunting Blind. Designed for stealth hunting activities, this ground blind offers a panoramic view and robust construction for various weather conditions.

2. PRODUCT FEATURES

- **360° See-Through Design:** Utilizes fabric perforation technology for a unidirectional see-through effect, providing a panoramic view while maintaining concealment.
- **Detachable Blackout Panel:** Includes a 300D blackout panel for switching between 270° and 360° visual ranges, ensuring internal activity concealment.
- **Full Open Swing Door:** Side door opens fully to 90 degrees for convenient entry and equipment retrieval. Features silent buckles and straps for quiet operation.
- **Optimized Hunting Windows:** Equipped with one rectangular window and nine trapezoidal windows with dual silent sliding rails for quiet adjustment.
- **Safety Panels:** Each side includes over 160 square inches of removable blaze orange safety panels for visibility to others when needed.
- **Durable Construction:** Built with tough metal hubs, reinforced corners, and resilient strapping to withstand rain, snow, and strong winds.
- **Easy Portability:** Pop-up design allows for quick setup and takedown. Includes a lightweight portable carrying bag.

3. PACKAGE CONTENTS

Verify that all components are present in your package:

- 1 x Hunting Blind

- 1 x Carrying Bag
- 1 x Blackout Panel
- 4 x Tie-Down Ropes
- 8 x Ground Stakes



Image: All components included in the package, laid out on a map background.

4. SETUP INSTRUCTIONS

The TIDEWE Pop-Up Hunting Blind is designed for quick and easy assembly. Follow these steps for proper setup:

1. **Unpack the Blind:** Remove the blind from its carrying bag and lay it flat on the ground.
2. **Pop Up the Roof:** Locate the roof pull ring and pull it upwards until the roof structure locks into place.
3. **Extend the Walls:** Pull the pull rings on each wall outwards until each wall panel is fully extended and locked.
4. **Secure the Blind:** Use the provided ground stakes to secure the blind to the ground through the loops at the base. Attach the tie-down ropes to the designated points on the blind and stake them into the ground for added stability, especially in windy conditions.

What Will You Get

- 1 X BLIND
- 1 X CARRYING BAG
- 1 X BLACKOUT PANEL
- 4 X TIE-DOWN ROPES
- 8 X GROUND STAKES



Image: A visual guide showing three steps for setting up the hunting blind: pulling the roof ring, pulling wall rings, and the blind standing up.




Image: The TIDEWE hunting blind fully erected and camouflaged in a natural outdoor setting.

5. OPERATION

5.1. Entry and Exit

The blind features a large swing door for easy access. Unfasten the buckles and straps to open the door silently. To close, simply swing the door shut and secure the buckles and straps.

FULL OPEN SWING DOOR



EASY TO GET IN AND OUT

Image: A hunter demonstrating the wide-opening swing door of the blind, allowing for easy entry with gear.

5.2. Window Adjustment

The blind is equipped with multiple windows featuring silent sliding rails. Gently slide the window panels to adjust your shooting or viewing aperture without creating noise that could disturb wildlife.

GREAT STEALTH HUNTING FEATURES



**Buckles and Straps on
The Door**



**Toggle and Loop
Fastening**



**Silent Window
Sliders**



Image: Detailed view of the silent window sliders and door buckles, highlighting the quiet operation features.

5.3. 360° See-Through and Blackout Panel

The unique fabric allows for a 360° view from inside while remaining concealed from the outside. For situations requiring complete darkness or a reduced viewing angle, attach the removable 300D blackout panel to any side of the blind to switch to a 270° viewing range.

4 FULL PANELS OF SEE THROUGH FABRIC




INVISIBLE INSIDE FROM OUTSIDE

Image: A hunter seated inside the blind, looking out through the mesh, illustrating the 360-degree visibility.

A DETACHABLE 300D BLACKOUT PANEL

A Detachable 300D
Blackout Panel

ACHIEVING **270°/360°**
VISUAL RANGE SWITCH



BE ABLE TO HANG ON ANY SIDE

Image: A visual representation of the detachable blackout panel and how it can be used to adjust the viewing range from 360° to 270°.

6. MAINTENANCE

To ensure the longevity and performance of your hunting blind, follow these care instructions:

- **Cleaning:** The blind is recommended for dry clean only. Do not machine wash or tumble dry.
- **Storage:** After each use, ensure the blind is completely dry before folding and storing it in its carrying bag.

Store in a cool, dry place away from direct sunlight.

- **Inspection:** Periodically inspect the fabric, zippers, buckles, and frame for any signs of wear or damage. Address any issues promptly to prevent further damage.

7. TROUBLESHOOTING

If you encounter any issues with your TIDEWE Hunting Blind, refer to the following common solutions:

- **Blind Not Standing Firmly:** Ensure all hub mechanisms are fully extended and locked. Verify that all ground stakes and tie-down ropes are properly secured.
- **Difficulty Folding:** Ensure all hub mechanisms are disengaged before attempting to fold. Follow the reverse of the setup instructions carefully.
- **Windows Sticking:** Check for any debris or obstructions in the silent sliding rails. Clean the rails if necessary.

For further assistance, please contact TIDEWE customer support.

8. SPECIFICATIONS

Feature	Detail
Brand	TIDEWE
Model Name	BL008-TE-AMZ
Product Dimensions (2-3 Person)	58.5"L x 58.5"W x 66.5"H
Item Weight (2-3 Person)	16.9 Pounds
Occupancy	2-3 Person
Material	300D Polyester, Metal
Color	Camouflage (Forest Fade)
Water Resistance Technology	300D Fabric (Water Repellent)
Number of Doors	1 (Swing Door)
Number of Windows	10 (1 rectangular, 9 trapezoidal)
Assembly Time	Approximately 1 Minute
Included Components	Blind, Carrying bag, Shading curtain, 4 Ropes, 8 Stakes

Note: Dimensions and weight may vary slightly between 2-3 Person and 3-4 Person models. The specifications listed are primarily for the 2-3 Person model.



Image: A graphic displaying the dimensions and capacity for both the 2-3 person and 3-4 person models of the hunting blind.

9. WARRANTY AND SUPPORT

Your TIDEWE Hunting Blind comes with a **1 Year Limited Warranty**. For warranty claims, product support, or any questions not covered in this manual, please contact TIDEWE customer service through their official website or the retailer where the product was purchased.

© 2025 TIDEWE. All rights reserved.