

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [BARNETT](#) /

› [BARNETT Wildcat CRX Crossbow Bundle Instruction Manual](#)

BARNETT BAR78202

BARNETT Wildcat CRX Crossbow Bundle Instruction Manual

Model: BAR78202

INTRODUCTION

This manual provides essential instructions for the safe and effective use of your BARNETT Wildcat CRX Crossbow Bundle. Please read this manual thoroughly before assembly, operation, or maintenance to ensure proper handling and to prevent injury or damage to the product.

SAFETY INFORMATION

Your BARNETT Wildcat CRX Crossbow is designed with several safety features. Adherence to all safety warnings and instructions is critical for preventing accidents.

- **Always** treat the crossbow as if it is loaded.
- **Never** point the crossbow at anything you do not intend to shoot.
- Keep your fingers and thumb below the flight track and within the pass-through foregrip to avoid injury during firing.
- The Anti-Dry Fire system prevents the crossbow from firing without an arrow properly seated. Do not attempt to override this safety feature.
- Always use appropriate eye protection when operating the crossbow.
- Ensure your target area is clear and safe before shooting.

SAFETY FEATURES

Finger Safety Reminders



Pass-Through Foregrip

Anti-Dry Fire System

Figure 1: Key Safety Features - Finger Safety Reminders and Anti-Dry Fire System.

PACKAGE CONTENTS

Verify that all components listed below are present in your BARNETT Wildcat CRX Crossbow Bundle package:

- BARNETT Wildcat CRX Crossbow
- Red Dot Scope
- 3 Headhunter 20" Arrows
- Broadheads (quantity not specified, typically 3)
- Sidemount Lightweight Quiver
- Rope Cocking Device
- Scope Armor Neoprene Cover
- Lubrication Wax

INCLUDED ACCESSORIES

Quick Detach
Quiver

3 HEADHUNTER
20" Carbon
Arrows

Lubrication
Wax

Red Dot

Rope
Cocking Device




Figure 2: Included Accessories with the Wildcat CRX Bundle.

SETUP

1. Assembly

The crossbow requires minimal assembly. Typically, this involves attaching the riser to the stock using the provided hardware, often three Allen screws. Refer to the detailed diagrams in the physical manual for precise steps.

2. Scope Mounting

Mount the red dot scope onto the integrated Picatinny rail. Secure it firmly using the scope's mounting hardware. Ensure the scope is positioned for comfortable eye relief.

3. Quiver Attachment

Attach the sidemount lightweight quiver to the designated mounting points on the crossbow. Ensure it is securely fastened to hold arrows safely.



Figure 3: Assembled Wildcat CRX Crossbow.

OPERATING INSTRUCTIONS

1. Cocking the Crossbow

Use the included rope cocking device for secure and consistent cocking. Place the rope cocking device hooks onto the string, position your feet in the stirrup, and pull upwards evenly until the string engages the trigger mechanism. The Rope-Hold Technology assists in maintaining consistent draw.



ROPE HOLD

**Secure, consistent cocking
for accurate and repeatable
shots**

Figure 4: Rope-Hold Technology for consistent cocking.

2. Loading an Arrow

Place a 20" Headhunter arrow onto the flight track, ensuring the nock is fully seated against the string. The Anti-Dry Fire system will prevent firing if the arrow is not correctly loaded.

3. Firing the Crossbow

With the crossbow cocked and an arrow loaded, disengage the safety. Aim at your target, keeping your fingers and thumb within the pass-through foregrip. Squeeze the trigger to fire. Always ensure the safety is engaged immediately after firing or if you are not ready to shoot.

MAINTENANCE

1. Lubrication

Regularly apply the included lubrication wax to the crossbow string and flight track. This reduces friction, extends string life, and maintains optimal performance. Refer to the physical manual for specific lubrication points and frequency.

2. General Care and Inspection

After each use, inspect the crossbow for any signs of wear, damage, or loose components. Clean the

crossbow with a soft, dry cloth. Store the crossbow in a cool, dry place, ideally with the string uncocked if storing for extended periods, to relieve tension.

TROUBLESHOOTING

If you encounter issues with your BARNETT Wildcat CRX Crossbow, consider the following common troubleshooting steps:

- **Crossbow will not cock:** Ensure the rope cocking device is correctly positioned and you are applying even pressure. Check for any obstructions.
- **Crossbow will not fire:** Verify that an arrow is fully seated against the string and the Anti-Dry Fire system is disengaged. Check that the safety is in the 'fire' position.
- **Inaccurate shots:** Inspect arrows for damage. Ensure the scope is securely mounted and properly sighted in. Check for any loose components on the crossbow.
- **Excessive string wear:** Ensure regular lubrication of the string and flight track. Avoid dry firing the crossbow.

For persistent issues, contact BARNETT customer support.

SPECIFICATIONS

Feature	Specification
Model Name	BAR78202
Brand	BARNETT
Color	Black
Material	Fiberglass
Archery Draw Weight	195 Pounds
Archery Draw Length	33 Inches
Item Dimensions (LxWxH)	31.5 x 10.5 x 4.25 inches
Item Package Dimensions (LxWxH)	31.1 x 10.3 x 4.4 inches
Package Weight	4.06 Kilograms
Speed	280 FPS
Energy	66 FT LBS
Width (Cocked)	18.4 inches
Width (Uncocked)	25.5 inches
Length	33 inches
Weight	6.1 lbs

LIGHTWEIGHT POWERFUL



18.4" **Width** (cocked)

25.5" **Width** (uncocked)

33" **Length**

Weight **6.1** **lbs**

Figure 5: Physical Dimensions and Weight.



Figure 6: Performance Specifications.

WARRANTY AND SUPPORT

Warranty Information

The BARNETT Wildcat CRX Crossbow Bundle comes with a manufacturer's warranty. For detailed information regarding warranty coverage, terms, and conditions, please refer to the warranty card included with your product or visit the official BARNETT website. The product specifications indicate to "Check User Manual for Warranty".

Customer Support

If you require assistance with assembly, operation, maintenance, or have any questions not covered in this manual, please contact BARNETT customer support. Contact details can typically be found on the BARNETT website or in the product packaging.