

FORIOUS FB-03155B


FORIOUS Matte Black 3-Hole Widespread Bathroom Sink Faucet

Model: FB-03155B

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your FORIOUS Matte Black 3-Hole Widespread Bathroom Sink Faucet. Please read this manual thoroughly before installation and retain it for future reference. Proper installation and care will ensure optimal performance and longevity of your faucet.

Hole for Installation



Max Deck Thickness:
1.2"



Hole Size:
1.26"min -1.38"max

Will This Faucet Fit My Sink ?



Image: Components of the FORIOUS Matte Black 3-Hole Widespread Bathroom Sink Faucet.

Bathroom Sink Faucet

Enhance your bathroom's aesthetics



Image: The faucet installed in a modern bathroom setting.

PRODUCT FEATURES

- **Leak-Free Design:** Constructed from corrosion-resistant stainless steel with a ceramic cartridge, tested for over 500,000 cycles to ensure leak-free performance.
- **Certified Quality:** Rigorously certified (cUPC, NSF/ANSI 61, DOE) for safety and reliability, ensuring durability and a sleek finish.
- **Easy 3-Hole Installation:** Designed for straightforward installation, suitable for both DIY enthusiasts and professionals. Includes 24-inch braided hoses (3/8" threads), a Y-connect adapter, and a pop-up drain.
- **CEC-Certified Water Efficiency:** Features swappable 1.2 and 1.8 GPM aerators, saving up to 30% water while maintaining a strong, steady flow. CEC compliance ensures energy efficiency.
- **Advanced Splash-Free Spout:** An extended 6.26-inch spout directs water precisely into the basin, minimizing splashes and keeping countertops dry. The aerated stream reduces noise.
- **Premium Matte Black Finish:** Features a fingerprint-resistant coating that resists scratches, rust, and fading, maintaining its aesthetic appeal over time.




Image: Illustration of the ceramic cartridge valve and its enhanced durability.



Image: Durable and heat-resistant supply lines with cUPC and Lead-Free certifications.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Faucet Body (Spout)
- 2 Handles (Hot & Cold)
- Pop-up Drain Assembly
- 24-inch Braided Hoses (3/8" threads)
- Y-Connect Adapter
- Installation Hardware
- Instruction Manual (this document)

SPECIFICATIONS

Brand	FORIOUS
Model Name	FB-03155B
Finish Type	Matte Black
Material	Stainless Steel
Number of Handles	2
Hole Count	3
Installation Type	Widespread
Maximum Flow Rate	1.8 Gallons Per Minute
Spout Height	4.02 Inches
Spout Reach	6.1 Inches
Item Weight	3.9 pounds
Product Dimensions	14 x 10.6 x 2.76 inches

SETUP AND INSTALLATION

1. Pre-Installation Requirements

- Ensure your sink has 3 holes with a centerset width between 6 and 12 inches.
- Maximum deck thickness should be 1.2 inches.
- Hole size should be between 1.26 inches and 1.38 inches.
- For sinks without overflow, the sink thickness must be greater than 0.76 inches.



Image: Sink hole and deck thickness requirements for faucet installation.



Image: Faucet dimensions and under-sink installation with supply lines.

2. Pop-up Drain Installation

Follow these steps to install the pop-up drain assembly:

1. Remove the locknut and the larger rubber gasket from the drain body.
2. Insert the drain body into the sink hole from above.
3. From underneath the sink, ensure the larger rubber gasket is oriented correctly (as shown in the video) and slide it onto the drain body.
4. Attach the locknut to the drain pipe and tighten it securely to prevent leaks.

Your browser does not support the video tag.

Video: Detailed guide for installing the FORIOUS pop-up drain. This video demonstrates how to properly assemble and secure the drain components to ensure a watertight seal.




Image: Features of the built-in pop-up drain filter, designed to prevent blockages and facilitate quick drainage.

3. Faucet Body and Handle Installation

Refer to the included diagram for proper placement of the faucet spout and handles into the designated sink holes. Secure them from underneath using the provided hardware.

4. Supply Line Connection

Connect the braided supply hoses to the hot and cold water lines. Use the Y-connect adapter if necessary. Ensure all connections are hand-tightened, then use a wrench for a final quarter-turn to prevent leaks without overtightening.

OPERATING INSTRUCTIONS

Your FORIOUS faucet features a two-handle design for precise control over water flow and temperature.

- **Temperature Control:** The left handle controls hot water (indicated by red), and the right handle controls cold water (indicated by blue). Adjust both handles to achieve your desired water temperature.
- **Flow Control:** Rotate the handles to increase or decrease water flow.



Image: Two-handle design for precise control of water flow and temperature.

Your browser does not support the video tag.

Video: Overview of the FORIOUS Vanity Bathroom Faucet, demonstrating its design and basic operation.

MAINTENANCE

1. Cleaning the Faucet

To maintain the matte black finish, clean the faucet regularly with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish. Wipe dry after cleaning to prevent water spots.

Easy to Clean

Keep your bathroom faucet like new everyday

FORIOUS

Other Brand



Image: The FORIOUS faucet is designed for easy cleaning and resistance to wear compared to other brands.

2. Aerator Maintenance

If water flow decreases or becomes irregular, the aerator may be clogged. Unscrew the aerator from the spout, clean any debris or mineral deposits, and rinse thoroughly. Reinstall the aerator securely.



With replaceable aerator
Make the water softer, non-splashing
water saving 30%

Image: The replaceable aerator helps save water and provides a non-splashing flow.

TROUBLESHOOTING

If you encounter any issues, refer to the following common solutions:

- **Low Water Flow:** Check if the aerator is clogged (see Maintenance section). Ensure supply stops are fully open. Verify that supply lines are not kinked.
- **Leaks from Faucet Base:** Ensure all mounting nuts are tightened securely. Check that gaskets are properly seated.
- **Leaks from Connections:** Verify that supply line connections are tight. Replace washers if worn.
- **Water Temperature Issues:** Confirm that both hot and cold water supply lines are connected correctly and that the water heater is functioning.

If problems persist after attempting these solutions, please contact FORIOUS customer support.

WARRANTY AND SUPPORT

Your FORIOUS faucet comes with a limited warranty. Please refer to the warranty card included in your package for specific terms and conditions. For technical assistance, replacement parts, or warranty claims, please contact

FORIOUS customer support through their official website or the retailer where the product was purchased.

Manufacturer: FORIOUS