

[Manuals.plus](#) /

› [Fluest](#) /

› Fluest Twin Bed Frame Instruction Manual - Model BED217T

Fluest BED217T

Fluest Twin Bed Frame Instruction Manual - Model BED217T

Your guide to assembly, use, and maintenance of your Fluest Twin Bed Frame.

1. INTRODUCTION

Thank you for choosing the Fluest Twin Bed Frame. This manual provides detailed instructions for the assembly, safe use, and maintenance of your new bed frame. Designed for durability and comfort, this frame features an all-metal support system, a stylish rustic grey headboard and footboard, and convenient under-bed storage space. Please read this manual thoroughly before beginning assembly and retain it for future reference.

2. SAFETY INFORMATION

WARNING: Failure to follow these instructions may result in injury or damage to the product.

- Always follow the assembly instructions carefully.
- Ensure all bolts and screws are securely tightened before use. Periodically check and re-tighten as necessary.
- Do not exceed the maximum weight recommendation of 600 pounds for this Twin bed frame.
- Keep small parts away from children during assembly to prevent choking hazards.
- Do not stand or jump on the bed frame.
- Use on a level surface to prevent instability.

3. PACKAGE CONTENTS

Before beginning assembly, verify that all parts listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

Stylish Headboard



Image 3.1: All components of the Fluest Twin Bed Frame laid out for assembly, including metal frame pieces, wooden headboard/footboard panels, and hardware kit.

- Headboard Panels (Wooden)
- Footboard Panel (Wooden)
- Side Rails (Metal)
- Center Support Beam (Metal)
- Support Legs (Metal)
- Metal Slats
- Hardware Kit (Screws, bolts, Allen wrench)
- Installation Manual

4. ASSEMBLY INSTRUCTIONS

Assembly is designed to be straightforward and can typically be completed in under 60 minutes. Each part is labeled with a serial number to assist with identification. It is recommended to assemble the bed frame with two people for ease, though it is manageable solo.

1. **Unpack Components:** Carefully remove all parts from the packaging. Lay them out on a soft, clean surface to prevent scratches. Identify each part using the provided labels and the parts list.
2. **Assemble Headboard:** Attach the wooden headboard panels to the metal headboard frame using the specified screws and the provided Allen wrench. Ensure all connections are snug.
3. **Attach Side Rails:** Connect the metal side rails to the assembled headboard and the footboard. Hand-tighten screws initially.
4. **Install Center Support:** Position the center support beam and attach the support legs. Secure the center beam to the side rails.
5. **Place Metal Slats:** Lay the metal slats across the frame. These slats are designed to fit into designated slots or hooks on the side rails and center beam. They do not require additional screws.
6. **Final Tightening:** Once all components are in place, go back and fully tighten all screws and bolts using the Allen wrench. Do not overtighten.

Your browser does not support the video tag.

Video 4.1: An unboxing and assembly guide for the Fluest Bed Frame, demonstrating the step-by-step process of putting together the frame components, including the headboard, side rails, and slats. This video is provided by a seller-affiliated creator.



Image 4.1: A detailed diagram illustrating the assembly sequence for the Fluest Twin Bed Frame, highlighting the connection points for the headboard, side rails, and support structure.


5. FEATURES AND BENEFITS

- **All-Metal Support System:** Constructed with 13 metal slats and 9 metal legs, providing stable and durable support for up to 800 lbs. Eliminates the need for a box spring.
- **Extra Under-Bed Storage:** Features 12.2 inches of clearance beneath the frame, offering ample space for storage bins and keeping your bedroom tidy.
- **Noise-Free Design:** Includes foam padding on the middle beam to prevent metal-on-metal friction, ensuring a quiet and undisturbed sleep environment.
- **Industrial Aesthetic:** The rustic grey headboard and footboard are waterproof and scratch-resistant, offering a modern and practical design.




Image 5.1: A visual representation of the 12.2-inch under-bed storage clearance, demonstrating how items can be stored beneath the frame.

Mattress Recommendation



Only Mattress:
8-12"



Mattress+Box Spring:
8-12"

Image 5.2: Detailed view highlighting the EVA sponge padding for noise reduction and the robust all-metal support system of the bed frame.

6. USAGE AND MATTRESS RECOMMENDATION

This bed frame is designed to be used with a mattress directly on its metal slats. A box spring is not required. For optimal support and comfort, a mattress thickness of 8-12 inches is recommended.



Nosie-Free Design

EVA Sponge Reduces Noise Caused by Collisions Between Slats and Frames



Strong Structure

All Metal System Provides Strong Support



Image 6.1: Visual guide for mattress thickness, recommending 8-12 inches for use with the Fluest Twin Bed Frame, with or without a box spring.

7. MAINTENANCE

- **Cleaning:** Wipe down metal and wooden surfaces with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that could damage the finish.
- **Tightening:** Periodically check all bolts and screws to ensure they remain tight. Re-tighten as needed to maintain stability and prevent squeaking.
- **Inspection:** Regularly inspect the frame for any signs of wear or damage. Address any issues promptly to ensure continued safe use.

8. TROUBLESHOOTING

- **Squeaking Noises:** Ensure all bolts are securely tightened. The frame includes foam padding to minimize noise; check if it is properly positioned.
- **Instability/Wobbling:** Verify that the bed frame is on a level surface. Re-tighten all connection points. Ensure

all support legs are making firm contact with the floor.

- **Missing Parts:** If any parts were missing upon delivery, please contact Fluest customer support with your purchase details for assistance.

9. SPECIFICATIONS

Feature	Detail
Brand	Fluest
Model Number	BED217T
Size	Twin
Product Dimensions	77.5"L x 39.9"W x 39.3"H
Color	Rustic Grey
Material	Metal, Wood (Headboard)
Weight Capacity	Up to 800 lbs (Maximum recommended: 600 lbs)
Under-Bed Storage	12.2 inches clearance
Assembly Required	Yes
Special Features	No Box Spring Needed, Slatted, Squeak Resistant

10. WARRANTY AND SUPPORT

For any questions, concerns, or warranty claims regarding your Fluest Twin Bed Frame, please contact Fluest customer support. Refer to your purchase documentation for specific warranty terms and contact information.

Online Support: Visit the [Fluest Store on Amazon](#) for additional product information and support resources.

