

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Deryan](#) /

› [Deryan Clyde I-Size Car Seat Instruction Manual](#)

Deryan CARSeatClyde

Deryan Clyde I-Size Car Seat Instruction Manual

Model: CARSeatClyde

Brand: Deryan



1. INTRODUCTION

This manual provides essential instructions for the safe installation, use, and maintenance of your Deryan Clyde I-Size Car Seat. Please read this manual thoroughly before using the car seat and keep it in a safe place for future reference. The Deryan Clyde car seat is designed to offer maximum safety, comfort, and durability for your child. It is an all-in-one solution suitable from birth up to approximately 12 years of age (children measuring between 40 and 150 cm), eliminating the need to purchase multiple car seats as your child grows. The seat is approved according to UN Regulation No. R129/04 (i-Size), ensuring compliance with the strictest European safety standards.



Conforme aux normes de sécurité les plus élevées selon la dernière norme i-Size.

Image: The Deryan Clyde i-Size Car Seat, highlighting its i-Size safety certification.

2. IMPORTANT SAFETY WARNINGS

- **Always read your vehicle's owner manual** for specific instructions regarding child restraint systems and airbag information.
- **Never leave your child unattended** in the car seat, even for a short period.
- Ensure the car seat is **correctly installed and secured** with the vehicle's 3-point seat belt before every journey.
- The **5-point harness must be properly adjusted and tightened** for children using the harness (40-105 cm). Ensure straps are not twisted.
- For children **40-105 cm (approx. birth to 4 years)**, the car seat must be installed in **arear-facing position**. This is the safest orientation.

- For children **100-150 cm (approx. 3.5 to 12 years)**, the car seat can be used in a**forward-facing position**, secured with the vehicle's 3-point seat belt. The 5-point harness must be stored.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage. Internal damage may compromise safety.
- Do not modify the car seat or use accessories not approved by Deryan.
- Protect the car seat from direct sunlight when not in use to prevent components from becoming too hot and potentially burning your child.

3. PACKAGE CONTENTS

Upon unpacking, please ensure all components are present and undamaged:

- Deryan Clyde I-Size Car Seat
- Soft body cushion (infant insert)
- Padded 5-point harness (pre-installed)
- Instruction Manual (this document)

If any parts are missing or damaged, please contact Deryan customer support immediately.

4. SETUP AND INSTALLATION

4.1. Headrest and Harness Adjustment

The Deryan Clyde features a 14-position adjustable headrest and an evolving backrest to perfectly fit your child's growth. The 5-point harness height adjusts simultaneously with the headrest.

1. To adjust the headrest, locate the adjustment lever at the top of the headrest.
2. Squeeze the lever and simultaneously pull up or push down the headrest to the desired height.
3. Ensure the shoulder straps are at or just below your child's shoulders when rear-facing, and at or just above their shoulders when forward-facing.

Réglable en hauteur



**Utilisable dos à la route de 40 à 105 cm
et face à la route de 100 à 150 cm.**

Image: The car seat demonstrating its adjustable headrest, accommodating various child heights.

4.2. Rear-Facing Installation (40-105 cm)

For children from 40 cm to 105 cm (approximately birth to 4 years), the car seat must be installed in a rear-facing position using the vehicle's 3-point seat belt.

1. Place the car seat on the vehicle's rear seat, facing the rear of the vehicle.
2. Route the vehicle's 3-point seat belt through the designated blue belt guides for rear-facing installation.
3. Buckle the seat belt and pull it tight to remove all slack. The car seat should not move more than 2.5 cm (1 inch) side-to-side or front-to-back at the belt path.
4. Ensure the infant insert (soft body cushion) is used for newborns and smaller infants to provide proper positioning and support.

4.3. Forward-Facing Installation (100-150 cm)

For children from 100 cm to 150 cm (approximately 3.5 to 12 years), the car seat can be installed in a forward-facing position using the vehicle's 3-point seat belt. The 5-point harness must be removed and stored according to the instructions in Section 5.2.

1. Place the car seat on the vehicle's rear seat, facing the front of the vehicle.
2. Route the vehicle's 3-point seat belt through the designated red belt guides for forward-facing installation.
3. Buckle the seat belt and pull it tight to remove all slack. The car seat should not move more than 2.5 cm (1 inch) side-to-side or front-to-back at the belt path.

inch) side-to-side or front-to-back at the belt path.

4. Ensure the vehicle's shoulder belt lies flat across your child's shoulder and chest, not on the neck or face. The lap belt should be low on the hips, touching the thighs.




Image: The Deryan Clyde car seat correctly installed in a vehicle, ready for use.

5. OPERATING INSTRUCTIONS

5.1. Securing Your Child

For children 40-105 cm (using 5-point harness):

1. Place your child in the car seat.
2. Bring the shoulder straps over your child's shoulders and connect the two buckle tongues into the central buckle until you hear a click.
3. Pull the harness adjustment strap at the front of the seat to tighten the harness until it is snug against your child's body. You should not be able to pinch any slack in the harness straps at the shoulder.

4. Ensure the chest clip is positioned at armpit level.

For children 100-150 cm (using vehicle's 3-point seat belt):

1. Ensure the 5-point harness has been removed and stored (refer to Section 5.2).
2. Place your child in the car seat.
3. Guide the vehicle's 3-point seat belt across your child and through the red belt guides on the car seat.
4. Buckle the vehicle's seat belt. Ensure the shoulder belt lies flat across your child's shoulder and chest, and the lap belt is low on the hips.




Image: A parent ensuring a child is properly secured in the Deryan Clyde car seat.

Soutien complet

Coussin doux pour
l'ensemble du corps.



Inclus avec harnais de sécurité à 5 points.

Image: Detailed view of the car seat's soft body cushion and the 5-point safety harness.

5.2. Recline Positions

The Deryan Clyde offers 3 forward-facing recline positions and 1 rear-facing recline position for optimal comfort.

1. To adjust the recline, locate the recline adjustment handle at the front base of the car seat.
2. Squeeze the handle and tilt the seat to the desired recline angle.
3. Ensure the seat clicks securely into place in the chosen position.
4. Always check that the car seat remains stable and properly installed after adjusting the recline.

Réglable en 4 positions



Image: The car seat illustrating its adjustable recline positions for both rear-facing and forward-facing use.

5.3. Storing the 5-Point Harness (for 100-150 cm use)

When your child reaches 100 cm in height, the 5-point harness should be removed and stored. The car seat will then be used as a high-back booster with the vehicle's 3-point seat belt.

1. Unbuckle the harness and loosen the straps completely.
2. Follow the instructions printed on the car seat or refer to the detailed diagrams in the full manual for specific steps to detach and store the harness straps behind the seat cover.
3. Ensure all harness components are securely stored so they do not interfere with the vehicle's seat belt or become a projectile in an accident.

6. MAINTENANCE AND CLEANING

Regular maintenance ensures the longevity and hygiene of your Deryan Clyde car seat.

- **Cleaning the Fabric Cover:** The breathable fabric cover can be removed for cleaning. Refer to the care label on the cover for specific washing instructions. Typically, machine wash on a gentle cycle with cold water and mild detergent, then air dry. Do not bleach or tumble dry.
- **Cleaning the Harness:** Wipe the harness straps with a damp cloth and mild soap. Do not immerse the buckle or harness straps in water, as this can weaken the webbing.
- **Cleaning the Plastic Parts:** Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners

or solvents.

- **Inspection:** Regularly inspect the car seat for any signs of wear, damage, or loose parts. Check the harness, buckles, and belt paths for fraying or cracks. If any damage is found, discontinue use and contact customer support.

7. TROUBLESHOOTING

If you encounter any issues with your Deryan Clyde car seat, please refer to the following common solutions:

- **Harness difficult to tighten:** Check that the harness straps are not twisted or caught under the seat cover. Ensure the chest clip is unbuckled before tightening.
- **Car seat feels loose after installation:** Re-read the installation instructions carefully. Ensure the vehicle's seat belt is routed correctly through the designated belt guides and pulled as tight as possible. Apply pressure to the car seat while tightening the belt.
- **Buckle not clicking:** Check for any debris or obstructions in the buckle mechanism. Ensure both buckle tongues are inserted fully.
- **Headrest/Harness not adjusting:** Ensure the adjustment lever is fully squeezed. Check for any obstructions preventing movement.

If the problem persists, please contact Deryan customer support for assistance.

8. SPECIFICATIONS

Model Number	CARSeatClyde
Brand	Deryan
Child Height Range	40 - 150 cm
Child Weight Range (Recommended)	Minimum 5 kg, Maximum 36 kg
Age Group (Approx.)	Birth to 12 years
Safety Standard	UN Regulation No. R129/04 (i-Size)
Installation Type	Vehicle 3-point seat belt
Harness Type	5-point harness (for 40-105 cm)
Recline Positions	4 (1 rear-facing, 3 forward-facing)
Headrest Positions	14
Material	Polyester
Product Dimensions (L x W x H)	53 x 45.5 x 62 cm
Product Weight	6.5 kg
Color	Black

9. WARRANTY AND SUPPORT

Deryan products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official Deryan website.

For technical support, spare parts, or any questions not covered in this manual, please contact Deryan customer service:

- **Website:** www.deryan.com
- **Email:** Refer to the Deryan website for contact details.
- **Phone:** Refer to the Deryan website for contact details.

Please have your model number (CARSeatClyde) and purchase date ready when contacting support.

© 2025 Deryan. All rights reserved.